George Morino / TMS Toyota Customer Services Quality Compliance September 29, 2009 Approved By: Bob Waltz

To:

Ali Toyota Dealers

From:

Toyota Customer Services

Toyota Consumer Safety Advisory Potential Floor Mat Interference with Accelerator Pedal *******URGENT******

Toyota Motor Sales, USA, Inc. takes public safety very seriously. It believes its vehicles to be among the safest on the road today.

Recent events have prompted Toyota to take a closer look at the potential for an accelerator pedal to get stuck in the full open position due to an unsecured or incompatible driver's floor mat. A stuck open accelerator pedal may result in very high vehicle speeds and make it difficult to stop the vehicle, which could cause a crash, serious injury or death.

Toyota considers this a critical matter and will soon launch a safety campaign on specific Toyota and Lexus vehicles. Throughout the process of developing the details of the action plan, it will advise the National Highway Traffic Safety Administration (NHTSA).

Today, we are releasing the attached Toyota Consumer Safety Advisory to our customers. Until Toyota develops a campaign remedy, we are asking owners of specific Toyota and Lexus models to take out <u>any</u> removable driver's floor mat and NOT replace it with any other floor mat. The following models are affected:

- 2007 2010 Camry
- 2005 2010 Avalon
- 2004 2009 Prius
- 2005 2010 Tacoma
- 2007 2010 Tundra
- 2007 2010 ES350
- 2006 2010 IS250 and IS350

In the event owners choose not to remove their floor mat, Toyota strongly recommends that they ensure that the correct floor mat is being used, that it is properly installed and secured, that it is not flipped over with bottom-side up, and that one floor mat is not stacked over another. Information on proper floor mat installation can be found on http://www.toyota.com and http://www.toyota.com and http://www.toyota.com

If a customer requires your dealership's assistance, please assist them by utilizing the attached instructions and application chart.

- Please direct all customer inquiries to the Toyota Customer Experience Center at 1-800-331-4331 or Lexus Customer Experience Center at 1-800-255-3987.
- If you are a dealership associate and have any questions, please contact your District Service/Parts Manager.
- Due to the nature of this activity, it is imperative that all media contacts (local and national) receive a consistent message. In this regard, all media contacts must be directed to Brian Lyons (310) 468-2552, in Toyota Corporate Communications. (Please do not provide these numbers to customers. Dealership associates should contact their Region/PD representative for any questions).

The following Q&A has been provided for your reference.

Toyota/Lexus Consumer Safety Advisory Q&A

Q1: Is this Toyota/Lexus Consumer Safety Advisory a recall?

A1: This is a Consumer Safety Advisory based on the potential for an accelerator pedal to get stuck in the full open position due to an unsecured or incompatible driver's floor mat on certain Toyota and Lexus vehicles.

Q2: Why did Toyota issue the Consumer Safety Advisory?

A2: Recent events have prompted Toyota to take a closer look at the potential for an accelerator pedal to get stuck in the full open position due to an unsecured or incompatible driver's floor mat. A stuck open accelerator pedal may result in very high vehicle speeds and make it difficult to stop the vehicle which could cause a crash, serious injury or death.

Q3: Was there a specific incident related to the Consumer Advisory?

A3: On August 28th, 2009, California Highway Patrol Officer Mark Saylor and three members of his family tragically lost their lives on a highway near San Diego, California, while driving a 2009 ES350 loaned to them by a local Lexus dealer.

Preliminary information from law enforcement investigators indicates that the ES350 involved in the crash contained a driver's all-weather floor mat from a different model Lexus. If incompatible driver's floor mats are installed in any vehicle, or if the floor mat is not properly secured by the retaining hooks, this could cause it to interfere with the accelerator pedal.

Q3a: Electronic systems, such as drive by wire, have been suggested as a possible culprit in the persistence of sudden unintended acceleration incidents. Is this part of the investigation of the San Diego accident.

A3a: All aspects of the vehicle are being studied, but preliminary indications are that an all weather floor mat not designed for the ES350 was installed at the time of the Saylor crash. We have seen no evidence that electronic engine control systems were the cause.

Q4: Which models and model years are impacted?

A4: Toyota

2007 - 2010 Camry

2005 - 2010 Avalon

2004 - 2009 Prius

2005 - 2010 Tacoma

2007 - 2010 Tundra

Lexus

2007 - 2010 ES350

2006 - 2010 IS250 and IS350

Q4a: How many vehicles are involved?

A4a: We are currently determining the number of vehicles.

Q5: Is Toyota planning another recall for the all-weather floors mats or other components as a result of this Consumer Advisory?

A5: Toyota considers this a critical matter and will soon launch a safety campaign on specific Toyota and Lexus vehicles. Throughout the process of developing the details of the action plan, it will advise the National Highway Traffic Safety Administration (NHTSA).

Until we develop a campaign remedy, we recommend that owners remove **any** driver-side floor mat from the specific models identified and **NOT** replace it with any other floor mat.

Q5a: Why didn't the previous all-weather floor mat recall alleviate this problem?

A5a: The previous floor mat recall was aimed at replacing accessory all weather floor mats with a newly designed one as well as advising users not to place all weather mats on top of any other floor mats. Despite this effort, unsecured or incompatible driver's floor mats can present a hazard and Toyota is exploring remedies that can further reduce the likelihood of an crash that could result from misinstallation.

Q6: What should customers do?

A6: Toyota is committed to finding the right solution for this condition. Until the campaign remedy is developed and customers receive notice from Toyota, we request that customers take out any removable driver's floor mat and NOT replace it with any other floor mat.

Q6a: What if a customer chooses not to remove their floor mat?

A6a: In the event a customer chooses not to remove their floor mat, Toyota strongly recommends that they ensure that the correct floor mat is being used, that it is properly installed and secured, that it is not flipped over with bottom-side up, and that one floor mat is not stacked over another. Information on proper floor mat installation can be found on http://www.toyota.com and http://www.lexus.com.

Q6b: What if a customer requires assistance in checking the floor mat?

A6b: If a customer chooses not to remove their floor mat and requires assistance, they may check with any local Lexus or Toyota dealership's Parts or Service Department to verify the application. Dealers will re-install only those floor mats designed specifically for that model and model year.

Q6c: What if a customer needs retaining hooks (clips)?

A6c: Replacement retaining hooks (clips) for Lexus and Toyota carpeted and all-weather floor mats are available at any Lexus or Toyota dealership. Please check with the dealer for details.

Q7: What if a floor mat is an aftermarket rubberized floor mat?

A7: Driver's floor mat interference is possible in any make or model vehicle with any combination of floor mats. Therefore, consumers need to make sure the floor mats are compatible for their model and model year. Also, they need to be sure they are properly secured using the appropriate retention device (clips). Driver's floor mats should never be stacked. Consumers should never place any floor mat – aftermarket or not – on top of another driver's floor mat. Mats should also not be flipped over with the bottom-side up.

Q8: What if a driver experiences accelerator pedal interference. What should they do?

A8: Should the vehicle continue to accelerate rapidly after releasing the accelerator pedal, this could be an indication of floor mat interference. If this occurs, Toyota recommends the driver take the following actions:

First, if it is possible and safe to do so, pull-back the floor mat and dislodge it from the accelerator pedal; then pull over and stop the vehicle.

If the floor mat cannot be dislodged, then firmly and steadily step on the brake pedal with both feet. Do not pump the brake pedal repeatedly as this will increase the effort required to slow the vehicle. If you are still unable to stop the vehicle, then do the following:

Shift the transmission gear selector to the Neutral (N) position and use the brakes to make a controlled stop at the side of the road and turn off the engine.

If unable to put the vehicle in Neutral, turn the engine OFF. This will not cause loss of steering or braking control, but the power assist to these systems will be lost.

-If the vehicle is equipped with an Engine Start/Stop button, firmly and steadily push the button for at least three seconds to turn off the engine. Do NOT tap the Engine Start/Stop button.

-If the vehicle is equipped with a conventional key-ignition, turn the ignition key to the ACC position to turn off the engine. Do NOT remove the key from the ignition as this will lock the steering wheel.

Q8a: Why does the Engine Start/Stop button require 3 seconds to shut off?

A8a: This is to prevent accidentally shutting off the engine in case the button is bumped or mistaken for another control. The resulting loss of engine power could cause a loss of the power assist to the brakes and steering, and possibly an unsafe situation.

Q9: What if an owner has additional questions or concerns?

Owners with questions or concerns, are asked to please contact the Toyota Customer Experience Center (1 800 331-4331) or Lexus Customer Assistance Center (1 800 255-3987), or consult the information posted at http://www.toyota.com and http://www.toyota.com.



Read these important Warnings BEFORE installing ANY type of Floor Mat.


A. General Floor Mat Warnings

- Only install floor mats designed specifically for that model and model year. Check for correct model name and part number on the packaging label to confirm vehicle application.
 - o Never install a floor mat if you are uncertain of the model application.
 - Never install the floor mat upside down or turned over for any reason.
 - o Only install the driver's floor mat in the driver's foot area.
- Always properly secure the driver's floor mat using the retaining hooks (clips) supplied in the bag with the floor
 mats (in the case of Lexus with the carpet floor mats). Follow the floor mat retention clip installation instruction
 supplied with the clips. If the mat is properly secured and you have confirmed vehicle applicability, it will not
 interfere with the accelerator pedal.
 - o Never install the front driver's floor mat without all retaining hooks (clips) securing the mat firmly in place.
- The retaining hooks (clips) are designed to accommodate only one floor mat at a time.
 - o Do not install another floor mat(s) on top of an existing driver's floor mat.
- After installation, always check the operation of the accelerator, brake and clutch (if applicable) pedals to assure the floor mat does not interfere with them.
- Carefully read the warning tag attached to the driver's floor mat regarding installation.

B. Floor Mat Inspection Instructions and Application Information

- Before placing a floor mat in a vehicle be familiar with the procedure outlined below.
 - o Identify the correct driver's floor mat for the specific vehicle application.
 - Correctly install the driver's floor mat.
- Regularly verify the correct floor mat is securely installed in the appropriate model using the retaining hooks (clips).


NOTE: Use the Application Information Chart provided or the Accessory Parts Catalog to verify mat-to-vehicle application.






Driver's floor mat part number is located on the bottom of the back side of the mat.

	(Sam	рl	e (of	Α	pp	ilo	ca	tic	n Inforn	nation Cł	nart)
										Mat De	scription	
	Model	2003	2004	2005	2006	2007	2008	2009	2010	Color	Piece Set No.	Part Number
1	Camry	х	х	х	X					Oak	4 pc set	PT206-03036-16
1	Camry (Front Mats)					х	x			Black	1 pc	PT908-0307F-02
ł	Camry (Front Mats)					х	×			Brown	1 pc	PT908-0307F-14
	Camry					х				Black	4 pc set	PT908-32070-02
	Camry		Γ			X				Brown	4 pc set	PT908-32070-14



 Make sure the driver's floor mat is properly secured by the retaining hooks (clips). Confirm that the retaining hooks (clips) are secured into the grommet holes in the vehicle's floor (carpet).

Warning: Do not stack the floor mats in any vehicle. The retaining hooks (clips) are designed to accommodate only one floor mat at a time.



- Check the following pedal operation (fully depress the pedal) to assure the floor mat does not interfere with it. Make sure the vehicle is turned off and in the "Park" position when testing:
 - Accelerator Pedal
 - Brake Pedal
 - Clutch Pedal (if equipped)
- Verify the driver's floor mat involved in SSC 70F & 7LB has been removed from your vehicle

DO NOT USE THESE MATS

SSC 70F Part Number: PT908-32070-02 (Blk) PT908-32070-14 (Brn)

SSC 7LB Part Number: T908-33070-02 **OR** PT908-33071-01

PT908-33070-02 **OR** PT908-33071-02 (Blk) PT908-33070-11 **OR** PT908-33071-11 (Gr)

PT908-33070-14 OR PT908-33071-14 (Brn)

Toyota and Lexus Carpeted / All Weather Floor Mat Inspection, Application and Installation Instructions

Printed September 29
2009

Tribution Commitment Comm	4 00 14	Black	L	Ŀ	×	×	·	×	ł	ŀ	4 ROMA	Approximately a
Control Cont	4 00 001	deci	×	×	×		r	İ		ľ	and Chiase	P1908-60083-02
Control Cont	4 pc sei	digot	L			×	×	ı	t	ı	THE CHARGE	
Mart	10000	ļ	ľ	ŀ	Ŀ	I	ı	ı	ı	ı		
March Marc		ľ	4	•	*		1	ı	ı	Ī	Highlander - Hybrid	PT908-48088-22
Contain (Contain (C	K		*	×	×				٦	H	Highlander - 3" Row	PT906-4508.3-02
Contain (Contain (C	4 pc age	B X	Ц			×	×	Ħ	H	Ħ	Hybrider	PT308-48085-02
Company Comp	3 pc bit	Ē				×	-	ы	r	ŀ	Figitiander - Hybrid	P 1909-4003-02
Committee De Parison 2004 2005 2007 2005 2007 2005 2007 2005	4 PC 001	Bleck	*	×	*	×	×	ľ	ŀ	ŀ	Training of the Arts (Com.)	
Committee Comm	4 pc sa	ĵ		L	×	ı	ı	ł	t	f		DTOM ATTENDED
County C	4 00 00	,	ŀ	ŀ	ŀ	I	ı	ı	t	ı	Tanana Of The Cal	P100-3650.02
County (County (Coun	I			٠	•	1	ı		1		Tecomin - Double Cab	PT906-3507D-02
MARI	1 2 mark		*	ĸ	×				_		Tacoma - Reg Cab	PT\$08-3507B-02
MARIE MARI	4 (C agt	Block	Ц		×	×	H	×	Н	H	Tacoma - Double Cab	P1908-36050-02
Marie Mari	2 pc set	Black	L		×	×	×	×	ľ	ŀ	l (Corns - Rag Cab	Principal Control
Control (FORT HEADY 2004 2005 2005 2005 2007 2005 2007	2 25 54	E	*			ľ	ľ	ı	l	ł	100000	The state of the s
Continue (MCD Plants) 2004 2005				I	I	ı	i	ı	ı		Director - Decided	PT006-34106-02
Control (Control (Control Control Control Control Control Control (Control Control C	2	Plant		-	*	*	1	1			Tundra - Rag Cab	PT908-34078-22
Contin (Fritalism) 2 2 2 2 2 2 2 2 2	4 pc set	Omk				Ĭ	×	×	-	Н	Tundra - Access Cab	PT905-3405C-14
Control (FORT HORSE) 2001	f 2 pc set	ĝ				ľ	×	×	r	r	Tortons - Ring Carb	7 1000 OROGO 10
Marie Mari	4 Doese	Brown				×		ı	r	r	ı	
Control (FORT HEADY) 2	4		I	ŀ	ŀ	ı	ı	ı	ı		ŝ	PT908-32070-16*
Control (FORT MANY 2004 2005 2007				•	•			1	1	1	Phus	PT908-21051-02
Marie Mari	48	Gleck.	×	×					H	Н	Raption - 2WO	PT908-12290-02
Marie Mari	4 pc ass	Black	×	*			H	ŀ	H	H		P1909-01090-02
Control (FORT HAME) 200	Ŕ	Siec.	*	×	ľ	ľ	r	r	ľ	r	Į,	The Contract of the
Control (FOR PRIMERY) 2 2 2 2 2 2 2 2 2	* 200	ļ	I		ı	Į,	İ	ı	ł	ı		DI CONTROL OF
Control (FORMANIA) 2004 2005 2007						•	•	ı	-	ı	Sequosa	PT908-0C050-02
Contab (FORTHAMAN) 2 2 2 2 2 2 2 2 2	3 pc 346	Gray	ĸ		*	×	Н	Н	Н	-	8	PT908-06063-11
March Marc	5 pc set	Gray	Ľ	×	×	н.	r	ŀ	ŀ	ŀ	Serina - / 8 5 pages	F F BOOT OF THE
Control (FORMAN) 2	4 pc set	estiçx	×	,	ŀ	>	ŀ	ļ	ł	ł		Property and the
Control (MCD Hallow) 2004 2005 2007			ı	1	•	,	4	•	ı	1	Avadon	P1908-07050-02
Control (MCD Printers) 2 2 2 2 2 2 2 2 2	100	Black			*	×	Н	H	-	Н	Carry (Front Mat)	PT908-0307F-02
Control (Control (Control Control Co	4 pc est	Black	×	ĸ	×	×	ŀ	ŀ	ŀ	ŀ	CERTS	1000 0001
Control (FOR HORSE) 200			l	ı	I	ı	İ	ı	ı	ı		271909-02071-20
Marie Mari	42.44	Place	*		×		~	-			Fd Onder - Tred Town	PT548-60080-01
Control (FORT HORSE) Control (FORT HORSE)	4 pc sel	Start		П	1	×	H	H	H	H	FJ Christer	P1040-000/5-01
Control (FORMAN) 2 2 2 2 2 2 2 2 2	4 pc sol	Black	l	ľ	ľ	ļ	ŀ	ŀ	ŀ	ł		
Control (From Nation 2004 2004 2007 2009			I	ı	İ	ı	ı	ı	ı	1	FIDM	PT548-80072-01
Control (FORMAN) 2 2 2 2 2 2 2 2 2		î			1	1	-	1			4 Hunner	PT206-89036-16
Control (February 2004 2004 2005 2007 2009 2	4 poset	Oak		İ	ľ	ľ	ŀ	×	×	×	Land Crosser	- Ann-George 10
Control (FORMAN) 2	100	,	ŀ	ľ	ľ	ŀ	ı	ŀ	ł	ı		
Control (Control (C						ı	i	1	1	į	Land Chiese	PT206-00026-16
Control (MCD Printers) 2 2 2 2 2 2 2 2 2	400.00	Aerg				i		×	×	×	Edio	PT208-52036-03
Control (Control (C	4 90 944	0#		ľ	ľ	t	*		×	-	region con	
Control (MCD Printers) 2 2 2 2 2 2 2 2 2			I	ı	ı	ı	1	ı		1		PT206-48045-18
Control (manusor) 2004 2005 2007 2009 2	48	Oak		1			Ī	-	H	-	#Springer	PT206-48005-16
Control (MCD Haller) 200	4 pc set	Out.	l	h	۳	H	H	H	ŀ	,	Horizoder	- 246-100/CO-10
Control (name) 2004 2004 2007 2009	*8	Ç,	ľ	ľ	ľ	ľ	l	ļ	I,	ł		
Control (FORMAN) 2004 2004 2007 2009 20			ı	İ	1	1	ı	*		1	PARIS.	PT206-42046-16
Control (no heady) 2004 2004 2004 2007 2009	+ pc set	0			H	H	-	H		_	Rava	F1206-42036-18
Control (February 1	4 20 544	Q.	ľ	ľ	ľ	r	ŀ	ŀ		Ė		
Control (NOT MAN) 2004 2005 2007	48.4		İ	ı	t	ı	ł	ł	ı	ı		PT200-4200-48
Control (Manham) 2004 2004 2004 2007 2009 20	2		1	1	1	1		-		J	Tacomia - Front	PT208-3504F-16
Control (NOT MAN 2004 2004 2004 2007 2009 20	2 00 and	Out	H	Н	Н	H	H	Н			Tacoma - Rager	P1208-3504B-36
Contact (or Name) 2004 2004 2004 2007 2009 2	2 pc set	0	ľ	ľ	ŀ	ŀ	ŀ	ł	ŕ			
Control (NOT MAN 2004 2005 2007 20			İ	ı	ı	ı	ı	ı	ı		Tarana Faran	91708-3503F-18
Control (or Name) 2004 2004 2004 2007 2009 2	200			i	1			-			Тасопт - Ром	PT206-3503B-16
Control (Manuary) 2004 2004 2005 2007 2009 2	4 pc not	Opt	П	H	H	Н	×.	×	ď	-	Tundre - Double Çah	1208-36046-16
Contain (or heady) 2004 2004 2004 2009	2 pc sat	Ģ	ı	ľ	ľ	ł	ŀ	I		ł		1000
Control (MC Internation) 2 2004 2005 2007			ı							-	Tundra - Reg / Access Cab (Front	P7206-34037-16
Control (or Nation) 2	2 pc set	Oak	H	H	Н	H	×	` *	Ĥ	Н	Tundra - Access Cab (Rear)	PT206-34098-16
2004 2004 2004 2004 2009	4 pc and	Gray	ľ		ŀ	ŀ	*	Î	Ē	-	AND CONTRACTOR OF THE PARTY.	100 (0.00)
Continue 2004 2005 2007 200	4 20 20	5	ı	ı	i	ł	ı	ı	ı	ı	W	PT2061200AA
2004 2004 2004 2004 2009		Comme		i	ĸ	×	×	~			Matrix - 2WD (or heater) -	PT208-12008-03
Continue 2004 2004 2004 2007 2009 200	4 pc 441	Gray	-	H	۲	Н	H	-	ľ	ŀ	Matrix - AWD (w/heater)	P1405-12000-05
Conting (minimary) 3 2004 2005 2007 2009 200	4 00 200	ě		ľ	H	ŀ	Ĥ	_	ľ	ł	on the same	
Control (MCN 1996) 2006 2006 2007 2009	4 04.400		ı	ł	ł	ł	ł	ı	ı	ł	Character	PT206-DOTUGA
Control (or Nation) 200	100	Q.		_	-		-	-	×	-	Sequola	PT208-0C026-16
2004 2004 2005 2007 2007 2009 2019	2 pc set	O#	-	۲		×	ľ	Ľ	ŀ	ŀ	Senso - 5 POW	F 1200000000 - 10
Continue 2004 2004 2004 2007 2009 200	483	Ç.	ľ	ı.	H	ŀ	ľ	ľ	ł	▋		DE ACCIONATION
Continue (Particular) 2001 2004 2005 2005 2007 2009 2009 2009 2009 2009 2009 2009		ı	ı	I	ı				1	4	Sharm	P7206-06036-16
Continue Deck Dec	4 90 800	ğ		-		Н	ł	×	×	Н	Availan	PT208-07028-16
Control (or News) 2004 2004 2004 2007 2009 2	4 pc set	Oak	٦	H	ŀ		Ľ	×	×	ŀ	Carry	1 1 200 mary 0 10
2004 2004 2005 2004 2005	10.0	9	ı	ŀ	ı	I	ı	ł	ı	ı		DE DECOROTE SE
2004 2004 2005 2004 2009		2	i	1	1	1		1	×	-	Carry	PT206-03026-18
2004 2004 2005 2004 2005 2004 2007 2009	4,000,000	OR.	H	H	×	*	ř	X	×	L	Corplin (witheater)	P12004209416
200 2004 2005 2004 2005 2007 3009 3019 3019 Code Code (Control (Co	4 70 80	OR	ŀ	ŀ	~ ×		Ì	•	ľ	ŀ		
700 204 205 206 207 207 200 200 207 207 207 207 207 207			ł	ł	ł	ł	ł	ı	ı	ł	Committee to the committee of	PT2W-0208-18
2005 2004 2005 2004 2005 2006 2007 2008 2009 2009 Codor Conth (no heavy) y		2	1	ı	i	-		4			Corolla (w/ hease)	PT208-02036-16
2505 2504 2505 2666 2667 2668 2656 2678 Color	4 pa not	0	Н	Н	Н	Н	Н	Н	ľ	μ	Corolle (wto heater)	PT208-02035-18
2004 2005 2006 2007 2000 2000 2010 Color	· F1909 Gas.com	F	ŀ	ľ		j				ı		The state of the same
	Diama Raj Jin	7	2	2		2		E	۳.		- Foot	78170

Model

	Toyota All Weather Floor Mat Quick Reference Chart (Sorted By Model)	ather (S	r Floor Mat Quick (Sorted By Model)	Mat.	Julck	Refer	BUCB	Chart			Printed Septer	Printed September 29, 2009
Γ					Mode	Year				A PAR	scription	
	Part Number	2003	3007	2002	2006	2002	2008	6002	383 2054 2005 2006 2007 2008 2009 2010	Color	Place Sat No.	

		2	N.	202	2002	2007	ZMG	202	2010	coror	PISCH SAT NO.
4 Rumer	PT208-89038-16	¥	×		1					O#	4 pc sel
4 Pureser	P1908-89100-02			П			П		н	Black	4 25 101
Avaion	PT205-07026-15	H	к	П	П	П	П	П	П	ě	4 pc set
Avaion	PT908-07050-14			4	-	4	×	×	×	Brown	4 pc set
Camp	PT208-03026-18	×			ı	ľ	I	ľ		ð	4 poses
	are movement management	l	ŀ	I	ŀ	I	I	Ī	I	į	
(1)	01-00000-0071-1	*	·	·	-	1	I	I	I		(a)
Do not use these they rate.	P1300-03078-14				ı	4	-	I	I	and a	R
	FTSGS-SSC/O-SA				ı	×	1	I	I	Brown	4 pc seri
Cemey	P1908-03071-14				1	×		×	×	DAGAR!	0 00 100
Corolle (WO heater)	P1206-02035-18	×			I	1	I	I	I	Š	4 (50 100)
Corolle (w/ heater)	PT206-02038-18	=			Ī					š	4 75 MA
Corolin (w/o heater)	PT206-02030-16	×	۲	×	×	×	×			Š	4 pc ack
Corcults (not headen)	PT208-02039-18	×	×	ĸ	×	ĸ	×			8	4 pc ser
Echo	PT208-62026-43	H						_		Gray	4 pc 346
FJCuber	PT548-80070-01					*				Stack	4 posest
FJ Crosper - TRD	PT548-80074-01				Π	*				Black	4 perset
F3 Croteer	PTS48-80076-01						×	×	×	Black	4 pc sel
Higherder	PT205-40026-03	×								Gray	4 pc set
Haghander	PT206-48026-16	×			H	П	I			ð	4 pc left
Highiender	PT208-48045-03		7	×	×	П		П	П	Gray	4 ye bet
Harriander - Hybrid	PT908-48035-02	Ц		ĸ	ĸ	×	П	П	П	Black	3 pc tal
Highlander	P1908-48066-02	Ш			×	×			П	Black	4 pc set
>8ghander	PT908-48087-22						-			Black	4 pc set
Hgriander – 3º Row	PTBO6-48083-02		J				lec	ĸ	×	Black	1 20
Land Oniser	PT208-60026-03	ĸ						Γ		Gray	4 pc set
Land College	PT208-6025-18	×					Г			ð	4 50 44
Levi Criser	PT908-80065-02	L			×	×	I			Sec	4 20 344
Contract Contract	DITORS ARMAS (IN)	l	ı	I		Ī	ŀ	ļ	ŀ	1	
Section 1		l	ı	I	I	1	4	1	1		
Matrix - 2000 (we notice)	P1206-12039-03	1	1	ı	1		I	I	I	de so	4 25 350
Metrix - ZWD (wid heater)	P1206-1203/403	*	ı			1	1	ł	ı	ABIS	A po ser
Matrix - AVID (withouter)	PT206-1203A-03	×	*	×	ĸ					Solay	4 pc set
Meth - AWD	PT908-12090-02		_					×	×	Black	4 pc set
Prius	PT806-21050-02			×	ж					Stack	4 pc set
Prkm	PT906-47100-02								×	Black	4 pc set
Ray 4	PT206-42026-16	×								Ozk	4 pc aw
Ray 4	PT206-42036-16	×								7F()	4 pc set
Ray 4	PT206-42046-18	L	×	×			I			Oek	4 pc ael
Raw 4 (sel Sed rose)	PT906-42061-02	Ц			×	×	×	×	×	Sleck	4 pc set
Seques	PT208-0C026-18	×								Osk	4 pc stot
Sequoia	PT205-0C036-16	×	×	×						ye)	4 poset
Securita	PT908-0C050-14	L	L		×	.*	×			ă	4 pc aet
Securia - 3" Row	F1308-0C063-02	L	L				I	×	×	Black	8
Sierra	PITOGARGIA	l	ŀ	ŀ	,	×				ð	400.506
Carres - 26 Bres	pT/06_00/722.16	l	ŀ	ŀ	ŀ	ŀ	I	I		ð	20050
Charles 7 & Branch	Office Jacks 21	ı	1	I	ł	ŀ	ŀ	ŀ	,	Bross	300
Slaves - 7 A 8 bass	PTSDR-CADES 44		L				×	×	×	Brown	300 864
Taccera - Front	PT206.3503F-16	×					Γ		j	XeO	2 00 844
Tecona - Rear	PT208-35038-18	×					Г			Š	2 pc set .
Tecona - Front	PT208-3504F-16	×	*							Oak	2 DC 161
Tacoma - Resr	PT206-35048-18	×	×							Onk	2 px swl
Tacome - Access Cab	PT906-3505C-02			×	×	*	×	ľ		Black	4 posent
Tacoma - SE Act Cab	PT908-3558C-02	ı.					×			Black	A posed
Tecons - Reg Cab	PT908-3507B-02	L					×	ĸ	×	Black	2 posed
Tecome - Double Cab	PT908-3507D-02						×	×	×	Black	4 pc suft
Tundra - Reg / Access Cab (Front)	FT206-3403F-18	×	*	×	ĸ	_				ð	2 pc 346
Tundra - Access Cab (Rest)	PT206-3403B-16	×	×	×	к	П	П	П	П	O.	2 pc 886
Tundra - Double Cab	PT205-34045-18		*	×	×	П		П	П	Oak	4 pc set
Tundra - Reg Cab	PT508.34056-14	Ц	Ц	•	×	П		П		Oek	2 pc 800
Tundra - Access Cab	PT908-3405C-14			×	ĸ					Oak	4 pc set
Tundra - Double Cab	PT908-3505D-14			×	×	П				ЖC	4 pc set
Tundra - D Ceb & Crew Man	F1906.3407C-22	Ц				×	×	×		Black	4 pc 56K
Tundra - D Calo & Crow Max	F1908-3410C-02								×	Black	4 pe tark
		ľ					ı	ļ			

Robin LeFevre Lexus Customer Service September 29, 2009 Approved By: Al Smith

To:

All Lexus Dealers

From:

Lexus Customer Services

Lexus/Toyota Consumer Safety Advisory Potential Floor Mat Interference with Accelerator Pedal *******URGENT******

Toyota Motor Sales, USA, Inc. takes public safety very seriously. We believe our vehicles to be among the safest on the road today.

Recent events have prompted Lexus and Toyota to take a closer look at the potential for an accelerator pedal to get stuck in the full open position due to an unsecured or incompatible driver's floor mat. A stuck open accelerator pedal may result in very high vehicle speeds and make it difficult to stop the vehicle, which could cause a crash, serious injury or death.

Lexus considers this a critical matter and will soon launch a safety campaign on specific Lexus and Toyota vehicles. Throughout the process of developing the details of the action plan, it will advise the National Highway Traffic Safety Administration (NHTSA).

Today, we are releasing a Consumer Safety Advisory to our customers. Until Lexus/Toyota develops a campaign remedy, we are asking owners of specific Lexus and Toyota models to take out <u>any</u> removable driver's floor mat and NOT replace it with any other floor mat. The following models are affected:

- 2007 2010 ES350
- 2006 2010 IS250 and IS350
- 2007 2010 Camry
- 2005 2010 Avalon
- 2004 2009 Prius
- 2005 2010 Tacoma
- 2007 2010 Tundra

In the event owners choose not to remove their floor mat, Lexus strongly recommends that they ensure that the correct floor mat is being used, that it is properly installed and secured, that it is not flipped over with bottom-side up, and that one floor mat is not stacked over another. Information on proper floor mat installation can be found on http://www.lexus.com.

If a customer requires your dealership's assistance, please assist them by utilizing the attached instructions and application chart.

- Please direct all customer inquiries to the Lexus Customer Assistance Center at 1-800-255-3987.
- If you are a dealership associate and have any questions, please contact your District Service/Parts Manager.
- Due to the nature of this activity, it is imperative that all media contacts (local and national) receive a consistent message. In this regard, all media contacts must be directed to Brian Lyons (310) 468-2552, in Toyota Corporate Communications. (Please do not provide these numbers to customers. Dealership associates should contact their Area representative for any questions).

The following Q&A has been provided for your reference.

Lexus Consumer Safety Advisory Q&A

Q1: Is this Lexus Consumer Safety Advisory a recall?

A1: This is a Consumer Safety Advisory based on the potential for an accelerator pedal to get stuck in the full open position due to an unsecured or incompatible driver's floor mat on certain Lexus and Toyota vehicles.

Q2: Why did Lexus issue the Consumer Safety Advisory?

A2: Recent events have prompted Lexus to take a closer look at the potential for an accelerator pedal to get stuck in the full open position due to an unsecured or incompatible driver's floor mat. A stuck open accelerator pedal may result in very high vehicle speeds and make it difficult to stop the vehicle which could cause a crash, serious injury or death.

Q3: Was there a specific incident related to the Consumer Advisory?

A3: On August 28th, 2009, California Highway Patrol Officer Mark Saylor and three members of his family tragically lost their lives on a highway near San Diego, California, while driving a 2009 ES350 loaned to them by a local Lexus dealer.

Preliminary information from law enforcement investigators indicates that the ES350 involved in the crash contained a driver's all-weather floor mat from a different model Lexus. If incompatible driver's floor mats are installed in any vehicle, or if the floor mat is not properly secured by the retaining hooks, this could cause it to interfere with the accelerator pedal.

Q3a: Electronic systems, such as drive by wire, have been suggested as a possible culprit in the persistence of sudden unintended acceleration incidents. Is this part of the investigation of the San Diego accident.

A3a: All aspects of the vehicle are being studied, but preliminary indications are that an all weather floor mat not designed for the ES350 was installed at the time of the Saylor crash. We have seen no evidence that electronic engine control systems were the cause.

Q4: Which models and model years are impacted?

A4: Lexus

2007 - 2010 ES350

2006 - 2010 IS250 and IS350

Toyota

2007 - 2010 Camry

2005 - 2010 Avalon

2004 - 2009 Prius

2005 - 2010 Tacoma

2007 - 2010 Tundra

Q4a: How many vehicles are involved?

A4a: We are currently determining the number of vehicles.

Q5: Is Lexus planning another recall for the all-weather floors mats or other components as a result of this Consumer Advisory?

A5: Lexus considers this a critical matter and will soon launch a safety campaign on specific Lexus and Toyota vehicles. Throughout the process of developing the details of the action plan, it will advise the National Highway Traffic Safety Administration (NHTSA).

Until we develop a campaign remedy, we recommend that owners remove *any* driver-side floor mat from the specific models identified and **NOT** replace it with any other floor mat.

Q5a: Why didn't the previous all-weather floor mat recall alleviate this problem?

A5a: The previous floor mat recall was aimed at replacing accessory all weather floor mats with a newly designed one as well as advising users not to place all weather mats on top of any other floor mats. Despite this effort, unsecured or incompatible driver's floor mats can present a hazard and Lexus/Toyota is exploring remedies that can further reduce the likelihood of an crash that could result from mis-installation.

Q6: What should customers do?

A6: Lexus/Toyota is committed to finding the right solution for this condition. Until the campaign remedy is developed and customers receive notice from Lexus, we request that customers take out any removable driver's floor mat and NOT replace it with any other floor mat.

Q6a: What if a customer chooses not to remove their floor mat?

A6a: In the event a customer chooses not to remove their floor mat, Lexus strongly recommends that they ensure that the correct floor mat is being used, that it is properly installed and secured, that it is not flipped over with bottom-side up, and that one floor mat is not stacked over another. Information on proper floor mat installation can be found on http://www.lexus.com.

Q6b: What if a customer requires assistance in checking the floor mat?

A6b: If a customer chooses not to remove their floor mat and requires assistance, they may check with any local Lexus dealership's Parts or Service Department to verify the application. Dealers will re-install only those floor mats designed specifically for that model and model year.

Q6c: What if a customer needs retaining hooks (clips)?

A6c: Replacement retaining hooks (clips) for Lexus carpeted and all-weather floor mats are available at any Lexus dealership. Please check with the dealer for details.

Q7: What if a floor mat is an aftermarket rubberized floor mat?

A7: Driver's floor mat interference is possible in any make or model vehicle with any combination of floor mats. Therefore, consumers need to make sure the floor mats are compatible for their model and model year. Also, they need to be sure they are properly secured using the appropriate retention device (clips). Driver's floor mats should never be stacked. Consumers should never place any floor mat – aftermarket or not -- on top of another driver's floor mat. Mats should also not be flipped over with the bottom-side up.

Q8: What if a driver experiences accelerator pedal interference. What should they do?

A8: Should the vehicle continue to accelerate rapidly after releasing the accelerator pedal, this could be an indication of floor mat interference. If this occurs, Lexus recommends the driver take the following actions:

First, if it is possible and safe to do so; pull-back the floor mat and dislodge it from the accelerator pedal; then pull over and stop the vehicle.

If the floor mat cannot be dislodged, then firmly and steadily step on the brake pedal with both feet. Do not pump the brake pedal repeatedly as this will increase the effort required to slow the vehicle. If you are still unable to stop the vehicle, then do the following:

Shift the transmission gear selector to the Neutral (N) position and use the brakes to make a controlled stop at the side of the road and turn off the engine.

If unable to put the vehicle in Neutral, turn the engine OFF. This will not cause loss of steering or braking control, but the power assist to these systems will be lost.

- -If the vehicle is equipped with an Engine Start/Stop button, firmly and steadily push the button for at least three seconds to turn off the engine. Do NOT tap the Engine Start/Stop button.
- -If the vehicle is equipped with a conventional key-ignition, turn the ignition key to the ACC position to turn off the engine. Do NOT remove the key from the ignition as this will lock the steering wheel.

Q8a: Why does the Engine Start/Stop button require 3 seconds to shut off?

A8a: This is to prevent accidentally shutting off the engine in case the button is bumped or mistaken for another control. The resulting loss of engine power could cause a loss of the power assist to the brakes and steering, and possibly an unsafe situation.

Q9: What if an owner has additional questions or concerns?

Owners with questions or concerns, are asked to please contact the Lexus Customer Assistance Center (1 800 255-3987), or consult the information posted at http://www.lexus.com.



Lexus All Weather Floor Mats (Sorted By Model)

			×	×	×	×			F1908-8050-02	7X 400h
4 pc set	Brown		×	×	×	×	×	L	PT908-48060-14	RX 330/350
4 pc set	Black		×	×	×	×	×		PT908-48060-02	RX 330/350
4 pc set	Oak		П					×	PT206-48046-16	RX 330
4 pc set	Gray							×	PT206-48046-03	RX 330
2	Brown	×	×	×					PT908-60086-14	LX 570 - 3 rd Row
8	Black	×	×	×				_	PT908-60086-02	LX 570 - 3 rd Row
4 pc set	Brown	×	×	×				1	PT908-60080-14	LX 570
4 pc set	œ Se Se	×	×	×	-		_	_	PT908-60080-02	LX 570
DC.	Brown				×	×	×		PT908-60051-14	LX 470 - 3" Row
100	Black	T	1		×	×	×	1	PT908-60051-02	LX 470 - 3 rd Row
4 or set	Brown	1	1		ĸ :	× :	× !	1	PT908-60050-14	1×470
4 pr set	Black	1	1		×	κ,	×	ļ	PT908-60050-02	1×470
200	3 5	Ţ	1			٠,	()	• }	PT206-6003B-16	X 470 (Rear)
2 00 900	P	T	1	I	1	٠,	٠,	٠,	PT206-SM3B-03	X 470 (Bear)
200	2	T	1			×	*	*	PT206-6003F-16	X 470 (Front)
2 DC Set	GRA	7	,	,	_	×	*	×	PT206-6003F-03	X 470 (Front)
4 70 501	Anown	*	۲ :	4				_	PT908-L SH80-14	1.S. 600h
4 pc set	Black	×	×	×				╛	PT908-LSH80-02	LS 600h
100	Brown	×	×	×	×			_	PT908-50072-14	LS 460/600h - Ottoman
2	Black	×	×	×	×			╛	PT908-50072-02	LS 460/600h - Ottoman
4 pc set	Brown	×	×						PT908-50090-14	LS 460 SWB AWD
4 pc set	Black	×	×						PT908-50090-02	LS 460 SWB AWD
4 pc set	Brown	×	×						PT908-LSH80-14	LS 460 LWB AWD
4 pc set	Black	×.	×					_	PT908-LSH80-02	LS 460 LWB AWD
4 pc set	Вгомп	×	×	×	×		L	L	PT908-50071-14	LS 460 LWB
4 pc set	Black	×	×	×	×		L		PT908-50071-02	LS 460 LWB
4 pc set	Brown	×	×	×	×			L	PT908-50070-14	LS 460 SWB
4 pc set	Black	×	×	×	×		L	L	PT908-50070-02	LS 460 SWB
4 pc set	Oak					×	×	L	PT908-50050-14	LS 430
4 pc set	Gray	T	Ī	Ι		×	×	L	P1908-50050-11	5430
4 pc set	ыаск	Ī	Ī			×	×	L	P1908-50050-02	L3 430
4 pc ser	CIBCX	×	T	Γ	Γ		L	╽	P1908-75100-02	INCZ SIT
4 DC Set	Diack	ŀ	T	Τ	Ι			1	75400-00000	PO ZOOLOGO COLIVERDOS
120 201	Diada		,	,	ļ	,			07000 Engan no	IS SECURED CONTRACTOR
4 00 861	Diack	,			,			1	PT009 53070 03	CASE 2025 201
4 pc set	Dieco	T	Ī	T					PTODO ESOCEI OS	10 250/250 AWD
4 00 001	Dia.	T	Ī	T		١,	ŀ	ļ	DTODO GODEN ON	S SECURED SAME
2 00 001		T	T	T		I	ŀ	Ŷ	DT206 62030 16	S 300 - Sport Cross (Post)
100 20 4	0	Ī	Ī			Ì	٠,	þ	DT206 52035-00	IS 300 - Sport Cross (Front)
3 20 001	P C	T	T	T		I	4	4	PTONE SOCIAL	IS 300 - Sport Cross (Bear)
2 Present	Casy	,	T	T		l	<u> </u>	4	PT206-5303E-03	IS 300 - Sport Cross (Front)
4 no set	Riank	<	,	ļ	ļ	,		1	C0-00103-809T9	GX 480
4 IX suit	P P	1	ĸ	۲	۲	×			PT908-608GX-14	GX 470 w/o RSE
4 oc set	Biack	1	×	×	×	×			PT908-606GX-02	GX 470 w/o RSE
4 DC Set	Brown	1	×	×	×	×		_	PT908-600GX-14	GX 470 w/ RSE
4 DC Set	Biack		×	×	×	×			PT908-600GX-02	GX 470 w/ RSE
4 Do set	0	Ť	Ì			× :	×	× :	PT206-603GX-16	GX 470 w/ & w/o RSE
A Proper	Grack Control	Τ,	,	1	ŀ	٠,	۲	4	EU-SEGENTAL SECTOR	GX 470 w/ & w/o RSE
4 pc set	DIOWIL	<u>۰</u>	۰,	· ×	•			1	DT009 30050 03	GS 450H
the sea	Diaco	•	٠,		,	À		1	DT009 20050 44	GG 450H
A pro Set	Dioni	1	٠,	Τ,	4	<		1	PT908-30051-1-4	GS 350 AWD
4 pu set	Digen	٠,	‹ ›	₹,	٠	٠,	ļ	1	PT908-30051-14	GS 350 AWD
4 pc set	Brown	×	×	×	×	×		L	PT000-30050-14	GO 350/430/400 ZWD
1 pc set	RIOWN	×	×	×	×	T	İ	Ĺ	P1908-330/F-14	ES 350 (Front Mats)
1 pc set	Gray	×	×	×	×	Ì		L	P1908-3307-11	ES 350 (Front Mats)
1 pc set	BIACK	×	×	×	×			L	P1908-3307F-02	ES JOU (FRONT MAIS)
4 DC Set	Brown	×	×	×	×				1 300-33072-14	E0 350 (F-330)
4 pc set	YENO	×	×	×	×	Γ	L	L	P1908-330/2-11	ES 350
4 pc set	Black	×	×	×	×	Ī		L	P1908-33072-02	ES 350
4 pc set	Brown	ŀ	T	×	×	Γ			P4908-330/1-14"	100
4 pc set	Gray	T	T	×	×	Γ		L	P1908-33071-11*	
4 pc set	Black			×	×	Γ		L	PT908-33071-02*	
4 pc set	Brown			-	×			L	PT908-33070-14*	Do not use these floor mate .
4 pc set	Gray				×				PT908-33070-11*	
4 pc set	Black				×				PT908-33070-02*	
4 pc set	Brown	Γ			Γ	×	×	L	PT908-33050-14	ES 330
4 pc set	Gray	_	Г			×	×	L	P1908-33050-11	ES 330
4 pc set	Black				T	×	×	L	PT908-33050-02	ES 330
		2	2	2	2	2	2	2		
Piece Set No.	Color	01	0(0	0	(_
	_	10) (08	07	006	005	004	Part Number	Model

[&]quot;These may were readed in SSC T.B. Brigulah yeriyi bel al AMFAI inched in SSC T.B have been parged from your past inventory and deemed unuseen. Preses use gort number PT808-350Tr-02 (Block), PT 808-330Tr-11 (Gray) or PT808-350Tr-14 in piece of the received AMFAI(refer to SSC T.B. on TSC in Lumba Mohrmation.



Lexus All Weather Floor Mats (Sorted By Part Number)

				2	Model Year	ä		Г	Mat	Mat Description
Part Number	Model	5004	900Z	2008	2002	\$008	2008	2010	Color	Piece Set No.
PT206-48046-03	RX 330	×		Γ	Γ	T	Γ	Γ	Gray	4 pc set
PT206-48046-16	RX 330	×	П			П			Oak	4 pc set
PT206-5303B-03	IS 300 - Sport Cross (Rear)	×	×						Gray	2 pc set
PT206-5303B-16	IS 300 - Sport Cross (Rear)	Ц	×		ļ				Oak	2 pc set
PT206-5303F-03	IS 300 - Sport Cross (Front)	4	×					1	Gray	2 pc set
P1Z06-5303F-16	IS 300 - Sport Crass (Front)	4	×	7	1		T	1	ĕ	2 pc set
P1206-60038-03	LX4/0 (Rear)	4	×	×					Ç.	2 pc set
PT-Sto-buttab-16	X 470 (Kear)	4	×	×		T	Ţ		ğ,	2 Dc set
P1200-0003F-03	LX 470 (Front)	4	×	×	1	1			<u> </u>	z be set
F1200-6003F-16	CX 470 (Front)	4	×	×		1	1		Š	2 pc set
F1206-603GX-03	GX 4/0 W/ & W/O RSE	4	×	×	Ī	7			Gray Gray	4 pc set
PIZOS COSTO CO	GA 4/U W/ & W/O FSE	×	×	×	Ţ	1	1	Ī	Š	4 pc set
F 1908-30x50-02	GS 350/430/460 ZWD		1	×	×	×	×	×	Back	4 po set
P1908-30050-02	GS 450H			1	×	×	×	×	Bağ	4 2C 3et
PT908-30050-14	GS 350/430/460 2WD			×	×	×	×	×	Brown	4 pc set
PT908-30050-14	GS 450H				×	×	×	×	Brown	4 pc set
PT908-30051-02	GS 350 AWD			×	×	×	×	×	Black	4 pc set
PT908-30051-14	GS 350 AWD		_	×	×	×	×	×	Brown	4 pc set
PT908-33050-02	ES 330		×	×		_	Г		Black	4 PC Set
PT908-33050-11	ES 330		×	×			Г		Gray	4 Dc set
PT908-33050-14	ES 330		×	×		Ī	Γ		Brown	4 DC Set
PT908-33070-02*			Γ		×		Γ	Γ	Black	4 DC Set
PT908-33070-11*			T	T	×	T	Γ) Gray	4 or sat
PT908-33070-14*			T	T	· >	T	T		Rose	4 or cat
OTONE 22074 02*	Do not use these floor mats.*		Ī	Ť	,	1	T	T	1	100
OTO08 22074 44*		Ì	T	Ī	۲ :	4	T	Ī	5	100
11300-220			1	T	×	×	Ī		éla)	t DC Set
P1506-33071-14			1	1	×	×	Ī		E G	4 pc set
PT908-33072-02	ES 350		Ì	1	×	×	×	×	Back	4 pc set
PT908-33072-11	ES 350		-		×	×	×	×	Gray	4 pc set
PT908-33072-14	ES 350		Γ	Г	×	×	×	×	Brown	4 pc set
PT908-3307F-02	ES 350 (Front Mats)			Γ	×	×	×	×	Black	50
PT908-3307E-11	ES 350 (Front Mats)	I		Ī	*	,	,	,	, de C	2
DT008-3307E-14	EC 250 (Groot Mate)		Ţ	Ť	4,	ή,	١,	4,		3 5
DTO08 48050.02	DY 400h			,	٠,	٠,	,	<	1000	100.00
DT000-4000-02	100* 22	1	1	1	4	4	1	1	3	36
F1900-4000-02	KA 330/330	1	×	×	×	×	ΧĪ	1	žes,	4 pc ser
P1908-48060-14	XX 330/350]	×	×	×	×	×	Ī	Brown	4 DC Set
P1908-48100-02	KX350/450h		1	1	1		7	×	ğ	4 pc set
P1908-50050-02	LS 430		×	×					Black	4 pc set
PT908-50050-11	LS 430		×	×			_		Gray	4 pc set
PT908-50050-14	LS 430		×	×			_		Š	4 pc set
PT908-50070-02	LS 460 SWB				×	×	×	×	Black	4 pc set
PT908-50070-14	LS 460 SWB				×	×	×	×	Brown	4 pc set
PT908-50071-02	LS 460 LWB		П		×	×	×	×	Black	4 pc set
PT908-50071-14	LS 460 LWB		Г	Γ	×	×	×	×	Brown	4 pc set
PT908-50072-02	LS 460/600h - Ottoman			Γ	×	×	×	×	Black	1 pc
PT908-50072-14	LS 460/600h - Ottoman		Г	T	×	×	×	×	Brown	1 26
PT908-50090-02	IS 250/350 Convertible			Γ	Γ		Γ	×	Black	4 pc set
PT908-50090-02	LS 460 SWB AWD		T	Г			×	×	Black	4 pc set
PT908-50090-14	LS 460 SWB AWD		T	Г	Γ		×	×	Brown	4 pc set
PT908-53050-02	IS 250/350 2WD		Ī	×	Ī	ļ		Γ	Black	4 pc set
PT908-53051-02	IS 250/350 4WD		T	×	×	×	×	×	¥get	4 DC Set
PT908-53070-02	IS 250/350/F 2WD		Ī	×	×	×	×	×	Black	4 pc set
PT908-60050-02	LX 470		×	×	×	Γ		Γ	Black	4 pc set
PT908-60050-14	LX 470		×	×	×	Г	Γ	Γ	Brown	4 pc set
PT908-60051-02	LX 470 - 3" Row		×	×	×	Г			Black	20.
PT908-60051-14	LX 470 - 3" Row		×	×	×	Г	Г		Brown	L
PT908-60080-02	025 XT		Γ			×	×	×	Black	
PT908-60080-14	DZS XT	Ш				×	×	×	Brown	4 pc set
PT908-60086-02	LX 570 – 3" Row	1				×	×	×	Black	
PT908-60086-14	LX 570 – 3" Row					×	×	×	Brown	1 pc
PT908-600GX-02	GX 470 w/ RSE			×	×	×	×	1	Hage Black	4 pc set
PT908-600GX-14	GX 470 w/ RSE			×	×	×	×		Brown	4 pc set
PT908-60100-02	GX 460			1	1	1		×	Sag Sag	4 pc set
PT908-606GX-02	GX 470 W/o RSE			×	×	×	×	1	žes	4 pc set
P1908-606GX-14	GX 470 W/o RSE		Ī	×	×	×	×		Brown	4 pc set
PT908-75100-02	HS 250h		1	1		1	1	×	ă B	4 pc set
PT908-LSH80-02	LS 460 LWB AWD			7	Ī	1	×	×	Back	4 pc set
PT908-LSHB0-02	LS 600h		1			×	×	×	Back	4 pc set
PT908-LSH80-14	LS 460 LWB AWD					7	×	×	Brown	4 pc set
PT908-LSH80-14	LS 600h			٦	7	×	×	×	Brown	4 pc set

These mate were collected in SSC TLB. Regulatory and deemed.

These mate were readed in SSC TLB. Regulatory and deemed missage. Place SSC TLB have been purped from your parts investory and deemed missage. Place we per number Physics SSC TR 900-SSC TLB missage. Place us per number Physics SSC TR 900-SSC TLB missage.

It is not turner information.

Lexus Carpet Floor Mats (Sorted By Model)

	Part Number	PT206-33034 13	PT206-33034-27	PT206-33034-02	PT206-33044-02	PT206-33044-12	PT206-33054-30	PT206-33054-11	71208-33060-02	1 200-33000	T548 33070-00	7T548-33070-11	71548-33070-10	77548-33080-02	71548-33080-10	7548-33080-11	7548-33090-01	TK48 23090.12	77206-33070-10	T206-43070-11	TODE 33000.05	7706-33090-15	PT206-33090-25	TZ08-30041-01	PTZ08-30980-01	T208-30980-03	T208-30980-08	T208-30050-30	T208-30050-31	TZ08-30050-32	T208-30058-30	T208-30058-31	T208-30058-32	7208-30050-30	7208-30050-31	1208-30050-32	T208-30060-02	1208-30091-32	T208-30094-32	PT208-30097-32	1208-30099-32	708-30090-01	1208-30098-01	1208-60030-11	1208-60030-10	1208-60037-11	T208-60037-10	1208-30040-11	1208-30040-10	PT208-30047-11	PT208-30047-10	200-90080-02	926-75004-04	926-75004-20	PT208-75005-04	208-75005-20	208-53020-02	PT208-53020-10	208-53033-02	208 53033-10	208-53038-01	208-53048-02	208-53048-01	208-53060-02	208-53060-30	208-53062-02	208-53062-30	208-53067-02	PT208-53087-01	208-53067-30	208-53068-02	208-53088-01	208-53068-30	208-53087-02	208-53093-06	PT208-53097-02	208-53098-02	548-50030-0Z	48-50030-10	48-50030-11	48-50030-14
iption	Piece Set No.		4 00 50	4 pc set	П			- 1	4 DC 386			ř.			158	 \$	ž	1	1	4 Pcs 36f	į	ā	4 pc kit	1	3	4 pc set	4 pc set P	4 pc set P	4 pc set	4 pc set P	4 pc set P	4 pc set P	4 pc set P	4 pc set P	4 pc set P	4 pc set P	4 pc set P	4 po set	4 pc set P	4 pc set P	4 pc set P	4 pc set	4 DC Set D	4 pc set	4 DC Set	Ę	4 pc set	1	*		<u>.</u>	4 00 004	Т	Т	4 pc set P1	П	1 1	4 pc set PT	1	1	1	ı	ı	4 pc set PT				4 pc set PT	i		١	П		4 pc set PT	4 pc set PT	4 pc set PT	4 PC Set 7 PT	4 pc set PT:	4 PC Set PT	4 pc set PT:	4 pc set IPT5
Mat Description	Color	Charcoal	hory	Black	Black	Light Charcoal	lvory	ÁE.	X in	Cachmon	Black	Light Grav	Cashmere	Back	Cashmere	Light Gray	Brown	Charcoal	Cashmere	Light Gray	Brown	Charcoal	Black	Black	Black	Charcoel	lvory	Cashmere	Ash	Ebony	Cashmere	Ash	Ebony	Cashmene	Ash	Ebony	Black	bony w/ Red Logo	bony w/ Red Logo	Slack	Stack	Srown	Srown	Dark Grav	vov	Dark Gray	lvory	Dark Gray	Nony	Dark Gray	Non	Rlack	Dark Brown	Black	Dark Brown	Black	Biack	Non	Diack	Black	Gray	Black	Gray	Black	Cashmere	Black	Cashmere	Black	Ecru	Cashmere	Black	Eau	Cashmere	Black	Bive	Black	BISCK	Dack	lyon)	Light Charcoal	Тапре
	010	-	L	Ц	Ц	_	1	Į	I	I	×	×	×	×	×	×	×	×	×	×	×	×	×		П	П				×	٦	1	×	×	×	×	×	٦		×	×	×	×	۲	H	H	Н	H	1	+	+	t	×	×	×	×	+	+	╁	╁	H	ŀ	┝	Н	-	┥	-	×	J	4	늰	J	4	H	_	╁.	+	+	4	$^{+}$	4
1	600	-	L	Ц	Ц	4	4	1	1	Ļ	Ľ	×	×	×	Ľ	×	×	×	×	×	Ŀ	×	×					×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×		1	7	,	٠,	+	H	Н	H	7	†	†	╁	H	H	H	Н	-	┪	-	×	×	┥	Ĵ	Ĵ	+	÷	-	× ;	-	╁	+	+	4
1	800	-	L	Ц	Ц	4	4	4	4	Ļ	ļ×	×	×	×	Ľ	×		L	L	L	L	L	Ц	\Box	Ш			×	×	×	×	×	×	×	×	×	×	٦	٦	×	×		Г	×	×	×	×	٦	1	1	7	٠×	t	П	Н	٦	+	+	+	t	۲	H	Н	Н	1	┪	٦	×	7	×	Į	7	↲	Ĵ	+	+	Ŧ	+	+	+	4
1 :	200	۲_	L	Ц	Ц	4	4	4	1	L	Ľ	×	×	Ц	Ц	Ц		L	L	L	L							×	×	×	×	×	×	×	×	×	×	٦	1	×	×	П	Г	×	×	×	×	7	1	1	✝	t	t	H	H	Ħ	+	+	+	t	╁╴		H	H	4	┪	-	Ĵ	┥	Ĵ	J	-+	-	7	+	7	7	+	╁	+	4
1	900	۲×	Ľ	×	×	긱	×	4	Ľ	Ľ	L	Ц	L		Ц		Ц	L	L		L							×	×	×	×	×	×	×	×	×		٦	٦	×	×			×	×	×	×	T	7	†	t	✝	t	Н	H	7	+	$^{+}$	+	t	H	۲	Н	×	×	늯	J	J	┪	-	J	\dashv	3	\dashv	+	┿	+	+	+	+	4
	900	+	Ľ	Ľ	ĭ	×	×!	╚	L	L	L	L	L					L						П	×	×	×	٦	٦	7	7	7	1	7	٦	7	1	1	7		7	_	Т	×	×	×	×	7	7	✝	†	十	t	Н	H	+	×	× ,	١,	+	Н	Н	Н	Ĥ	7	7	^	7	┥	7	7	+	4	4	+	╀	Ŧ	1	1	Ŧ,	4
Ш	100	×	×	×	ĭ	ĭ	1	⊥	L	L	L										Г		П	×	×	×	×	٦	T	7	7	1	1	7	٦	7	7	7	7	7	1		Г	×	×	×	×	×	×	×		۱	h	Н	H	+	×		1,		Ļ	٠	J	H	4	+	4	4	4	+	4	4	+	4	4	+	+*	4	4	Τ,	1
	Model .	ES 300/330	ES 300/330	ES 300/330	ES 300/330 (sport design)	Es suchado (sport design)	ES 300/330	ES 300330	ES 300/330	ES 300/330	ES 350	ES 350	ES 350	ES 350	ES 350	ES 350	ES 350	ES 350	ES 350	ES 350	ES 350	ES 350	ES 350	GS 300/400/430	GS 300/400	GS 300/400	GS 300/400	GS 350/460 ZWD	GS 350/460 ZWD	GS 350/480 2WD	GS SSUMOU AWD	Go Soured AWD	GS SSUMAND AWD	GS 450F1	GS 450H	GS 450H	GS 350/460 ZWD	GS350, GS450h, GS460 2WD	63-350, GS450h, GS460 AWD	GS350 2WD	COSC COLLEGE COLLEGE	GS350, GS450h, GS460 2WD	GS350 AWD	GX 470 w/o RSE	GX 470 w/o RSE	GX 470 w/ RSE	GX 470 w/ RSE	GX 470 W/o RSE	GX 4/0 W/O RSE	GX 470 W/ RSE	GX 470 - Sport (w/o RSF)	GX 470 - Sport (w/ RSE)	HS 250h	HS 250h	HS 250h	HS 250h	IS 300 - Sport Cross	(S.300 - Sport Cross	IS 300 - Sport Cross	IS 300 - Sport Cross	tS 300 - Sport Cross	IS 300 - Sport Cross	IS 300 - Sport Cross	IS 250/350 2WD	IS 250/350 2WD	15 250/350 4WD	1S 250/350 4WD	S SSUSSECTION	IS COURSE ZWU	DANZ DGS/DGZ SI	IS 250/350 4WD	IS 250/350 4WD	IS 250/350 4WD	IS - F (V8)	is 250/350 Convertible	IS 250/350 F-Sport AWD	LS 430	18 430	5 430	5 430	V NO. 1 V

PT548-50040-10	PTS48-50031-02	PT548-50031-13	PT548-50031-14	PT208-50071-01	PT208-50071-02	PT208-50071-04	PT208-50071-10	PT208-50073-01	PT208-50073-02	PT208-50073-04	PT208-50073-10	PT208-50083-01	PT208-50083-02	PT208-50083-04	PTZ08-50083-10	PTZ08-50075-01	PT208-50075-02	PT208-50075-04	PT208-50075-10	PT919-50071-01	PT919-50071-02	PT919-50071-04	PT919-50071-10	PT919-50073-01	PT919-50073-02	PT919-50073-04	PT919-50073-10	PT919-50075-01	PT919-50075-02	PT919-50075-04	PT919-50075-10	DTD40 50000 04	T1919-20005-01-0	1 3 13-30005-UZ	P1919-50083-04	PT919-50083-10	PT208-60031-11	PT208-60031-10	D1708 60074 49	12000 OCT	F1206-CXU86-01	P1206-LX086-10	PT206-LX096-07	PT206-LX088-01	PT206-LX088-10	PT548-48030-02	PT548 48030-10	PT548-48030-11	PT206-48040-10	PT206-48040-11	PT206-48040-12	PT206-48050-10	PT206-48050-11	PT206-48050-12	PT206-48060-11	PT206-48090-A0	PT208 48000 BO	DETAILS 40000 AF	CO-001-002	P1206-48082-05	PT206-48100-09	PT206-48100-22	DT040, 40400 04	100000000000000000000000000000000000000	F1918 461UC-12	PT919-48100-20	PT208-24010-02	DE OFFICE STATE	1 2 CO-2+C IO-3+	PT208-24010-20	PT208-24030-02	DITOR SANSO 24	1 200-24000-24	PT208-24030-20	PT208-24044-20	DITOR DANKE DAN	PT208-24060-14	PT208-24060-14	PT208-24060-14 PT208-24060-03	PT208-24060-14 PT208-24060-03 PT208-24070-02
1 (4 PC 3et			1 .		1			- 1					١ ١	1		1	ı	ı	- 1		ı								l	П	100	-	- 1		3 pc set	ı	1	1	- 1	- 1	- 1					- 1		4 pc set	- 1						4 or cot	1	100 Oct	- 1				П	١		ı		ŀ	4 pc set	١.,		Л	- 1	4 pc set		ŀ	H	I I I	1 1 1 1
Cashmera	Black	Bordeaux	Тапре	Gray	Black	Brown	Cashmere	Gray	Black	Brown	Cashmere	Gray	Black	Brown	Cashmere	Gray	Black	Brown	Cashmere	Gray	Black	Brown	Cashmere	Gray	Black	Brown	Cashmere	Gray	Black	Brown	Cashmene	1000	Gleay	מפונים	Brown	Cashmere	Chancoai	vov	Black we Grove	Clear III Clear	ciay	work	Dark Brown	Gray	hory	Black	ivory	Gray	ivory	Light Gray	Black	yoy	Light Gray	Black	Gray	hory	ioht Grav	inth Demonstra	LIGHT CHANG	Light Brown	Dark Brown	Black	ivon		Gray	Black	Black	Black w Saddle	Diam's Carrie	Eco	Black	Rieck w/ Seddle	Diach W Gaddie	Ecn	. Ecru	Red	Camel	Camel	Camel	Camel Camel Black
H	Ť	t	T	T	×	×	H	7	×	×	7	7	×	×	П	Н	×	×	Н	×	×	×	H	×	×	×	7	×	×	×	t	ţ	4;	†	×	7	H	t	t	†,	хt	†	×	×	×	+	7	7	۲		1	f		H	Н	⊢	t	t	t	+	×	×	t,	t	,	×	Ļ	t	†		-	t	+	┨	-	_	⊢	×	 	│
П	T	Т	Т	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	١,	٠,	4	×	×	Г	r	T	†,	×Τ	×	×	×	×	7	┪	7	×	×	₹Ì	7	٦	Н	П	×	ķ	ι,	1	ҳ	-	۲	t	t	1		ķ	t	†	×	-	t	t	┪		_	Н	×		
\sqcap	1	T	T	×	×	×	×	×	×	×	×	⇥	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	k	١,	4,	4	×	×	Н	t	t	†,	ҳҭ	ΧŢ	7	×	×	Ť	7	7	×	×	×	×	×	×	Н		t	t	t	7		t	t	t	1		ķ	t	†	×	-	t	†	1		_	⊢	×	++	-
П	T	T	T	×	×	×	×	×	×	×	×	7				×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	ķ	t	t	1	†		×	×	ţ,	t	†	7	7	1	┪	┪	┪	7	ҳ	×	×	×	×	×	Н		t	t	t	7	_	1	t	t	t		×	ţ,	ŧ	×	×	١,	t	<u>,</u>	-	_	-	×	+	-
١×,	. ×	オ	×	Г	П	П	┪	┪	7	7	7	┪	1	╛		П	П	Н	П	П	٦		П	7	┪	7	7	╗	7	٢	t	t	t	†	†		×	×	t	t	ተ	†	7	7	7	7	7	7	×	×	×	×	×	×	Н	Н	t	t	t	1	_	H	t	t	t		×	t,	t	×	_	Ι,	†	굯	-	-	×	,	××	××
x ,	٧×	†	×	Т	Н	-	7	7	7	7	7	1	1	7	П	Н	П	Н	Н	Ħ	7	7	Н	7	1	7	7	┪		r	t	t	t	t	+		×	×	t	t	†	†	1	T	1	7	٦	7	×	×	×	┪	_	Н	×	-	t	t	†	+	_	H	t	t	†	_	×	t,	†	×		١,	†	×	_	×	-	-		
x >	٠×	٠×	×	Ħ	Н	٦	┪	7	7	┪	7	┪	7	T	H		П	П	П	Н	1	┪	H	Ť	7	7	7	┪	_	г	t	t	t	t	†		×	×	t	t	Ť	†	†	┪	┪	╮	×	хİ	×	-	×	┪	_	Н	Н	_	t	t	†	+		H	t	t	†		×	+-	4	×	_	,	†	×	×	_	-	+	┿	┿┿╢
LS 430	LS 430	LS 430	LS 430	LS 460	LS 460	LS 460	LS 480	LS 480	LS 460	LS 460	LS 460	LS 460/600h	LS 462/600h	LS 460/600h	LS 460/600h	LS 480/600h	LS 460/600h	LS 460/600h	LS 460/600h	LS 460	LS 460	LS 480	LS 460	LS 460	LS 460	13.480	LS 460	LS 460/600h	LS 460/600h	LS 460/600h	LS 460/600h	SASOMON	I C AEOLEGOP	1000000	LS 4000001	LS 460/600h	LX 470	LX 478	LX 470	1 X 520	LA 3/0	LA 3/0	0/ex	LX 570	LX 570	RX 300	RX 300	RX 300	RX 330/350	RX 330/350	RX 330/350	RX 400h	RX 400h	RX 400h	RX 330	RX 350	RX 350	PY350	100000	RA400II	RX350/450h	RX350/450h	RX350450h	103703000	IIO PIOCON	RX350/450h		ľ	200,000,000	SC 300/430	SC 430	SC 430	20, 00	SC 430	SC 430	SC 430	 SC 430	SC 430	SC 430	SC 430 SC 430 SC 430

Lexus Carpet Floor Mats (Sorted By Part Number)

dion	, Co. 100	4 DC Set	4 pc set	4 pc set	4 pc set	les co	A pro set	4 Dc set	4 pc set	4 Pcs set	4 Pcs set	4 pc. set	PC. Set	4 77 64	1 2 2	4 pc set	4 pc set	4 pc set	4 pc set	4 25 561	4 pc set	4 pc set	4 pc set	4 pc set	4 DC Set	o See	100	30.00	3 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	100.00	4 PC Set	4 DC Set	4 pc set	4 pc set	4 pc set	4 pc set	2 Set	4 pc set	4 00 86	4 pc set	4 pc set	4 pc set	4 pc set	4 PC Set	4 pc set	4 pc set	4 pc set	4 PC Set	4 pc set	Po set	4 pc set	28.5	4 pc set	4 pc set	4 pc set	4 pc set	165 X	4 pc set	4 pc set	4 DC Set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	
Mat Description		Champal	Vov	Black	Light Charcoal	e de la	Riace	Gray	Cashmere	Сазуплете	Light Gray	Brown	Charcoal	2007	Licht Grav	Black	Non	Light Gray	Black	Light Rower	VOV	Light Gray	Light Brown	Dark Brown	Black	Gray	200	vion	Dark Brown	Black	Ecru	Black w/ Saddle	Black	Ecr	Black w/ Saddle	25.5	James	Camei	Black	Carnel	Black	Vov	Dark Gray	Black	Dack Gray	Cashmere	Cashmere	Ash	Ash	Ebony	Cashmere	Ash	Ebony	Stack	Ebony w/ Red Logo	bony w/ Red Logo	Stack	Black	Black	Charcoal	tvory	Gray	Black	Brown	Cashmere	cus d	Brown	Cashmere	Gray	Black	Brown	Grav	
۵ı	oz				Ī		T			×	×	×	×	Ţ	I				I		Γ		П	×	×	×	,	×	×	×			П			Ī		×						T	Ī	ľ	×	П	×	×,	1	П	×	×			× ;	× ,	+	T			×	×	1	1	٠İ.×	Γ	П	×	×	Ť	1
60	50	T	T			T	T			×	×	×	×	٠,	4	×	П	П	1	ļ	×	×	×	1	1	×,	1	×	×	×	×	Г	П	1	7	Ť	Ť	×	×	П	×	Ť	†	Ť	Ť	†×	×	×	×	×	٠ĺ×	×	×	×,	٠	×	×,	××	+	t	H	×	×	×	×	×	< ×	×	×	×	× ,	××	
90	oz	Ι	L			Ι	I	L]			,	Ŀ	×	×	×	×	Ι	Ι				1	×	٩,	×	I	×	×		П	_	٦	T	T	×	×	×	1	T	T	T	T	×	×	×	×	×	٠İ×	×	×	×	T	П	×	>	1	T	Г	×	×	×	×	×	××	×	×	×	×);	××	١
20	50			Ц			L	L				_	1	Ŀ	Ý	×	×	×	×	L	L	L	Ц		1	Ι	L	Ι	L	×	×	×	×	×	×	Ι	Γ	×	×		T	Ī	Τ	Τ	Τ	×	×	×	×	×	٠×	×	×	×	T	П	×	7	1	Γ	Г	×	×	×	×	×	××	×	×	×	×	×	1
90	50	׼	×	×	×	<u>ب</u>	ď٢	×	×	Ц	╛	┙	┙	ŀ	Ŀ	Ŀ	×	×	×	L	L	L	Ц		l	1	l			×	×	×	×	×	×		ŀ	×	4				Τ	Τ	Τ	×	×	×	×	×	٧×	×	×	T	Τ	П	×	>	1	T	Г	1	T	T	T	T	T	Г	П		T	T	1
sa	50	××	×	×	×	ĸ,	4						1	,	ŀ	×				۲										×	×	×	×	×	×	,	4										Γ				Γ		Ţ	T	Γ	П		Ī	×		×			Ī	T	T		Γ	П			T	l
≯ 0	50	×	×	×	×	I								ļ	١,	×				ſ	Γ						T	Ι	Ţ	×	×	×	×	×	×	×	Τ	Ī	Γ			×	×,	×,	× ,	1	Γ	П	Ī	İ	Τ	П	T	T	T	П	T	Ť	×	×	×	1	1	Ť	Ť	Ť	T	Γ	П	7	T	T	١
Model		ES 300330	İ		ES 300/330 (sport design)	l	l	1	1		١		١		ı	l	l	١	ı	l			H	1	١	1	l							١	1	ı						ı	ŀ	ı	l		GS 450H	GS 350/460 2WD	GS 450H	GS 350/460 ZWD	GS 350/460 AWD	GS 350/460 AWD	GS 350/460 AWD	GS 35U460 ZWD	GS350, GS450h, GS460 2WD	GS350, GS450h, GS460 AWD	GS350 ZWD	GSSSO AWD	GS 300/400	GS 300/400	GS 300/400	LS 460	LS 460	15 460	15 460	15.480	LS 480	LS 480	LS 460/600h	LS 460/600h	LS 460/600h	-10 LS 460/600h	
Part Number	000000000000000000000000000000000000000	PT206-33034-12	PT208-33034-20	PT206-33044-02	PT206-33044-12	DT200 33054 30	PT208-33060-02	PT206-33060-11	PT206-33060-30	PT206-33070-10	P1206-330/0-11	F 206-33090-05	P 1200-33090-15	PT206-48040-10	PT206-48040-11	PT206-48040-12	PT206-48050-10	PT206-48050-11	F1206-48050-12	PTZ06-48090-05	PT205-48090-A0	PT206-48090-B0	PT206-48092-05	P1208-48100-09	P.1208-48100-22	PTOPEL YORK 40	PT206-LX088-01	PT206-LX088-10	PT206-LX096-07	PT208-24010-02	PT208-24010-20	PT208-24010-34	PT208-24030-02	P1208-24030-20	PT208-24030-34	PT208-24044-20	PT208.24050.03	PT208-24060-14	PT208-24070-02	PT208-24080-14	PT208-24090-02	P1208-30040-10	P1208-30040-11	D1208-30041-01	PT208-30047-11	PT208-30050-30	PT208-30050-30	PT208-30050-31	PT208-30050-31	PT206-30050-32	PT208-30058-30	PT208-30058-31	P1208-30058-32	PT208-30060-02	PT208-30091-32	PT208-30094-32	P1208-30097-32	PT208-30090-32	PT208-30980-01	PT208-30980-03	PTZ08-30980-08	PT208-50071-01	P1208-50071-02	P1 200-50071-04	P1208-50071-10	PT 208-50073-03	PT208-50073-04	PT208-50073-10	PT208-50075-01	PT208-50075-02	PT208-50075-04	PT208-50083-01	

PT926-75004-20	PT926-75004-04	PT919-50083-10	P1919-50083-02	TO 50003-01	F 919-500/5-10	P1919-50075-04	PT919-50075-02	PT919-50075-01	PT919-50073-10	PT919-50073-04	PT919-50073-02	PT919-50073-01	PT919-50071-10	PT919-50071-04	P18-50071-02	F 1919-000/1-03	F 1919-00 00-20	1 -01 04-12	7 3 3 40 100-0	0100000	P 1 040 00000 11	T540 50040 10	07540 50031	PT-548-50031-13	PT-448-50031-03	DT-48-50000	07549 50030-10	DT-549-5000-40	DT-48-50030-1-	DT648 48030-11	DT548 48030-10	DT6/6 49/20 03	DT648 33000 13	T 1000-0000-1	0T6/8 33080-11	20-00-00-02	P 1048-330/0-11	PT 040 000/0-10	01-040-0000 10	DT-0007700070	PT208-75005-20	100-000-04	P1208-60081-02	P1 208-8021-12	P1208-6003/-11	P1208-60037-10	PT208-60031-11	PT208-60031-10	PT208-60030-11	PT208-60030-10	PT208-53098-02	PT208-53097-02	PT208-53093-06	PT208-53088-01	CU-28055-8061-0	P1208-53058-30	PT208-53068-02	P1208-53067-30	P1208-53067-02	PT208-53062-30	PT208-53062-02	F 1208-53050-30	P1208-03060-02	P1208-53048-02	P1208-03048-01	P 200-000000	7 200-000-00-0	DT308 53035 01	P1200-000310	P 1200-00020-10	OT DENER SOCTO	CO UCUES BUCLO	PT208-50083-10	PT208-50083-04	FT208-50083-02
HS 250h		ı	ı	ı												ľ	l			l	ŀ		l	ı	١	ļ	l	١	l		ı		l	l				ŀ	l			ļ	3 6		e	9	LX 470		ı	ı		IS 250/350 F-Sport 2WD	- 1	- 1		1			1	1	ı	1	1	1	1	1	1	1		•		,	,		LS 460/600h
<u></u>	+	+	+	-				_					-						+	×		╁	,	+	+	,,	+	,	,	+	╀	+	†	+	1	+	+		+	+	1			-	×	×	×	×	×	×				+		-	<u> </u>	ļ.	- -				<u> </u>	╀	×	╁	╀	. >	×	×	· ×	\ \	+	+	-
Н	+	+	$^{+}$	+	╀	╀	╀	┞	H	H	H	┞	╀	╀	╀	╀	+	╀	+	Ł	 ,	1,	+	+	۲,	+	+	+	+	+	+	+	+	+	+	+	+	╀	+	+	+	╀	╀	╀	L	Ł	-		Ц		Н	H	+	+	+	╀	╀	L	╀	L	╀	L	Ļ	Ļ	Ļ	╀	1	ľ	1	Ţ	· ·	4	4	4	_
-	+	+	+	+	t	t	×	t	t	×	×	ŀ	×	t	t	×	+	ł	t	ť	Ŧ	Ŧ	+	ť	Ŧ	+	$^{+}$	ť	+	+	╁	╁	┿	+	$^{+}$	+	t	<u> </u>	t	+	+	+	╀	L	Ľ	Ľ	Ľ	Ě	Ě	Ľ	Н	⊣	+	+	+	ř	×	+-	ľ	×	×	×	×	╄	╀	╄	4	+	+	╀	+	+	+	+	4
Н	┪,	٦,	ı,	: _×	Ļ	k	×	×	×	×	×	Ţ	×	×	ķ	×	t	t	t	t	†	t	t	+	†	†	t	+	+	+	+	t	+	t,	1	<u>,</u>	Ĺ	1	+	+	+	t	t	f	t	t	۴	Ĥ	Ĥ	H	7	H	+	+	+	t	Ľ	Ĺ	t	╁	╀	╀	+	╀	╀	╀	╀	+	╀	╄	+	+	+	+	4
Н	┪,	+	+	×	×	×	×	×	×	×	×	×	×	×	Ļ	×	+	t	t	t	+	t	t	t	†	t	t	+	+	+	+	١,	١,	t,		+	Ļ		+	+	+	ť	Ĺ	+	Ĺ	Ļ	┝	Н	F	Ĺ	Ĥ	H	+	ť	; ; ;	f	ķ	f	Ļ	┝	╁	╀	╁	╀	╀	╀	╀	╀	+	╀	+	Ľ	4	× ;	
Н	+	+	t	t	t	t	H	f	Н	Н	Н	┢	H	H	H	t	t	╁	t	t	t	t	t	+	Ť	†	t	+	+	t	+	t	†	+	Ť	+	f	t	+	+	†	Ť	Ť	+	f	f	┢	Н	Н	Н	Ĥ	Ĥ	ť	ť	+	+	f	H	ŕ	H	╁	╀	┾	╀	╀	╁	╀	+	+	╁	+	÷	+	4	H
Ľ	×	ľ	×	ľ		×	ľ	×		×	x	×		<u> </u>	<u> </u>	Ľ	ľ	ľ	×					l			İ					^	ľ	ľ	ľ	ľ	ľ	×	ľ	ľ	٩×	1	ŀ	l			ŀ				×	×	× i	٠þ	×		×		×		l	l		l	ļ		Ì	1	1	1		1	>	×þ	×١
Black	Dark Brown	Cashman	Black	Gray	Cashmere	Brown	Black	Gray	Cashmere	Brown	Black	Gray	Cashmere	Brown	Black	Gray	DIBOX	Gray	lvory	ASIT	Casninere	laupe	Dorugaux	Bordanio	Diagic	Light Charcoal	VOIX	Siech	Gray	leoly	Didu	Citalicudi	Charm	Light Gray	Coordinate	Diack	Light Gray	Cashinsere	Diack	Diaux	Daix prown	Diadick	Hack	black w/ Gray	Dark Gray	lvory	Charcoal	tvory	Dark Gray	lvory	Black	Black	Blue	Diduck	ECIU	Cashmere	Black	Cashmere	Black	Cashmere	Black	Cashmere	Black	Black	Gray	Баск	Gray	wory	Баск	IVOIY	Black	Casninere	Cachmara	Rrown	Rlack
4 pc set	4 00 561	A po ser	4 pc set	4 PC Set	2	, PG	<u>م</u>	1 pc	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc ser	4 pc set	4 pc sec	4 pc set	4 pc set	4 pc set	4 00 881	4 00 361	2 30	+ pe set	+ pc set	3	o pe sec	9	36.70	4 F G3 3G1		4 po ser	4 pc 361	# pc ser	4 pc set	4 pc ser	4 pc ser	t pu sec.	4 25 361	4 pc sex	4 pc set	4 pc set	4 pc set	4 pc set	3 pc set	3 pc set	4 pc set	4 pc set	4 pc set	4 pc set	400 set	A po set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc sec	4 pc set	4 00 981	4 pc set	4 pc set	4 pc set	4 02 001	4 75 56	A no set

Toyota Carpet Floor Mats (Sorted By Model)

								П	Mat Descriptio	ription	
Modei	2003	2004	5002	5006	2002	2008	5002	0102	Color	Piece Set No.	Part Number
4 Runner	×	×	×	×	×	×	×	T	Taupe	4 pc set	PT208-89030-04
4 Runner	×	×	×	×	×	×	×	П	Stone	4 pc set	PT208-89030-21
4 Runner					1	┪	-	×	Black		PTZ08-89004-20
Avalon	×	×	×		1	1	+	7	lvory		PT208-07000-08
Ayalon	×	×	×		†	+	+	†	VOV.	l	PT208-07040-10
Avaion	×	×	×		t	t	+	Ť	Nov		P1208-07000-08
Avaion	×	×	× :		t	+	╁	†	Bube		P1208-07000-15
Avalon	<,	۲,	٠ŀ	İ	t	t	╀	t		4 15 301	PT208-07040-04
Avalon	×	۷	×	Ì	t	t	╁	t	Stone		PT208-07000-23
Avaion	×	×	×	ľ	t	t	╀	t	Stone		PT208-07040-21
Avalon	×	×	×	Ĺ	t	t	╀	t	Stone		PT208-07000-23
Avalon			×	×	×	×	×	×	Ivory		PT548-07050-10
Avalon			×	×	×	×	×	×	Graphite		PT548-07050-22
Avalon			×	×	×	×	×	×	Light Gray		PT548-07050-11
Avalon			×	×	×	×	×	×	Dark Charcoal		PT548-07050-12
Avaion			L		×	×	×	×	Ivory		PT548-07070-10
Avaion	-				×	×	×	×	Graphite		PT548-07070-22
Avalon		ļ			×	×	×	×	Light Gray		PT548-07070-11
Avakon			4		×	×	×	×	Dark Charcoal		PT548-07070-12
Avaion		١			1	7	×	×	lvory		PT206-07090-02
Avalon		1			†	1	×	×	Light Gray		PT206-07090-17
Avaion	I	۱			†	+	×	×	Dark Charcoal		PT206-07090-18
Avaion	ŀ	ŀ	,	:	Ť	+	.	׆	Graphite		PT206-07090-16
Cality	×	×	×	×	t	†	+	†	Gray		PT2U8-32020-01
Camry	×	× :	×	×	t	╅	+	†	Stone	4 pc set	PT208-32020-21
Campy	×	۲,	κ,	×	t	+	+	t	anbe	4 pc set	P 208-32020-04
Carry Se	I	٠,	<u>را</u>	ľ	t.	+	+	t	Giay	4 DC Set	F1208-32041-01
Campy / Campy Hybrid	I	×	1		,	١,	١,	†,	adne	4 pc ser	P1208-32041-04
Camo / Camo Hybrid	I			T	,	Į,	١,	ţ,	Dark Charcos	A pr eat	D1708 32080-13
Camry / Camry Hybrid				ľ	 	1	1,	١,	Riscus	125 24	PT208-32080-12
Camry Hybrid			L	Ī	×	+	╀	t	Bisone	4 or set	DT206-32078-40
Camry / Camry Hybrid			L		t	H	Ͱ	×	Brown	4 pc set	PT206-32100-45
Camry / Camry Hybrid					Н	Н	Н	×	Gray	4 pc set	PT206-32100-12
Celica	×	×	×		H	H	Н	H	Charcoal	4 pc set	PT206-20030-11
Corolla - Sport Edition (w/ Rear	>						_		\alpha \chi	4 rc sat	PT-05050-905TG
Heater)	ŗ	١		1	1	+	+		605	120 301	2000200021
Corolla (w/ Rear Heater)	×	١		1	†	+	+	†	Light Gray	4 pc set	PT206-02030-11
Corolla - Sport Edition (w/o Boos	×			1	†	+	+	†	š	4 00 880	P1205-02030-16
Heater	×								Gray	4 pc set	PT206-02031-03
Corolla (w/o Resr Heater)	×			Ī	t	╁	╀	t	Light Grav	4 Dc set	PT206-02031-11
Corolla (w/o Rear Heater)	×			Г	Ħ	H	H	T	Oak	4 pc set	PT206-02031-16
Corolla - Sport Edition (w/ Rear	×	×	×	×	×	×	H	Н	Grav	4 nc set	EU-0906-002Tq
Heater)					-+-		+	†	(5)	100	
Corolla (w/ Rear Heater)	××	××	××	××	××	××	+	\dagger	Oak	4 pc set	P1206-02040-16
Corolla - Sport Edition (w/o Rear				1	╄	+	╁	t			01.000.000.10
Heater)	×	×	×	×	×	×	_		Gray	4 pc set	PT206-02041-03
Corolla (w/o Rear Heater)	×	×	×	×	×	×	Н		Light Gray	4 pc set	PT206-02041-11
Corolla (W/o Rear Heater)	×	×	×	×	×	×	+	†	oak Oak	4 pc set	PT206-02041-16
Corolla (w/ Rear Heater)	×	×	×	×	×	×	4	+	Gray	4 pc set	PT206-02050-01
Corolla (w/o Rear Heater)	×	×	×	×	×	×	+	†	Gray	4 pc set	PT206-02051-01
e loro	Ī	I		Ť	†	Ŧ	1	\dagger	Dark Charcoal	4 DC Set	P1208-02090-12
Corolla	Ī			Ť	t	Τ	1.	t	Biscula	1000	P1206-02091-12
Corolla	T	ľ		T	t	Ή	Ļ	t	Bisque	4 DC Set	PT208-02091-41
Corolla	ľ			T	t	۴	Ļ	t	Bisque	4 pc set	PT206-02083-41
Corolla]			T	t	ŕ	L	×	Dark Charcoal	4 DC Set	PTZD8-02092-12
Corolla				Ħ	Н	H	Ļ	ķ	Dark Charcoal	4 pc set	PT206-02093-12
Corolla	1	I	ĺ	1	+	-	J	×	Bisque	4 pc set	PT206-02092-41
Corolla				1	+	7	1	×	Bisque	4 pc set	PT206-02093-41
Corolla				†	+	╁	4	×	Brown	4 pc set	PT206-02102-45
Colored Colored	1	ŀ		†	+	+	1	<u>,</u>	Brown	4 pc ser	F1206-02103-45
Echo (2 document means)	× ,	۲,	,	t	t	+	+	†	Cark Gray	4 pc set	P1206-52030-11
Ecito (2 door Wo real heater)	×	×	×	†	+	+	+	†	Dark Gray	4 pc set	F1206-52033-11
Echo (2 door w/o rear heater)	† ,	۲,	٠,	t	$^{+}$	+	+	\dagger	Baise	4 00 501	DY208-52030-44
Echo (4 door w/ reacheater)	,	₫,	,	t	t	╁	ł	1	Dark Grav	4 7c cot	PT208-52031-11
Echo (4 door w/o near heater)	Ţ,	١,	1	t	t	+	╀	t	Dark Grav	4 70 801	PT208-52034.11
Echo (4 door w/ rear heater)	×	×	×	t	╁	╀	╀	t	Beige	4 pc set	PT208-52031-44
Echo (4 door w/o rear heater)	×	×	×	T	۲	╀	H	<u> </u>	Beige		PT208-52034-44
FJ Cruiser	H	П	П	П	×	×	Ц	l,	Charcoal		PT548-60070-11
FJ Cruiser	1	٦			H	×	L L	\forall	Charcoal		PT206-35090-11
Highlander	×	1		1	+	4	4	+	Gray		PT208-48010-01
Highlander	×	1	7	1	\dashv	┥	4	┨	Ivory		PT208-48010-10

PT208-48042-31 PT208-48041-31 PT208-48042-10 PT208-48041-10	PT208-48061-10	PT548-48060-10	PT548-48060-31	PT548-48063-31	DT548-48062-10	PT548-48074-10	PT548-48074-31	PT919-48080-11	PT919-48080-41	PT919-48081-22	PT919-48081-41	PT919-48082-11	PT919-48082-22	PT919-48082-41	P1206-60032-10	PT206-60080-01	PT206-60080-10	PT206-60100-45	PT206-12030-03	PT206-12031-03	P1206-12032-03	P1206-12040-03	P1206-12041-03	D1206-12042-03	01206-1207-03	PT206-12090-14	PT208-12091-14	PT206-12092-14	PT206-12093-14	PT548-17030-02	PT548-17030-09	PT548-17030-13	PT548-17030-24	PT548-17031-24	PT208-47010-03	PT208-47030-02	PT208-47045-10	PT208-47045-11	PT208-47060-14	PT926-47100-10	P1926-47100-11	PT208-42021-03	PT208-42021-15	PT208-42020-11	PT208-42044-15	PT208-42041-03	P1200-42041-01	PT208-42051-04	PT208-42051-11	PT208-42051-31	PT208-42061-04	PT208-42091-31	PT208-42081-40	PT208-42083-40	PT206-0C030-11	PT206-00030-14	PT206-0C050-09	PT206-0C050-11	PT926-0C084-11	PT926-0C084-41	PT926-0C084-20	PT926-0C081-11	PT926-0C081-20	PT926-0C081-41	PT926-0C087-11	PT926-0C087-41	P1926-0C08/-20	P 1920-0000-11	P1926-0C106-4	PT926.0C101.01	PT926-0C107-01	PT9260C108-01	
4 pc set 4 pc set 5 pc set				П	-					l],			Ļ	4	4 pc set			4 pc set							2 pc set	2 Dc 90f	2 pc set	2 pc set	2 pc set	4 DC Set	4 DC Sel	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 20 890	4 DC 36t	4 pc set	4 pc set	4 pc set	4 00 501	4 DC 3et	4 po set	4 pc set	4 po set	4 pc set	4 DC set	4 pc set	4 pc set	4 pc set	4 pc. set	4 pc. set	4 pc set	4 pc set	4 pc set	100	100	BC	100		2 1	2 2	An sel	100	3 8	18	
Ash Ash Ivory Ivory	Ivory	Vary	Ash	Ash	Nory	lvory	Ash	X	Sand Beine	Ash	Sand Beige	Black	Ash	Sand Beige	Dark Chara	Grav	Nov	Brown	Gray	Gray	Gray	Gray	Gray	e de de	A SECOND	Dark Charcoal	Dark Charcoal	Dark Charcoal	Dark Charcoai	Black w/ Red Logo	Black w/ Yellow Logo	Black w/ Silver Logo	Black W/ Jan Logo	Black w/ Tan i non	Grav	Grav	Ivory	Dank Gray	Dark Bisque	Misty Gray	Dark Gray	Grav	Taube	Gray	Taupe	Gray	Daily Gray	arbe Larine	Dark Charcoal	Ash	Taupe	Oark Champal	Sand Beige	Sand Beige	Light Charcoal	Oak	Taupe	Light Charcoal	Gray	Sand Beige	Black	Gray	Black	Sand Beige	Gray	Sand Beige	Black	Grad Bring	Dark Rrown	Dark Rough	Dark Brown	Dark Brown	
	П	П	T	П	T	T	П	×Ì,	\ \ ×	×	×	×	×	×	T	×	×	×	П		T	T	T	T	T	×	×	×	×	T	T	1		T	T	T	T			×	×,	7	T	Γ	П	T	Ť	Ť	×	×		×,	×	×	Ī	П	7	-	×	×	×	×	×	×	×	×	×	×,	χ,	,	٠×	Ţ	1
 	H	Ħ	1	H	Ť	t	П	×	×	×	×	×	×	×	1	×	×	r	Ħ		T	†	Ť	t	t	×	×	×	×	7	T	T	Ť	t	t	t	T	×	×	T	†	Ť	Ť	T	H	7	Ť	t	×	×		××	×	×	H	H	7	-	×	×	×	×	×	×	×	×	×	× ;	<u>,</u>	t	t	十	1
H	П	П	1	П	1		П	×	ĸ ×	×	×	×	×	×	T	×	×	Γ	П		Ī	Ť	×	۲	T		П	Ť			T	1		T		Ī	ı	×	×	T	T		Γ	T	Ħ	T	Ť	×	×	×	×	×	T	Г	Г	П	٦	_	×	×	×	×	×	×	×	×	×	×	<u> </u>	Ť	T	T	1
ПП	П	×	××	×	××	×	×	T	Τ	Г	Г		Т	Т	×١٠	4	Γ	Γ	П		Т	T	×	۷ >	4	4	П	Г		T	Т	T	Τ	Т	Т	T	Γ	×	×	T	T	Τ	T	Г	П		T	×	×	×	×	×	T		Г		×	×		1			٦	٦	7	٦	T	Ť	Ť	T	T	T	1
××××	×	٩×	××	×	××	×	×	Т		Γ	Γ		Т	T	٠,	Ī	Γ	Г	П	П	T	×	×	K	Τ		П			Т	T	Τ	Τ	Τ	Ŧ	Γ	Γ	×	×	T	Т	Τ	T	Г	П	T	T	×	×	×	×	×	T		Г		×	×		1			٦	7	7	1	7	Ť	Ť	T	Ť	T	1
* * * *	×,	1	T		T										٠,	1					:	×	× ,	-	Ī						T		,	٠,	{	Ī	×	×			1	Ī					× >	4	١.				Γ		Γ	П	×	×						1		Ī	T	1	Ť	T	T	T	١
* * * *	П	П	T	П	T	T	П	1	T	Γ	Γ		1	1	ξ,	1	Γ		П		1	×	×,	۲	T		П			7	1	7	,	<u>ر</u> اً ×	1	T	×	×	П	Ī	1	Ť	Ī	T	П	1	××	,		П	T	Ť	T		×	×	П				Ī		1	1	7	1	T	T	Ť	T	Ť	T	1
	П	Π	T	П	T	T	٦	Ť	Ť	Г	Г		1	Ī	╣,	1	Ī		×	×	×	×	×,	┥	T	Ī	П			×	×	×	××	ď,	۱×	×	1			Ť	†	 	٠×	×	×	×	T	Ť	T	H	1	†	1		×	×				1	1			1	1	1	7	Ť	Ť	t	t	t	١
Highlander (w/o 3rd row) Highlander (w/ 3rd row) Highlander (w/o 3rd row) Highlander (w/o 3rd row)	Highlander - Hybrid (w/ 3rd row)	Highlander (w/o 3rd row)	Highlander (w/o 3rd row)	Highlander (w/ 3rd row)	Highlander - Hybrid (w/ 3rd row)	Highlander - Hybrid (w/o 3rd row)	Highlander - Hybrid (w/o 3rd row)	Highlander - Gas	Highlander - Gas	Highlander - Hybrid	Highlander - Hybrid	Highlander - Gas & Hybrid	Highlander - Gas & Hybrid	Highlender - Gas & Hybrid	Sein Called	and Chriser	Land Cruiser	Land Cruiser	Matrix - AWD (w/ heater)	Matrix - 2WD (w/ heater)	Matrix - 2VVD (w/o neater)	Madrix - Awr. (w/ Rear Heater)	Matrix - 200 (w) Rear Heater)	Martix (w/o heater)	Matrix (w/ heater)	Matrix - ZWD	Matrix - AWD	Matrix - 2WD	Matrix - AWD	MR2 Spyder	MRZ Spyder	MRZ Spyder	MRZ Spuder	MR2 Sovder	Prius	Prius	Prius	Prius	Prius	Prius	Phus	Bav 4	Ray 4	Rav 4 - EV	Rav 4	Rav 4	Ray 4	Ray 4 (w/o 3rd row)	Rav 4 (w/o 3rd row)	Rav 4 (w/o 3rd row)	Rav 4 (w/ 3rd row)	Ray 4 - Soot (w/o 3rd row)	Rav 4 (w/o 3rd row)	Ray 4 (w/ 3rd row)	Sequoia	Sequoia	Sednosa	Sequora	Sequoia	Sequoia	Sequoia	Sequoia - 7 Passenger	Sequoia - 7 Passenger	Sequoia - 7 Passenger	Sequoia - 7 Passenger	Sequoia - 7 Passenger	Sequoia - 7 Passenger	Secuoia - o Passenger	Security County Security Secur	Sourcia - 7 Passagnar	Sequoia - 7 Passender		

PT208-08010-01	PT208-08011-01	PTZ08-08011-04	P1208-08030-01	P1208-08030-04	PT208-08031-04	PT208-08021-01	PT208-08021-04	PT208-0803 -01	PT208-0803 -04	PT208-08040-04	PT208-08040-21	PT208-08041-04	PT208-08041-21	PT208-08048-04	PT208-08048-21	T200 00042 04	D 2000 000 00	F1208-08042-21	PT208-08043-04	PT208-08043-21	PT20 -080 7-04	PT20 -080 7-21	PT20 -080 8-04	PT20 -080 8-21	PT20 -08087-41	PT20 -08087-12	PT20 -08088-41	PT20 -08088-12	PT20 -0 030-10	DT20 0 030 11	DT20 0 034.40	0120 0 031 11	0.000	01200 0 040 11	F1200-040-1	F1208-0 048-10	F1200-0 040-21	P1208-0 040-11	P1205-0 040-10	PT20 -0 0 8-21	PT20 -0 8-11	PT20 -0 0 8-10	PT20 -0 0-21	PT20 -0 0-11	PT20 -0 0 0-10	PT20 -0 080-21	P720 -0 080-11	PT20 -0 080-10	PT20 -0 088-21	PT20 -0 088-11	PT20 -0 088-10	PT20 -35010-11	PT20 -359 2-1	PT20 -35011-11	00200-359 4-1	PT20 -35012-11	P120 -35072-1	1 -00000- 02 TO	PT-20 35051 11	PT20 -35051-14	PT20 35052 11	PT20 -35052-14	PT20 -35055-11	PT20 -3505 -11	PT20 -35080-11	PT20 -35080-14	150	17	PT20 -35082-11	PT20 -35082-14	DT20 35085 11	PT20 -3508 -11	PT20 -35090-43	DT20 35001 43	00000	P 20 -35092-43	P120 -35100-13	PTZ0 -35100-15	PT20 -35101-13	PT20 -35101-15	PT20 -35102-13	PT20 -35102-15	PT20 -35105-13	PT20 -3510 -13	PT548-34030-11	PT548-34030-12	
pc (bench seat)	5 pc (captains seat)	5 pc (captains seat)	pc (pench seat)	pc (bench sear)	5 pro (cantains seat)	5 nc set	5 pc set	5 pc set	5 pc set	4 pc set	4 pc set	5 pc set	Sposet	DC Best	192.50	400004	1 1/2 0001	4 pc set	5 pc set	5 pc set	5 pc set	5 pc set	4 pc set	4 pc set	pcset	Doset	DC Set	DC Set	4 nc set	A or sof	A or set	100.00		200	4 DC Set	4 20 Set	4 7C SE	4 pc set	4 pc ser	4 pc set	4 pc set	4 pc set	4 po set	4 pc set	4 pc set	4 pc set	4 pc set	400.001	4 PC Set	4 00 500	4 DC set	2 pc set	2 pc set	4 pc set	4 pc set	4 pc set	4 pc set	2 25 501	4 pr eat	4 20 691	4 pc set	4 pc set	4 DC 30E	4 pc set	2 oc set	2 DC 964	4 po set	4 pc set	4 pc set	4 Do set	4 00 504	A no set	2 no seet	1 Po 301	100	4 pc set	2 pc set	2 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	2 Dc set	2 DC 36t	
Gray	Gray	Oak	Gray	X C	i i	Smax	ğ	Gray	Oak	Taupe	Stone	Taupe	Stone	James	Stone	Traine	- anne	Stone	Taupe	Stone	Taupe	Stone	Taupe	Stone	Taupe	Stone	Taube	Stone	Auna		lami,	, and	Doct Chang	Desir Stolle	Dank Charcoal	lvory	Dark Stone	Dark Charcoal	Non	Dark Stone	Dark Charcoal	tvory	Dark Stone	Dark Charcoal	work	Dark Stone	Dark Charcos	NO.	Dark Stone	Dark Charrons	Nov	Light Charooal	Oak	Light Charcoal	Oak	Light Charcoal	Cak	Cuging Constrated	Link Champal	Oak Oak	Light Charcoal	Qak	Charcoal	Charcoal	Light Charcoal	Ş	Light Charcoal	Oak	Light Charcoal	Oak	Champal	Charcoal	Sand Reine	Cond Boice	Salk Deige	Sand Beige	Light Charcoal	Dark Charcoal	Light Charcoal	Dark Charcoal	Light Charcoal	Dark Charcoal	Light Charcoal	Light Charcoal	Light Charcoal	Dark Charcoal	
	H		1				-		1	T	_	_		-	ļ		1								×	×	×	×		+	 	†	†	1	+	_	†	-	7	7		_						ļ	,	< ×	×		-			+	1	1		ļ	ļ				×	×	×	×	×	×	,	()	· ·	,	,	×	×	×	×	×	×	×	×	×	+	F	
H	T	H	1	1	t	Ť	T	T		_	П	_	T	Ť	Ť	Ť	Ť	1	7	Ī	r		Г	Г	×	×	×	×	†	t	Ť	T	T	Ť	†	†	†	~†	7	×	×	×	×	×	×	×	×	٠,	þ	4>	(×	Τ	П	П		7	Ť	Ť	Ť	Ť	T	T	t	T	×	×	×	×	×	×	t	4,	4	†	†	1	7	1	П	Т	Г		Т	T	T	t	1
\Box	Т	Ħ	†	1	t	T	T		Г	Г		Γ	T	>	4,	⇃	Ť	1	×	×	×	×	×	×	Γ		T	Γ	T	T	T	Ť	,	4	×	×	×	×	×	×	×	×	×	×	×	×	· >	٠,	4	٠,	×			П		7	,	×	κ,	۲,	٩×	×	×	×	T	T	l	Г	T	T	T	T	Ť	T	1	T	7	٦	П	Г	Г	П	Г	T	Ť	T	1
П	П	П	T	T	T	Τ	Γ							*	4	1	I	I	×	×	×	×	×	×	Г		Ι	Γ	Γ	Ι		Ι	,	×	×	×	×	ĸ	×	×	×	×	×	×	×	×	×	Ŷ	Τ,	Ţ,	×						ï	×	κ,	٠,	٩×	×	×	×	Γ	Γ				Ι	Ī	Ī	Т	T	1	T	T			Γ				Г	Γ	Γ	1
	Т	П	T	T	T	T	Γ			x	×	×	×	,	١,	₹	T	T	×	×	×	×	×	×	Γ	Γ	Γ	Γ	Γ	Τ		Τ	Ţ	٠,	×	×	×	×	×	T			T			Γ	Γ	Γ	Τ	Τ	Τ	Γ		П	Π	T	Ţ,	×,	٠,	Ţ	٧.	×	×	×	Γ	Γ			Γ	Γ	Ī	T	T	T	T	T	7			Γ	Г			Γ	T	Γ	1
\dagger	H	H	1	†	t	t	t	H	H	×	×	×	×	,	4,	,	,	×	×	×	×	×	×	×	-		t	l	t	t	t	t	,	٠,	×	×	×	×	×	1	1	1	1			t	t	t	t	t	t	×	×	×	×	×	×	t	Ť	†	t	t	t	t	t	F	t	l	t	t	t	t	Ì	t	t	†	1		-	<u> </u>			H	t	1,	ţ,	
┢╈	╁	Н	1	+	t	t	╁	┝	H	Н	Н	-	H	t	+	+	$^{+}$	+	+	_	H		H	Н	H	H	t	t	t	t	+	+	+	+	+	+	+	+	+	+	┪	+	┪	H	H	H	t	t	t	+	t	H	Н	Н	\dashv	+	+	$^{+}$	$^{+}$	$^{+}$	+	╁	+	╁╌	╁	╁	╁	H	╁	t	t	+	t	+	+	+	┨	\dashv	Н	H	Н	Н	Н	t	+	t	ł
××	×	×	×	×	ľ	ľ	Ľ	×	×				L		L	L					L			L	L	L	L	L	Ľ	ľ	'	T	1	1	1	1	1	┙	╛	╛	╛		╛		L	L	L	1	1	l	L	ľ	×	Ľ	Ž	<u>~</u>	<u> </u>	⅃	1	l	L	L	L	L	L	L	L		L			L	1	1	⅃									ļ	×	ľ	
Sienna	Sienna	Seans	Sienna	Signos	Sinne	Signa	Sienna	Sienna	Sienna	Sienna - 7 pass	Sienna - 7 pass	Sienna - 7 pass	Sienna - 7 pass	Sieona - 7 pass	Sienna - 7 page	Control Control	Orealing of design	Sienna - 8 pass	Sienna - 8 pass	Sienna - 8 pass	Sienna - 7 pass	Sienna - 7 pass	Sienna - 8 pass	Sienna - 8 pass	Sienna - 7 pass	Sienna - 7 pass	Sienna - 8 pass	Sienna - 8 pass	Solara - Hard Top	Solon Line Ton	Solors - Consectible	Solar Convention	Soldia - Convenient	Solara - Collection	Source - Convertible	Solara - Convertible	Solara - Marg Top	Solara - Hard Top	Solara - Hard lop	Solara - Convertible	Solara - Convertible	Solara - Convertible	Solara - Coupe	Solara - Coupe	Solara - Coupe	Solara - Coupe	Solara - Contra	School minos	Solara - Consequence	Solara - Conventible	Solara - Conventitie	Tacoma - Reg Cab	Tacoma - Reg Cab	Тасотта - Access Cab	Tacoma -Access Cab	Tacoma - Double Cab	Tacoma - Double Cab	Tooma - Reg Cab	Taconia - Neg Cab	Taronna - Arcase Cah	Tacoma - Double Cab	Tacoma - Double Cab	Tacoms - Acc Cab TRD	Tacoma - Dbl Cab TRD	Tacoma - Reo Cab	Tacoma - Red Cab	Tacoma - Access Cab	Tacoma - Access Cab	Tacoma - Double Cab	Tacoma - Double Cab	Torono And TEO	Tacoma - Obl Cab TRD	Tanoma - Boa Cab	laconia - regional	I acuita - Access Cati	Jacoma - Double Cab	Tacoma - Reg Cab	Tacoma - Reg Cab	Tacoma - Access Cab	Tacoma - Access Cab	Tacoma - Double Cab	Tacoma - Double Cab	Tacoma - Acc Cab TRD	Tacoma - Dbl Cab TRD	Tundra - Red Cab	Jundra - Red Cab	

Tundra - Reg Cab	×	×	×		Г	-	_	Oak	2 pc set	PT548-34030-14
Tundra - Access Cab	×	×	×			-	Ļ	Light Charcoal	4 pc set	PT548-34031-11
Tundra - Access Cab	×	×	×	L	Г	H	L	Dark Charcoal	4 pc set	PT548-34031-12
Tundra - Access Cab	×				Ī	H	L	Oak	4 pc set	PT548-34031-14
Tundra - Access Cab	×	×	×	L	Г	H	L	Light Charcoal	4 pc set	PT548-34032-11
Tundra - Access Cab	×	×	×			H	L	Dark Charcoal	4 pc set	PT548-34032-12
Tundra - Access Cab	x	×	×		Г	H	L	Oak	4 pc set	PT548-34032-14
Tundra - D Cab	L	×	×			H	L	Light Charcoal	4 pc set	PT548-34040-11
Tundra - D Cab		×	×			Н	L	Dark Charcoal	4 pc set	PT548-34040-12
Tundra - D Cab		×	×	L		H	L	Oak	4 pc set	PT548-34040-14
Tundra - Reg Cab			×	×		H	L	Taupe	2 po set	PT548-34051-09
Tundra - Reg Cab			×	×	1	H	L	Light Charcoal	yes od 7	PT548-34051-11
Tundra - Reg Cab		L	×	×	Г	H	L	Dark Charcoai	2 pc set	PT548-34051-12
Tundra - Access Cab			×	×	Ī	H		Taupe	4 pc set	PT548-34052-09
Tundra - Access Cab	L	L	×	×		H	L	Light Charcoal	4 pc set	PT548-34052-11
Tundra - Access Cab			×	×		H	L	Dark Charcoal	4 pc set	PT548-34052-12
Tundra - D Cab			×	×	ŀ	Н	L	Taupe	4 pc set	PT548-34050-09
Tundra - D Cab			×	×	Г	H	L	Light Charcoal	4 pc set	PT548-34050-11
Tundra - D Cab			×	×	·	Н		Dark Charcoal	4 pc set	PT548-34050-12
Tundra - D Cab				×		Н	J	Light Charcoal	4 pc set	PT548-34062-11
Tundra - Reg Cab					×	×	×	Graphite	2 pc set	PT206-34071-11
Tundra - Reg Cab	L				×	-	L	Black	2 pc set	PT208-34071-12
Tundra - Reg Cab					×	×	×	Sand Beige	2 pc set	PT206-34071-43
Tundra - D Cab & Crew Max					×	×	×	Graphite	4 pc set	PT206-34072-11
Tundra - D Cab & Crew Max					×	×	×	Slack	4 pc set	PT206-34072-12
Tundra - D Cab & Crew Max					×	×	×	Sand Beige	4 pc set	PT206-34072-43
Venza						H	×	Black	4 pc set	PT206-0T090-20
Yaris - Lift Back				×	×	×	x į x	Dark Charcoal	4 pc set	PT206-52060-11
Yaris- Sedan				×	×	×	L	Dark Charcoal	4 pc set	PT206-52061-11
Yaris- Sedan						Ė	x i x	Bisque	4 pc set	PT206-52090-40
Yaris- Sedan							x i x	Dark Charcoal	4 pc set	PT206-52091-11
Yaris - Lift Back						Н	×	Dark Charcoal	4 pc set	PT206-52100-18
Yaris- Sedan						Н	×	Bisque	4 pc set	PT206-52100-45
nabe2-sinsY			L			Н	×	Dark Charcoal	4 pc set	PT206-52101-10

· 1

Toyota Carpet Floor Mats (Sorted By Part Number)

cription Piece Set No.	4 nc set	4 pc set	4 pc set	4 pc set	4 00 361	4 or est	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 20 500	4 pc set	4 pc set	4 DC 861	4 pc set	4 pc set	4 pc set	4 00 581	4 pc set	4 pc set	4 Do Set	4 pc set	4 pc set	4 pc set	4 pc set	4 00 set	4 pc set	4 pc set	4 PC 80t	4 pc set	4 pc set	4 DC Set	4 pc set	4 pc set	4 DC Set	5 pc set	5 pc set	4 pc set	6 pc set	6 pc set	6 pc set	4 pc set	4 pc set	4 pc. set	4 pc set	4 pc set	4 DC 56	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set
Mat Description	Dark Charcoal	Ş	Gray	Light Gray	Gray	ioht Grav	Oak	Gray	Łight Gray	Oak	Gray	Light Gray	Oak	Gray	Dark Charcoal	Bisque	Dark Charcoal	Dark Charcoal	Bisque	Dark Charcoal	Bisque	Brown	Brown	work	vorv	Gray	lvory	Dark Charcoal	Larr Store	Dark Charcoal	Dark Stone	Dark Charmal	Dark Stone	lvory	Dark Stone	hory	Graphite	Dark Charcoal	Taupe	Stone	Stone	Stone	Taupe	Taupe	Light Charcoal	Oak	Light Charcoal	Black	Gray	Gray	Gray	Gray	Gray	Gray	Dark Chambal	Dark Charcoal	Charcoau
0102	†×			Ħ	T	Ť	Ħ		П	Ħ		T	H	Ť	Ħ	1	†	×	×	×	×	×	×	†	†	Н		1	Ť	H	1	†	П	×	××	×	×,	××	H	1	t	×	×,	· ×	H	\dagger	\dagger	t	H	†	H	†	t	H	××	×	×
5002	×			Ħ		Ť	Ħ		Ħ	H		H	H	\dagger	×	×	××	×	×	×	×	H	+	+	$^{+}$	Н	1	+	t	Н	H	╅	H	×	××	×	×	<u> </u>	Н	+	+	×	,	ı ×	Н	+	┿	 ×	╁	╁	Н	+	+	₩	××	×	┧
800Z	†	T		Ħ	T	1	П	×	×	×	×	×	×	××	П	1	Ť	Ħ	7	Ť	T	П	7	十	T	Ħ	×	×,	××	×	×	×,	×	×	××	Н	†	╈	Ħ	+	$^{+}$	×	×,	Į×,	Н	+	t	H	H	╁	Н	× :	*	H	+	H	+
2002	T			П		T	П	×	×	×	×	×	×	××	Ħ	7	+	Ħ	T	T	T	П	7	Ť	†	Ħ	×	×,	××	×	×	××	+-	-	××	H	†	Ť	×	×	××	H	+	T	H	١,	٠×	H	H	+	H	×	××	Į,	$^{+}$	H	 ,
900Z	Τ			П		1	Π	×	×	×	×	×	×	××	П	Т	T	П		T	Ī.	П	T	Ť	T	П	×	×,	××	×	×	××	×	×	××	1	T	+	×	×	××	П	†	+	Н	,	٠×	t	H	†	×	×	×	Ħ	+	H	╫
200Z	I					T	\prod	×	×	×	×	×	×	××					Ī	Ī	Γ	П	T	T			T	T	T	П		T	П		T	17	1	Ţ	×	×	××	П	1	T	П	١,	\ \ \	T	Ħ	Ť	×	×	×	Ħ	Ť	Ħ	×
5004	t	×	_	T		t	П	×	×	×	×	×	×	××	H	†	†	H	+	T	t	H	†	†	t	H	7	\dagger	t	Н	T	✝	H	+	\dagger	Н	†	t	×	×	××	Н	+	+	×	×	t	H	H	t	×	× ;	_	H	+	H	×
2003	+	IJ	×	Ш	×	t,	Н	×		×	×	H	×	1.	Н	+	+	Н	+	$^{+}$	H	Н	+	+	- - -	Н	+	+	+	Н	+	+	Н	+	+	Н	+	╀	Н	+	Ŧ	H	+	╀	Н	4	+	┞	Н	+	₩	-	+	${\mathbb H}$	+	Н	+-
6006	╀	Ľ	_	Π	<u> </u>	ľ	Π		14	Ц		Ľ	1	7	Ц	4	4	Ц	4	1	Ļ	Ц	4	7	Τ	Ĺ	4	4	╀	Ц	Ц.	4	Ц	Ц	↓	Ц	1	╀	Ц	1	1	Ц	Д.	L	×	×	L	L	×	׼	Ľ	×	<u> </u>	Ц	⊥	Ц	×
Model	Matrix - 2WD	Tacoma -Access Cab	Corolla - Sport Edition (w/ Rear Heater)	Corolla (w/ Rear Heater)	Corolla - Sport Edition (w/o Rear	Corolla (w/o Rear Heater)	Corolla (w/o Rear Heater)	Corolla - Sport Edition (w/ Rear Heater)	Corolla (w/ Rear Heater)	Corolla (w/ Rear Heater)	Corolla - Sport Edition (w/o Rear Heater)	Corolla (w/o Rear Heater)	Corolla (w/o Rear Heater)	Corolla (w/o Rear Heater)	Corolla	Corolla	Contia	Corolla	Corolla	Corolla	Corolla	Corolla	Corolla	Solara - maro Colora	Solara - Convertible	Solara - Convertible	Solara - Coupe	Solara - Coupe	Solara - Convertible	Solara - Convertible	Solara - Convertible	Solara - Coupe	Solara - Coupe	Solara - Convertible	Solara - Convertible	Avalon	Avaion	Avalon	Sienna - 7 pass	Sienna - 7 pass	Sienna - 8 bass	Sienna - 7 pass	Sienna - 7 pass	Sienna - 8 pass	Sequoia	Sequoia	Seduces	Venza	Matrix - AWD (w/ heater)	Matrix - 2WD (w/o heater)	Matrix - AWD (w/ Rear Heater)	Matrix - 2WD (w/ Rear Heater)	Matrix (w/o heater)	Matrix (w/ heater)	Matrix - 2WD Matrix - AWD	Matrix - AWD	Camry / Camry Hybrid
Part Number	PT206-12092-14	00200-35964-18	PT206-02030-03	PT208-02030-11	PT206-02031-03	PT206-02031-11	PT206-02031-16	PT206-02040-03	PT206-02040-11	PT206-02040-16	PT206-02041-03	PT206-02041-11	PT206-02041-16	PT206-0205-01	PT206-02090-12	P1206-02090-41	PT206-02091-41	PT206-02092-12	PT206-02092-41	PT206-02093-12	PT206-02093-41	PT206-02102-45	PT208-02103-45	PT208-08030-10	PTZ06-06031-10	PT208-06031-11	PT206-06060-10	P1206-06060-11	PT206-06068-10	PT206-06068-11	PT206-06068-21	PT206-06080-11	PT206-06080-21	PT206-06088-10	PT206-06088-21	PT206-07090-02	P1206-07090-16	PT206-07090-18	PT208-08067-04	PT208-08067-21	PT206-08068-21	PT206-08087-12	PT206-08087-41	PT206-08088-41	PT206-0C030-11	PT206-0C030-14	PT206-0C050-11	PT208-0T090-20	PT206-12030-03	PT206-12032-03	PT206-12040-03	P1206-12041-03	PTZ06-12070-03	PT206-12071-03	PT206-12090-14	PT206-12093-14	PT206-32060-11

PT208-08036-04 PT208-08036-04 PT208-08040-04 PT208-08040-21 PT208-08041-04 PT208-08041-21	PT208-08021-04 PT208-08021-04 PT208-08030-01 PT208-08030-04 PT208-08031-01 PT208-08031-04	PT208-08010-01 PT208-08010-04 PT208-08011-01 PT208-08011-04	PT208-07040-04 PT208-07040-10 PT208-07040-21	PT208-07000-15 PT208-07000-23 PT208-07000-23	PT208-07000-08 PT208-07000-08 PT208-07000-15	PT208-06048-11 PT208-06048-21	P1208-06040-21	PT208-06040-10	P1206-60080-01	PT206-60032-10	PT206-52100-45 PT206-52101-10	PT206-52100-18	PT206-52090-40	PT206-52060-11	PT206-35105-13	PT206-35102-15	PT206-35101-15	PT208-35100-15	PT206-35092-43	PT206-35090-43	PT206-35086-11	PT206-35082-14 PT206-35085-11	PT206-35081-14 PT206-35082-11	PT206-35080-14 PT206-35081-11	PT206-35056-11	PT206-35055-11	PT206-35052-11	PT206-35051-11	PT206-35050-11 PT206-35050-14	PT206-35012-11 PT206-35012-16	PT206-35010-11 PT206-35011-11	PT206-34072-12 PT206-34072-43	PT206-34071-43 PT206-34072-11	PT206-34071-11 PT206-34071-12	PT206-32100-12 PT206-32100-45	PT206-32060-14 PT206-32078-40	PT206-32060-12
Sienna Sienna 7 pass Sienna 7 pass Sienna 7 pass Sienna 7 pass	Senna Serna Senna Senna Senna Senna	Sienna Sienna Sienna	Avalon Avalon Avalon	Avalon Avalon Avalon	Avalon Avalon Avalon	Solara - Convertible Solara - Convertible	Solara - Hard Top Solara - Conventible	Solara - Hard Top	Land Cruiser Land Cruiser	Land Cruiser	Yaris- Sedan Yaris- Sedan	Yans - Lift Back	Yaris- Sedan	Yaris - Lift Back	Tacoma - Ren Cab	Tacoma - Double Cab	Tacoma - Rouble Cab	Tacoma - Reg Cab	Tacoma - Ren Cah	11	- 1 1		H	l 1	Н	1		11	11			اداد	Tundra - Reg Cab Tundra - D Cab & Crew Max	Tundra - Reg Cab Tundra - Reg Cab	Camry / Carrry Hybrid	Carnry / Carrry Hybrid Carnry Hybrid	Carny / Carny Hybrid
××	× × × × ×	× × × ×	×××	×××	×××	ヿヿ	П	П	T	××	П	IT	П	١,	, 	П	П	П	T	П	П		П	П	П	Ħ	П	П	П	××	××	\Box	П	\sqcap	П	Ť	П
	 							Ţ	††	Ħ	+	Ħ	Ħ	Н	#	Ħ	$\dagger\dagger$	Ħ	$\dagger\dagger$	Ħ	\forall	+	╁	H	H	\dagger	Ħ	$\forall I$	\forall			+	Н	H	Ħ	+	Н
			rrr		- - -			-	╁┼	H	+	H	H	H	+	$^{\rm H}$	+	+	+	++		+	Н	Н	Н	Н	₩	$\!$	+	^ ^		\dashv	Н	\mathbf{H}	Н	\downarrow	Н
* * * *			×××	×××	×××	××	×××	×	Ш	××	11		Ш	Ш	Ш			$\perp \perp$		Ш					×	××	××	۲×	××			Ш	Ш				H
						××	×××	×	П	××		Ц	×	×	П	Ц	П	\prod	П	П	\perp	\perp	П	П	×	××	(×)	< ×	××	Н		\Box	П		П		П
			Ш	Ш		××	×××	×		××		П	×	×	\prod	Ц	Ш	11	Ш	Ц	Ш		L	П	×	××	(×)	٧×	××	Ш		××	××	××		××	×
	ШШ	$\sqcup \sqcup$	Ш	$\sqcup \sqcup$	Ш	Ш	44	11	××	Ц	Ш	Щ	Ц×	×	11	Ш	Ш	11	11	Ш	×	××	××	××	×	Ш	Ш	Щ	Ш	Ш	Ш	××	××	×	Ш	×	×
		$\sqcup \sqcup$	Ш	Ш	$\perp \perp \perp$	44	44	Н	× ×	Н	₩.	<u> </u>	<u> </u>	ᄡ	44	Ц	11	11	× >	×	××	××	××	××	×L.	Ц	Ш	Щ	Ш	Ш	Ш	××	××	×	Ш	×	×
					.				××		××	××	×	×	××	×	* × ›	۱×۱	××Þ	٠×	×	×	×	×	×			Ш				××	××	×	××	×	×
Gray Oak Taupe Stone Taupe Stone Taupe	Gray Oak Gray Oak Gray Oak	Gray Oak Gray Oak	Taupe hvory Stone	Taupe Stone Stone	lvory lvory Taupe	Dark Charcoat Dark Stone	Dark Stone	Ivory	lvory	Dark Stone	Dark Charcoal	Dark Charcoal	Bisque Bisque	Dark Charcoal	Light Charcoal	Dark Charcoal	Dark Charcoal	Dark Charcoal	Sand Beige	Sand Beige	Charcoal	Oak Charcoal	Oak Light Charcoal	Light Charcoal	Charcoal Light Charcoal	Charcoal	Light Charcoal	Light Charcoal	Light Charcoat Oak	Light Charcoal Oak	Light Charcoal Light Charcoal	Black Sand Beige	Sand Beige Graphite	Graphite Black	Gray	Bisque	Dark Charcoal
	5 pc (cc	5pc (c																																			
5 pc set 5 pc set 4 pc set 4 pc set 5 pc set 5 pc set	5 pc set 5 pc set (bench seat) (bench seat) (aptains seat)	6 pc (bench seat) 6 pc (bench seat) 5 pc (captains seat) 5 pc (captains seat)	4 pc set	4 pc set 4 pc set	4 pc set 4 pc set 4 pc set	t pc set	t pc set	pc set	pc set	3 pc set	pc set	pc set	4 pc set	f pc set	4 pc set	oc set	4 pc set	2 pc set	4 pc set	2 pc set	pc set	pc set	4 pc set	4 pc set	2 pc set	4 pc set	4 pc set	4 pc set	2 pc set 2 pc set	4 pc set	2 pc set	4 pc set	2 pc set	2 pc set	4 pc set	4 pc set	4 pc set

4 4 D D S S S S S S S S S S S S S S S S	4 P D S S S S S S S S S S S S S S S S S S	4 4 4 4 5 70 9 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	
Taupe Stone Taupe Stone Taupe Gray Taupe Gray Taupe Gray Taupe Gray Taupe Taupe Taupe Taupe	Dark Gray Gray Gray Taupe Taupe Taupe Taupe Taupe Taupe Ash Taupe Cark Charcoal Ash Sand Berge Sand Berge Sand Berge Gray Mory Mory	Dark Gray Dark Bisque Dark Bisque Nory Nory Nory Nory Nory Nory Nory Nory	Taupe Shore North Light Gray Light Gray Light Gray Light Gray Light Gray Light Gray Light Gray Dark Charcoal Graphic Black w Nather Logo Black w Valver Logo Black w Valver Logo Black w Valver Logo Black w Valver Logo Black w Valver Logo Black w Valver Logo Black w Valver Logo Black w Valver Logo Black w Valver Logo Black w Valver Logo Black w Valver Logo Black w Valver Logo Black w Valver Logo Dark Charcoal Dark Charcoal Dark Charcoal Dark Charcoal Light Charcoal Light Charcoal Light Charcoal Light Charcoal Light Charcoal Light Charcoal Light Charcoal Light Charcoal Light Charcoal Light Charcoal Light Charcoal Light Charcoal Light Charcoal Light Charcoal Light Charcoal Light Charcoal Light Charcoal
]	××××××
	×× ×××	××	
	××××	××	×××××××××××××××××××××××××××××××××××××××
××××		××	×××××××××××××××××××××××××××××××××××××××
× × × × × ×	X X X X X	×× ××××	××××××××××××××××××××××××××××××××××××××
	× ×	× ××××××××××××××××××××××××××××××××××××	××××××××××××××××××××××××××××××××××××××
****	× × ×	× ××× ××××××	×× × × × × × × × × × × × × × × × × × ×
*** ***	× × ×	**	×× ×××××××××××××××××××××××××××××××××××
Sierna - 6 pass Sierna - 5 pass Sierna - 8 pass Sierna - 7 pass Sierna - 7 pass Sierna - 7 pass Sierna - 7 pass Carny Carny Carny - SE Carny - SE Carny - SE Carny - SE Carny - SE	Ray 4 Ray 4	A	4 Runner 4 Runner Avaion Avaio
PT208-08042-21 PT208-08042-21 PT208-08043-42 PT208-08043-42 PT208-08048-43 PT208-08048-43 PT208-08048-43 PT208-32020-61 PT208-32020-61 PT208-32020-61 PT208-32020-61 PT208-32020-61 PT208-32020-61 PT208-32020-61 PT208-32021-61 PT208-32021-61	PT208-42041-01 PT208-42041-03 PT208-42041-03 PT208-42061-11 PT208-42061-11 PT208-42061-31 PT208-42061-31 PT208-42061-30 PT208-42061-03 PT208-42061-03 PT208-47010-03 PT208-47010-03 PT208-47010-03 PT208-47010-03 PT208-47010-03	PT208-4706-0-1 PT208-4706-0-1 PT208-48010-0-1 PT208-4801-1-0 PT208-4801-1-0 PT208-4801-1-0 PT208-4801-1-0 PT208-4801-1-0 PT208-4801-1-0 PT208-6203-0-1 PT208-6203-0-1 PT208-6203-0-1 PT208-6203-1-1 PT208	PT520e 88030-04 PT520e 88030-04 PT548-47030-11 PT548-47030-11 PT548-47030-12 PT548-47030-12 PT548-47030-12 PT548-47030-12 PT548-47030-12 PT548-47030-13 PT548-47030-13 PT548-47030-13 PT548-47030-13 PT548-47030-13 PT548-47030-14 PT548-47030-14 PT548-47030-14 PT548-47030-14 PT548-47030-14 PT548-34030-14 PT548-34030-14 PT548-34030-14 PT548-34030-17

PT548-48080-31 PT548-48082-10 PT548-48082-31 PT548-48082-31 PT548-48074-31 PT548-480774-31 PT548-480774-31 PT548-480774-31 PT548-480774-31 PT548-480774-31 PT548-48078-21 PT548-48080-72 PT548-48080-72 PT548-48080-72 PT548-48080-74	111	1 1 1				- 1	.1. 1		_			PT926-47100-40
Highlander (w/o 3rd row) Highlander: Hybrid (w/ 3rd row) Highlander: Hybrid (w/ 3rd row) Highlander (w/ 3rd row) Highlander (w/ 3rd row) Highlander: Hybrid (w/ 3rd row) Highlander: Hybrid (w/ 3rd row) Highlander: Hybrid (w/ 3rd row) Highlander: Gas Highlander: Gas Highlander: Gas Highlander: Gas Highlander: Hybrid Highlander: Hybrid Highlander: Hybrid	Highlander - Hybrid Highlander - Hybrid Highlander - Gas & Hybrid Highlander - Gas & Hybrid	Highlander - Gas & Hybrid Sequoia - 7 Passenger	Sequoia - / rassenger	Sequoia	Sequoia	Sequoia - 7 Passenger	Sequoia - 7 Passenger	Sequoia - 8 Passenger	Sequoia - 7 Passenger	Sequoia - 7 Passenger	Prius	Prius
			\prod	_		-		+	-			
	\prod	Ш		†				ŀ	†			
××××××	Ш	Ш	П	T	П	1	Ц	1	\perp	П	Ц	1
			(× ×	××	×	××		××	╀	Н	+	╁
< x x x x x x 1 1 1 1 1 1 1 1 1 1 1 1 1	(× × ×	××	+	× ×	╌	× ×	1 1	^ ^	+	Н		╁┾┥
			╅╅	T	Ħ			<u> </u>		IJ		××
* × × × ×	XXX	ľľ	'XX	<u> </u>	ľ	<u> </u>	ľ		×	×	•	× ;
Ash Ivory Ash Ivory Ash Ivory Ash Ivory Ash Ash Chercoal Black Ash Sand Belge Ash Sand Belge	Ash Sand Beige Black	Sand Beige Gray	Sand Beige	Gray Black	Sand Beige	Slack	Sand Beige	Sand Beige	Dark Brown	Dark Brown	Misty Gray	
4 pc set 5 pc set 5 pc set 6 pc set 4 pc set 4 pc set 4 pc set 4 pc set 3 pc set 3 pc set	3 pc set	88	1 pc	4 pc set	4 pc set	8 8	1 pc	100 PC	1 pc	1 pc	4 pc set	4 pc set

,

Lexus Carpet Floor Mats (Sorted By Part Number)

PT208-50083-01	PT208-50075-04	PT208-50075-01	PT208-50073-10	PT208-50073-04	PT20-20070-0-1	P1208-8027-10	PT208-50071-04	PT208-50071-02	PT208-50071-01	PT208-30980-08	PT208-30980-03	PT208-30980-01	PT208-30099-32	PT208-30098-01	5T208-30007-32	PT208-30091-32	F1208-3009-01	P1208-30060-02	P1208-30058-32	PT208-30058-31	PT208-30058-30	PT208-30050-32	PT208-30050-32	PT208-30050-31	PT208-30050-31	PT208-30050-30	PT208-30050-30	PT208-30047-11	PT208-30047-10	PT208-30041-01	PT208-30040-11	120-05-12-00-12	F1200-24000-74	20-070-24070-02	P1-200-24050-14	P12U8-24060-03	PT208-24055-03	PT208-24044-20	PT208-24030-34	PT208-24030-20	PT208-24030-02	PT208-24010-34	PT208-24010-20	PT208-24010-02	PT206-I X006-07	PT206-LX089-10	P1206-LX086-10	PT206-LX086-01	PT206-48100-22	PT206-48100-09	PT206-48092-05	PT206-48090-B0	PT206-48090-A0	P1206-48060-11	P1206-48050-12	PT206-48050-11	PT206-48050-10	PT206-48040-12	PT206-48040-11	PT206-48040-10	PT206-33090-25	PT206-33090-15	PT206-33090-05	PT206-33070-11	PT206-33070-10	05-0805-30CTG	PT206-33060-11	PT206-33060-02	PT206-33054-30	PT206-33054-11	PT206-33044-12	PT206-33044-02	PT206-33034-20	PT206-33034-12	DT 208 33034-02			
LS 460/600h	LS 460/600h	075-01 LS 460/600h	LS 460	LS 460	18460	LS 460	LS 460	LS 460	LS 460	GS 300/400	GS 300/400	GS 300/400	GS350 AWD	GS350 AWD	CS350 OWN	GS350, GS450h, GS460 AWD	SCISO, GS450R, GS460 ZWD	GS 350/460 2WD	GS 350/460 AWD	GS 350/460 AWD	GS 350/460 AWD	GS 450H	GS 350/460 2WD	GS 450H	GS 350/460 2WD	GS 450H	GWC DAMOS SE	GX 470 w/ RSE	GY 470 W/ BSE	GS 300/400/430	GY 470 win PSE	GY 470 W/n BSE	SC 430	SC 430	SC 430	SC 430	SC 430	SC 430	SC 430	SC 430	SC 430	SC 300/430	SC 300/430	SC 300/430	1 X570	1× 570	LX 570	LX 570	RX350/450h	RX350/450h	RX400h	RX 350	RX 350	EX350	RX 400h	RX 400h	RX 400h	RX 330/350	RX 330/350	RX 330/350	ES 350	ES 350	ES 350	ES 350	ES 350	ES 300/330	OFFICE SE	ES 300/330			ES 300/330 (sport design)					Model	RANGE	
П		T		T	T	Ī	Γ	Γ		×	×	×			T		Τ	Γ	Ī								Ţ	۲,	٠,	,	()	4	ľ			Γ		×	×	×	×	×	×	×	T	T		Ţ			П			T				×	×	×			1	Ī	Ī	Ī	Ī		1	,	×	×/	×,	٠	, 2	2004	4	1
П	П	T	П	7	Ť	T	Τ	Γ		×	×	×	7	T	T	T	T	T	Ī	Γ	Г	7	1		7	Ī	T	T	Î	T	T	T	T	T	T	Γ	×		×	×	×	×	×	×	T	T	T	T	Γ		П	Ī	T	×	Ī	Ī		×	×	×		Ī	1	T	1	1	1	Ţ,	×	×	×,	κ,	×,	< ,	, 2	2005	5	
H	╫	+	Н	+	+	t	t	┪	H	Н	H	Н	×	١,	†	t	t	t	×	×	×	×	×	×	×	× ,	,	†	†	†	t	†	t	t	×	×	t	H	×	×	×	×	×	×	†	†	t	t	┢	Н	Н	Ť	+	+	×	×	×	×	×	×	┪	Ť	+	+	+,	٦,	٠,	,	<u>, </u>	×	× ,	, ,	× ,	,	, 2	2006	6	l
H	٠×۱	××	×	, ,	;†,	×	×	×	×	Н	H	H	×	†,	オ	†	†	×	×	×	×	×ĺ	×	×	×	× ;	╮	†	†	†	†	†	†	×	×	t	T	H	×	×	×	×	×	׆	✝	†	t	t	t	Ħ	Н	7	†	t	×	×	×	×	×	×	1	7	+	†	Ť	†	†	Ť	†	+	+	†	+	+	4	2007	-1	l
×	, ×	××	×	×	٦,	×	×	×	×		П	Π	×	٦,	7	T	T	×	×	×	×	×	×	×	×	× ;	4	T	Ť	1	Ť	Ť	×	×	×	T	T	Г	Г	П	П		×	×	٦,	<u>۰</u> ۱×	×	×	T	П	П	┪	7	+	×	×	×	×	×	×	T	1	†	†	†	†	†	1	7	1	†	†	Ť	Ť	2	2008	8	l
×	۱×۱	××	×	× ,	٦,	×	ķ	×	×	Ε	П	П	×	×,	٦,	٠,	<u>ا</u> ×	×	×	×	×	×	×	×	×į	× ,	7	7	Ť	T	Ť	7	1	×	×	T	Γ	Г	Г	П	П		×	×	۷,	٠,	×	×	Т	П	×	×	χİ,	1	Т	T	T	×	×	×	×	×	×	٦,	۲	†	†	†	7	7	+	7	†	†	2	2009	9	l
П	×	×		×,	,	Ì	×	×				i I	- 1	×,	-	T	×	1	×	Γ	Г	×	×	×]	×	Ţ	Ī	Ī	T	T	Ĭ	T	T	×	Ī	Γ		_			٦	T	×	ζ,	,	Ī	×	×	×	П		T	T			Ī				×	×	×	٠,	,	T	T	1	1	1	T	1	1	Ť	2	2010	0	
Gray	Brown	Black	Cashmere	Brown	Black	Cashmere	Вгомп	Black	Gray	lvory	Charcoal	Black	Black	Brown	Black	Ebony w/ Red Logo	Brown	Ыаск	Ebony	Ash	Cashmere	Ebony	Eborry	Aşh	Ash	Cashmera	Cachmera	Dark Grav	WOO.	Black	Dark Gray	Diack	Carner	Diacx	Came	Camei	Red	Ecru	Black w/ Saddle	Ecru	Black	Black w/ Saddle	Ecru	Black	Dark Brown	Volv	lvory	Gray	Black	Dark Brown	Light Brown	Light Gray	Light Diowi	Gray	Black	Light Gray	lvory	Black	Light Gray	lvory	Black	Charcoal	Brown	Light Grav	Cachmere	Cachmere	Gray	Riack	hory	Grav	Light Charcoal	Black	VOIV	Charron	Black	Cotor	Mat Description	
4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 20 001	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	П	Т	4 00 301	Т	Т	Т	Т	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 DC Set	4 00 56	4 2 2	4 2 2	4 20 000	4 100	4 50 50	4 5 5	4 pc set	4 pc ser	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 PC Sec	300 800	3 20 36	3 pc sec	3 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc kit	4 pc. set	4 DC Set	4 D 6 60	A Dog car	A DO GO	4 20 20	4 pc set	400 801	4 pc set	4 00 861	400 50	4 50 50	4 pc set		Piece Set No.	puon	

4 oc set	4 pc set	4 pc set	4 pc set	4 pc 8et	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 DC Set	4 pc set	4 PC Sof	3 po Set	3 DC set	4 DC Set	4 Dc set	4 pc set	4 po set	4 DC Set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 PCS Set	4 7 CS 591	300 801	3 pc set	4 pc set	4 pc set	4 pc set	4 pc ser	4 20 001	4 DC Set	4 pc set	4 pc set	4 pc set	4 pc set	4 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	8 5	2 2	9 5	1 pc	4 pc set	4 DC Set	4 pc set	4 po set	4 pc set
Black	Brown	Cashmere	Diack	Non	Hack	Ivory	de s	Black	Gray	Black	Mack	Савитесе	Black	Cashmere	Black	Cashmere	Black	Cashmere	ECE	Black	EGS	ania	Brack	Nurv	Dark Grav	Mon	Charcoal	Ivory	Dark Gray	Black w/ Gray	Black	Black	Dark Brown	Black	Black	Cashmere	Light Gray	Black	Cashmere	Light Gray	Charmal	Black	Wow	Gray	Black	Ivory	Light Charcoal	Riack	Bordeaux	Taupe	Cashmere	Ash	lvary	Black	Grav	Black	Brown	Cashmere	Gray	Black	Brown	Cashmere	Black	Rinari	Cashmere	Grav	Black	Brown	Cashmere	Dark Brown	Black
×	×	Ţ		T	Ţ		Ţ	Ī	Ī	T		T	T	7	×	1	×	7	×	×	×	4,	٠×	-		Γ				Г			×	×	×	×	×	×	× ,	۲,	· ×	1	t	П		1	Ť	t	f	t	H	1	× :	(×	×	×	×	7	, †	- ×	×	Ť,	- × ,	, , ,	+	t,	- -	×	H	×	7
×	×	×	Ť	Ť	1	Ť	†	Ť	1	†	1	†	7	7	×	†	×	7	хt	×	×	١,	٠,	×	×	r	Н	×	×	Н	×	×	┪	+	×	×	オ	× ;	× ,	۱,	ı,	+	╁	Н	+	+	+	╁	╁	┞	Н	4	+	+	Ł	J	H	J	+	+	+	+	1	+	+	Ŧ	\perp	Н	Ц	Й	4
×	×	×	Ι	Ι	Ι	Ι	Ι	Ι	Ι	Ι	Ι	I	I	I	×	×	×	×	Ī	×	Ť	,	۲,	×	×	Г	П	×	×	П	×	×	٦	7	×	×	×1;	×,	٠,	オ	t	t	t	Н	7	t	†	t	t	H	Н	+	+	+	×	×	×	×	`	<u> </u>	× /	, ['		1.	£	Ť	×	×	×	⊬	\dashv
L	4	1	ļ	1	1	1	1	1	1	1		Ι	1		×	×	×	×Ι	1	Ι	Ι	Ι	I	×	×	×	×	×	×	×		П	٦	7	×	×	×	Ť	Ť	Ť	Ť	t	T	П	1	T	t	t	t	t	Н	7	†	✝	×	×	×	×	×	× ,	, ,	× ,	< ×	(×	,	Ŧ	F	H	Н	Н	+
Н	4	1	1	1	1	1	1	1	⊥	1	4	4	ď	×	ĭ	×	×	×	1	1		Ι	L	×	×	×	×	×	×			٦	1	_	7	T	T	T	1	T	T	T		П	×	1	١,	×	t	×	×	×	†	╆	†	H		†	+	$^{+}$	Ť	+	t	t	Ŧ	╁	Н	H	Н	H	┥
		,	٠,	ŀ	٠,	4				l		ı	l	1	1		1	1	l	1				×	×	×	×	×	×			Ī		7		7	T	T	T	T	ľ			Ī	×	×	,	×	Γ	×	×	×	1	T	-	П	1	†	Ť	†	t	t	t	t	t	t	H	Ц	H	Ħ	7
П	T	,	,	Ţ,	,	,	ή,	,	₫,	1	Ť	Ť	Ť	Ť	†	1	Ī	Ť	Ť	†	Ť	l	T	×	×	×	×	×	×	7	1	7	1	1	7	†	t	t	†	†	t	×	×	×	×	× ,	۱,	×	×	×	×	×	†	╁	H	H	+	Ť	+	t	t	t	+	╁	H	H	H	Н	Н	+	\dashv
LS 460/600h	LS 460/600H	8	IS 300 - Sport Cross	IS 300 - Sport Cross	15 300 - Snort Cross	IS 300 - Sport Cross	IS 300 - Soud Cross	IS 300 - Snort Cross	IS 300 - Sport Cross	CIANO DAMPI	IS 250/350 2WD	1S 250350 4MD	IS 250/350 AWD	Cancasas at	C 250050 City	OWN OSCIOLS SI	DAMP DESIDES OF	CANCOSCIONE SI	15. = 0.0	19 350050 4180	IS 250/350 Convertible	IS 250/350 F-Sport 2WD	IS 250/350 F-Sport 4WD	GX 470 W/o RSE	GX 470 w/o RSE	LX 470	LX 470	GX 4/0 W/ RSE	GX 4/0 W/ KSE	LX 470	GX 470 - Sport (w/o RSE)				ı		ĺ		l		П			1	l					ı	LS 430	1		1		1	ŀ	ļ	l			ĺ	l	ĺ	П		LS 460/600h	ļ		ı	
PT208-50083-02	PT208-50083-10	PT208-53020-02	PT208-53020-10	PT208-53033-02	PT208-53033-10	PT208-53036-01	PT208-53036-02	PT208-53048-01	PT208-53048-02	PT208-53050-02	PT208-53060-30	PT208-53062-02	PT208-53062-30	PT208-53067-02	PT208-53067.30	PT208-53068-02	PT208 53068 20	PT208-53087-01	PT208-53087-02	PT208-53088-01	PT208-53093-06	PT208-53097-02	PT208-53098-02	PT208-60030-10	PT208-60030-11	F1208-60031-10	P1208-60031-11	P1200-0003/-10	1 200 00031-1	PT-1209-000/1-12	PT 208-60080-02	71200-00001-02	DTODG 75005 DO	DT EAB 23070 AS	PT548-33070 40	PT548-33070-11	PT548-33080-02	PT548-33080-10	PT548-33080-11	PT548-33090-01	PT548-33090-12	PT548-48030-02	PT548-48030-10	P1548-48030-11	PT548-50030-02	PT548-50030-11	PT548-50030-14	P1548-50031-02	PT548-50031-13	PT548-50031-14	PT548-50040-10	PT919-48100-01	PT919-48100-12	PT919-48100-20	PT919-50071-01	P1919-50071-02	PT 919-50071-04	P1919-5007-01	PT919-50073-02	PT919-50073-04	PT919-50073-10	PT919-50075-01	PT919-50075-02	PT919-50075-04	PT919-50075-10	PT919-50083-01	PT919-50083-02	PT919-50083-04	PT919-50083-10	PLAZE-/SUUG-UG	V2-MVC1-02617

George Morino / TMS Toyota Customer Services Quality Compliance October 1, 2009 Approved By: Bob Waltz

To:

All Toyota Dealers

From:

Toyota Customer Services

Toyota-Lexus Consumer Safety Advisory Potential Floor Mat Interference with Accelerator Pedal ********URGENT******

Toyota greatly appreciates your patience during this activity. Here is additional information about the Toyota-Lexus Consumer Safety Advisory ("Consumer Safety Advisory"), to add to our communication of September 29th.

A Safety Campaign will be launched soon with clear dealer instructions and an owner notification to visit their local Toyota dealership regarding the affected vehicles. Until the Safety Campaign is launched, Toyota recommends the following action(s) be taken by your staff:

Overall Dealership Operations

- Conduct a management meeting to familiarize all department heads with the Consumer Safety Advisory.
 Service, Loaner Vehicle (TRAC), Carwash, New Vehicle, New Car Preparation, Used Vehicle, Used
 Vehicle Reconditioning, Parts, and Body Shop operations should be familiar with the Consumer Safety
 Advisory and its contents.
- Each Dealership should designate two management level associates with complementary schedules to become intimately familiar with all aspects of the Consumer Safety Advisory, Q&A as well as other materials we have provided. These two associates should coordinate all operations related to this activity.
- New, Used, and Loaner Vehicle (TRAC) departments should coordinate with the Service Department to assure the driver's floor mat is semi-permanently installed. This should be conducted on the following involved vehicles until the safety campaign has been launched.

Toyota Models

- 2007 2010 Camry
- 2005 2010 Avalon
- 2004 2009 Prius
- 2005 2010 Tacoma
- 2007 2010 Tundra

Customer Handling

- Please welcome concerned owners that visit your dealership and answer any questions that they may have. Please utilize the Q&A to assure a consistent message is communicated.
- Assist any customer who asks to verify correct application and secure installation.
- Please encourage owners to make sure the floor mats are compatible for their model and model year. Also, they need to be sure they are properly secured using the appropriate retention device (clips). Driver's floor mats should never be stacked. Consumers should never place any floor mat aftermarket or not on top of another driver's floor mat. Mats should also not be flipped over with the bottom-side up.
- Information on proper floor mat installation can be found on http://www.toyota.com.
- Owners with additional questions or concerns, are asked to please contact the Toyota Customer Experience Center (1 800 331-4331).

Service Department

- Please coordinate with other dealership departments to **semi-permanently** install the driver's position floor mat in involved new, used, loaner (TRAC) and demo vehicles. Read and follow the attached technical instructions. The necessary materials are available at local hardware and office supply stores. This will assure the floor mats are **not removable**. We recommend the Service Department designate associates to conduct this specific installation to assure that the involved vehicles are handled consistently.
- Owners' vehicles in for service should <u>all</u> be inspected for proper installation of the correct floor mats at the time of delivery (including after the car wash) and document this on the Repair Order (RO).
 - If an involved vehicle owner expresses concern over the safety of their vehicle, recommend removal of the driver's side floor mat (place in the trunk) until they are contacted by Toyota regarding the forthcoming Safety Campaign. Document this action on the RO.
 - If the owner prefers to have the floor mat semi-permanently installed, please follow the attached instructions.
- If your dealership provides "car washes on demand", proper floor mat installation should be ensured on every vehicle after this service, as well.

Sales Department

- Sales deliveries of involved Avalon, Camry, Prius, Tacoma and Tundra new, CPO or used vehicles should include semi-permanently installed driver's position floor mats that are designed specifically for that model. As many customers will be sensitive to the recent Consumer Safety Advisory, we recommend that they be informed that the driver's floor mat is semi-permanently installed and not removable. Toyota will notify customers when the Safety Campaign is initiated to return their vehicle for the remedy. The driver's floor mat will be rendered removable at that time.
- Owners may also choose to have the driver's floor mat placed in the trunk until the safety campaign remedy is available. Please advise the owner of this option.
- Document the condition of the driver's floor mat at vehicle delivery (e.g. "the correct driver's side floor mat is semi-permanently installed" or "removed driver's side floor mat") in a one-line RO.
- All dealership demos should be checked regularly to confirm the use of correct and properly installed floor mats.

Parts Department

Any Toyota All Weather Floor Mat (AWFM) in your inventory should be removed from inventory and returned:

- Dealers should prepare either a TMP-134 Claim (Toyota) listing the part numbers and quantities of each AWFM they are requesting to return. These claims should be submitted to the facing PDC using the normal method in Dealer Daily.
- The return code for each part should be indicated as R-2, Manufacturing Defect.
- When your dealership receives authorization from your facing PDC to make the return, please return the AWFMs immediately. The different AWFMs should be grouped by part number to assist the PDC in accurately accounting for the returned quantities.

If you are approached by the media, please direct them to Toyota Corporate Communications at 310.468.2552 or 310.468.4718. When you must speak to any media representatives, please reference the information we've provided, on how to identify and properly install the correct floor mats, as well as your efforts to instruct owners about the importance of the proper installation of floor mats designed specifically for their vehicle.

We hope this information is helpful. Please direct any additional questions you may have to your Region/PD/Area representative so that we can continue to address your issues as we work through this experience together.



Read these important warnings BEFORE installing ANY type of Floor Mat.


A. General Floor Mat Warnings

- Only install floor mats designed specifically for that model and model year. Check for correct model name and part number on the packaging label to confirm vehicle application.
 - Never install a floor mat if you are uncertain of the model application.
 - Never install the floor mat upside down or turned over for any reason.
 - Only install the driver's floor mat in the driver's foot area.
- Always properly secure the driver's floor mat using the retaining hooks (clips) supplied in the bag with the floor mats. Follow the floor mat retention clip installation instruction supplied with the clips. If the mat is properly secured and you have confirmed vehicle applicability, it will not interfere with the accelerator pedal.
- After the driver's mat is secured by the retaining hooks (clips) semi-permanently install the floor mat to the vehicles using the self-locking nylon tie-wraps mentioned in the instructions below.
 - Never install the front driver's floor mat without all retaining hooks (clips) securing the mat firmly in place and the self-locking nylon tie-wraps semi-permanently installing the floor mat to the vehicle.
- The retaining hooks (clips) are designed to accommodate only one floor mat at a time.
 - Do not install another floor mat(s) on top of an existing driver's floor mat.
- After installation, always check the operation of the accelerator, brake and clutch (if applicable) pedals to assure the floor mat does not interfere with them.
- Carefully read the warning tag attached to the driver's floor mat regarding installation.

B. Floor Mat Inspection Instructions and Application Information

- Before placing a floor mat in a vehicle, be familiar with the procedure outlined below.
 - o Identify the correct driver's floor mat for the specific vehicle application.
 - Correctly install the driver's floor mat.
- Regularly verify the correct floor mat is securely installed in the appropriate model using the retaining
- Regularly verify the correct driver's floor mat is semi-permanently installed in the appropriate model using the self-locking nylon tie-wraps.


NOTE: Use the Application Information Chart provided or the Accessory Parts Catalog to verify mat-to-





Driver's floor mat part number is located on the bottom of the back side of the mat. (Location may very by mat)

		L	_				_			Mat Desc	ription
Model	Part Number	.03 -03	<u>,0</u>	90,	9	<u> </u>	80,	60,	.10	Color	Pc Sei
ALTERNATION OF THE PARTY OF THE	CIPUS AVERSON			3				Į.	Žak.	as Tuday	A Toloke
Prius	PT208-47045-11		х	X	X	Х	Х	ΙvΙ		Dorle Carre	4 pc se
Prius	PT926-47100-10		8		30	3	F.	0.0	77	TENER HELENES	\$ 1.4784 \pass



1. Make sure the driver's floor mat is properly secured by the retaining hooks (clips). Confirm that the retaining hooks (clips) are secured into the grommet holes in the vehicle's floor (carpet).

Warning: Do not stack the floor mats in any vehicle. The retaining hooks (clips) are designed to accommodate only one floor mat at a time.

Driver's Position Semi-Permanent Installation

- 1. **Necessary Materials**
 - Self-locking nylon Tie-Wraps (Must be UV-resistant, rated at 50 pounds minimum & 0.19 inches wide)
 - Easy Peel Labels (Use Avery® 5260™)
 - Thin Flat-Head Screwdriver
 - Fine-Pointed Punch
 - Ruler
 - **Diagonal Cutting Pliers**

-Please ensure floo mat is secured with retaining straps -Do NOT stack floo mat over another	mat is secured with	-Please ensure floo mat is secured with retaining straps -Do NOT stack floor mat over another	mat is secured with	-Please ensure floo mat is secured with retaining straps -Do NOT stack floor mat over another	mat is secured with
-Please ensure floo mat is secured with retaining straps -Do NOT stack floor mat over another	mat is secured with	-Please ensure floor mat is secured with retaining straps -Do NOT stack floor mat over another	mat is secured with	-Please ensure floor mat is secured with retaining straps -Do NOT stack floor mat over another	mat is secured with
-Please ensure floor	mat is secured with	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor
mat is secured with		mat is secured with			
retaining straps		retaining straps	retaining straps	retaining straps	retaining straps
-Do NOT stack floor		-Do NOT stack floor			
mat over another		mat over another	mat over another	mat over another	mat over another
-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor
mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with
retaining straps	retaining straps	retaining straps	retaining straps	retaining straps	retaining straps
-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor
mat over another	mat over another	mat over another	mat over another	mat over another	mat over another
-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor
mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with
retaining straps	retaining straps	retaining straps	retaining straps	retaining straps	retaining straps
-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor
mat over another	mat over another	mat over another	mat over another	mat over another	mat over another
-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor
mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with
retaining straps	retaining straps	retaining straps	retaining straps	retaining straps	retaining straps
-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor
mat over another	mat over another	mat over another	mat over another	mat over another	mat over another
-Please ensure floor	-Piease ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor
mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with
retaining straps	retaining straps	retaining straps	retaining straps	retaining straps	retaining straps
-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor
mat over another	mat over another	mat over another	mat over another	mat over another	mat over another
-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor
mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with
retaining straps	retaining straps	retaining straps	retaining straps	retaining straps	retaining straps
-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor
mat over another	mat over another	mat over another	mat over another	mat over another	mat over another
-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor
mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with
retaining straps	retaining straps	retaining straps	retaining straps	retaining straps	retaining straps
-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor
mat over another	mat over another	mat over another	mat over another	mat over another	mat over another
-Please ensure floor mat is secured with retaining straps -Do NOT stack floor mat over another	-Please ensure floor mat is secured with retaining straps -Do NOT stack floor mat over another	retaining straps -Do NOT stack floor	-Please ensure floor mat is secured with retaining straps -Do NOT stack floor mat over another	retaining straps -Do NOT stack floor	-Please ensure floor mat is secured with retaining straps Do NOT stack floor mat over another

ē_					_																																																																																	
8	ġ				П	П		ĮŢ	П		J.			П	Γ	П	П	Т	П	ſΤ		T	П	T	П	I	П	T	П		П	Τ		Ţ	П	I	T	П	Τ	П	T	П		П	Ī.	П		П	П	Т	T	П	Τ	Π	П	n	П	П	T	П	П			П	П	П	ľ	П	П	7	Т	П	Т	Т	П	П	П	П	П	ΕĪ	11	T		П	TŦ	П
2000	3	4	4	4 10 10		8		2	ž		ı				3 2	ž.	ı				18	빏	X	택	ä	1 1 2 3	2	I I	1	3	M X		ă	및 일 일	8	¥ :	1		1	¥	1		i i	¥		\$ S	¥	3	¥	2 8 0 0	5	3	×	10 15	3 3	1	ž į		3 3	8 8	1	ž Į				1	5		1	1	¥ §	3	1	1	1	E S		1 2	3 5		x x	3 3	3 3	1	15	
֡֜֞֞֜֞֜֝֡֓֓֓֓֓֓֓֓֓֓֡֟	ž		П	П			Ī	ľ	T	П	T	7	T		7		ון		7			ï	ľ	٦	1	90.00	ľ	ï	1	1	ľ	ľ	ľ	٦	٦	1	ľ			1	1	Ī	7	1	1	ì	۲	1	٦	۳	•	1		o	H	1	9	8	12			î	2	ľ	7	1	15	Ž.	ř	,	-	Ä	2 DC 22	× ×	2 2	4	11	12	4 00 341	H		48	8 4	2	剒	44
ě	_	П	Ħ	Ħ	П	П	T	1	Ħ	11	Ť	Ţ	Ħ	Ħ	†	H	Ħ	11	т	rt	Ħ	†	H	1	1	t	H	ţ.	Н	H	H	t	H	t	H	†	h	H	H	H	1	Н	Н	+	H	+	H	1	H	+		H	Н	7	Н	H	+	╢	Н	7	Н	H	÷	H	+	H	ŀ	Н	H	╢	+	Н	+	╀	H	┦	#	Щ	Н.	H	H	Щ	Щ	#	Н	Ц
8			Н	П	П	Ш			H			1	J	l			П	$\ \ $	ı ['		П							إ	ll	IJ		ı.	3		H	١,			Н	1					l,	ŀ	1		ļ	ľ	ŀ		П			П	,	IJ		1	Ш	Cart Store	1	Ш					П,	1		8	88	8	8	П	Ш	Ш	Ш	П	Ш	П	Ш	П		П
ľ	100	į		2	ă	4	ı	Stone	8	á	ē	ij		k	į		å	8	į	a s	ı	ě	Ž,	ģ	a,	5	ă	ğ	8	á	ă	ě	å	ŝ	900	ĺ	ó	Ballqua	5	ı,	8	ş	Dark Gray	8	ı		À	ğ	1			ĝ,	è	5 §	9 8	9	ij	å,	å	15	ı	8	ē	ş		1		į,		É	harcoe	ă				6	ğ	뢇	8 1	ļ,		8 2	8	Dest Cremon	L,	
			Н	П	H	Н	l		I	M	Ī	ľ	7	1	7		П	11		Ã	П	1	៉	12		7		ľ	Н			Ш	ä	4		į	ă	ı"ı"		ľ	6	Ī	å	4	П	510	Ĭ	N	1					T	^			ă	ā	1	J	å	ع	ă	٦		"	o je		ž	ž	ď,	1 1	1	4	J.	ă	E S	ă		ð	49	ă	10	М	3
L		Ц	Ц	Ц	Ц	Ц	Ц	Ц	Ц	Ц	Ц	1	Ц	Ц		1	Ц	1	Ш	Ц	Ц	L	Ц	Ц	j	Ц		Ц	1	Ц						L	L	ŀ				H		1	Н	ı	Ш	1	П	ŀ	ŀ	li	11			И		П	H			ŀ		ı	ł	li	Į.	I.	11	H	ı	3	4		7		П		Ш	П	П	Н	Ш	П		П
П	11.	Ц	Щ	1	Ц	Ц	L	Ц			ľ	×	×	4	* *	×	Ц		*	××	Ц	×	1	Ц		П		Ц		Ц	ľ	П	1			×	×	×	4	×	1		П	-	I	ĸ			1		7.	П	П			П	××	×	×	××	×		××	×	†	Ħ	ľ	t	Ħ,	d×	× -	H	Ħ	†	+	H	H		× ×	rt	Ħ	+	+	Η.	H	H
П	50.	1	7	Ш	Ц	Ц	Ц	Ц	ŀ	1	ľ	×	×	ľ	*	×	Ц	Ш	*	××	Ц		Ц.	Ц	Ц	Ц		Ц		Ц	1	Ц	×	4	×	* *	4	×	┨				\prod	I	\prod	н		,			1.11	П	П	П		Ħ	ĸ	1	×	H ×	ŀ		××	I	7	Ħ	T	1	 	, ,	, ,	Ħ	Ħ	H	t	Ħ	H	#	Н	H	H	H	Ħ	Η,	H	H
	14.	1	ļļ.]		Ц	Ц	Ц	ľ	ľ	٩×	××	Ŷ	П	4	1	Ц	Ш	×	××	Ц	L	⅃.	Ц		Ц	ŀ	٩×	×,	4	××	×	1	L		1		L	Ц	1			\prod	Ι		×		1	Π	1,1	T,				П	П	××	×	4	4	F	T	××	Ħ	1	Ħ	ľ	+	Ħ	Ħ	1	Ħ	#	đ	Ť	H	Ħ	Щ	Н	ıt	Ħ	Ħ	Ħ		Н,	H
	10-	**	1		ļ	Ц	Ц	Ц		(*)	1	*	*	Ц	Ц	1	Ц	Ц	×	1	*	L	4	Ц	1	Ц	ļ	11	×	×	KA	Ľ	1	Ц	1	1	Ц	Ĺ	П	1		Ц		1	П	×		1	I		Ţ	4	k	×	××	-	20	П	П		П	×		П	T	Ħ	ŀ	××	П	11	T	T	Ħ	Ħ	T.	Ħ	×	#	Ħ	r	Ħ	Ħ	Ħ	,	.	Ä
Ì	54.	××	*	4		Ц	Ц	4	ľ	1	1	1	4	Ц	Ц	*	×	11	Ш	4	Ц	L	1	Ц	1	Ц	ŀ	٩×	*	H	*	ľ	1	Ц	1	1	Ц		Ц	1	2		Ц	l	Ц	Ι	П	×	Ý		××	* ?	H		×	•	ľ	П	П	T	П	- 1	П	П	1	П	Ī	*	IT	П	Ħ	1	Ħ	Ħ		I	×	.11	H	rt	Ħ	Ħ	Ħ	××	۱.,	X
Ш	90.	×	*	ľ	1	1	Ή	* *	* *	ľ	ľ	4	4	1	Ц	1	K	11	#	4	Ц	Ц	ж-	Ц	4	Ц	ŀ	×	×	Ц	××	×	1	Ц	1	ļ	Ц	ŀ	Ц	1	Ŀ	'n	Ľ	÷	H	I.	Ц	ŀ			××	Ц		П	I	П	Ė		Π	Τ	П	- 1	T	П	T	Ţ.	1	×	П	Ħ	T	1	Ħ	×	×,	Ħ,	4,	Ħ	#	ſΤ	Ħ	Ħ	,	1	Ħ	Н
Ш	10.	* ×	* *	Ц×	*	*	Π	* *	*		Н	Ц	1	4	Щ	Ľ		#	11	1	Ц	Ц	*	Ц	1	Ц	ľ	Ľ	1	Ц	×	×	1	Ц	1	L	Ц	1	Ц	ŀ		×	Ц	×	H	1	Ц	ŀ	4					П		П	100	Π	П	Π	П	××	Π	П	Ţ	Ţ,	×	-	Т	П	1	Ť	П	8	×	Ħ,	П	11	T	1	Ħ	Ħ	××	t	H	П
Н	.03	7	Н	H.	ľ	1	17		*	H	\sqcup	\parallel	1	Н	Ц	H	*	H	4	#	4	Н	‡		Ť		1	Н	₫*	Ħ	* *	ľ	1	Ц	4	L	Ц	1	Ц	ľ	Ľ	×!	×	1	4	L	Ľ	1	1	Ц			Ц	Ш		1		Ш		I		××		Ī	×	×,	-	1	Т	П		××	4	• ×	××	,	П	Π	11	ų,	×,	4	#	П	Ħ	П
1		J.	1			L.	Ц				L			IJ.					Ш	Ш		П	ـًاـ				ŀ	Ш	1	H	ŀ	П	Ĺ	Ш	١	l						1		ł	П	9	Ш			П	4		$\ \ $	1		П	1	П	П		Н			Π	Τ	П	1	ľ	T	П	П	7	Π	П			П	11	Π	ıŤ	Ħ	Ħ	Ħ	7	Ħ	П
	•	88	ģ	PT208-0004-30 PT208-07000-08	2		8			090	9	9	ġ	8	8	8	80	ş.	ġ	ŝ	ì	8	98	88	8 5	ē	3	3	į	8	8	93.0	Š	ş		8	8	8	8	900	ģ	ij	5	ı,	j	é	9	3	7	욁	7	9	8		2	2	3	ž 2		Ę,	į.	ă	2	į	9 8	88	8	3	97	į.	ş	8			9	200	Į.	: 151	53	9=	計	8	ş ğ	32	ন ব	÷
	3			8			Š			548	96	ş	1	ž.			200	M	8	á	8	á		ğ	88	ğ		87		8		200	2080	90		00.00	Š		208-02	308	9		208	į	29.45		3	Ĭ	¥.	ğ	ı	46.40	878		1 2	1	1	PT919-48080	9	Ĵ		8	9	10990	36-120	9-120	120	41.0	120	130	9-120	100	ě	9-170	1	6-4700	011			號	312	8		200	9	ş
		11			ľ	ľ	П		1	•	ľ	ľ	١	ľ			- 1	i i	1	1		٦		E	-	٦	1		ľ		Ī	Ā	1	F		ģ	H	ī	L.	ā	۱	-	E	1	۹	L	d	ŀ	ij	Ę	Ė	Ė	H	4	Ē		Ē	EE	å	Ē	Ē.		i.	Ė	Ê	EE	£	Ē	į	ž.	ž	Ē	È	ä	Š	X K	E	i i	PTS28 47100-11		2 8		2	Ĕ	26	Ē
H	-	Н	1	Н	╁	Н	Н	Н	H	Н	Н	╂	+	Н	H	Н	+	H	H	41	H	H	ł	H	╀	H	ł	Н	+	1	Н	Н	+	H	+	H	Н	1	H	+	Н	1	Н	1	Н	ľ	H	1	4	Н	Ц	4	Ц.	Ц	П	1	Ц	Ц	Ц	Ц	Ц	Ц	Ц	1	L	Ц	A		1	Ц.	Ш	1	Ц	Ц		Ц	Ц	Ш	Ш	1	Ц	Ш	И	Ш		
		П	900		1		П		l	ľ	İl	Ш	1		H			П	П	П	1	П	1	П	5	,	L		1		ľ			H	ľ	IJ	i			1		ĺ	Ц	ĺ				1			П	ľ	ŀ		П	100	8			Ш		П	Н		1	l				-	П	1	H	$\ $	П		H	П	П	Т	П	П	П	П	П	ı
		Н	Ź	4	1	1	H		H	ŀ	Н	$\ $	1	Н	n	1		П	Ш		H,	U	1	ş,	1	g,	Į	515	ŀ		,	S		1	ŀ	l		1	П	1	ý.	á	5	ı	á	1		Ļ].						1	8		Highlander - Gan Highlander - Hybed	١,	J		П	Н			2	ı			ľ	$\ $	1	Ĥ	И	П	:	H	П	11			П	Н			ı
ı	.		1		١,		IJ.	Ш					J.				J.	Centry - SE	Ŋ	3	g ?	į		Ш	Š.	Ц	Į.		å		L	1	1		ŀ					100	ž.	1	Echo (4 door w/ rear heeter	k	B,			Ž		B	j	2 2	9	别		Ŋ,	j	8	Ę	å	Ì.				M	1	ł	ľ						IJ	Ш		П	Ш	Ш		Н	Ш	H	8 1	8	î
			25	41	1	Ų	Į.		I	ij	Ž,	Į.	į		į	ě	J		Į.	15	1	ğ		ã,	Ĭ	ŝ	l	Ž,	Ĭ		H	8	ŝ	8	Į	8		1	g	, S		į		,	ì	ļ	O I	9			1	3	1	8		y de	Ш	- 10	ž į	8	å	J.	Š		3	9 2	8	9	18	× × ×	*	S	Š.	å,		2 5	2 9	15	8 8	1	Ŋ,			9) July
1	١] }				1	П	П		ŀ		11	1	ì	H		ŀ			J)		Ì	Martin - Sport Car	e pouc	Soon	Complete Carlo Com	Į,		Sport	Š.		8		П	ľ		Ί	П		0 (2 00	ğ	200	0 (4 (6)	e e	¥	12	* 1	ì		į			See of	8		į		Hone		P)				Š	, A	¥ 0	Ş,	Ĭ		ž.	Marrie	12	ď.	3	ľ	ì	ľ	ľ		2 2	ď	2			, ,	3
	١	H	П	\parallel	1	ı		IJ	Н				П		H	И	1	П	П	П	I	H	i	ľ	į	3			Corolla Spo	30	٦	٩.	П	H		$\ \ $	١	П	1	ź	Š.	S	£	á	4	И		Ħ	Ī	٦		7	1 3	H		į	И				3	П	$\ $	1	2	3	Ĭ.	П	ŀ	1	П	:	H	H	И		П	\prod	П	Ш		Ħ	H		4	Rary 4 (Nei 3rd now)
1.	-	11	Ш	11	1			ľ	Н	Í	!	Ħ	П		H	Н	ľ		Ш	П			ľ		ő		ľ		8		П	ŀ					ļ	Ш				ŀ	ŀ			П	-	H	1	ò	ή			П	1	1	П		ľ	П		H		ľ		ļ		Ы	ŀ					H	Ш		H	П	П		П	П		П	Ш	
-						-	_		1	-		٠.			I-L	1-1	<u> </u>	ш.		-4			11	Ŀ	1	_	L		ш	.1	Ц		ш	i.L	1		. 2	LI		ш	.1	Ŀ	L	1.	۱.	ш	ŀ	LJ	1	بلبا	ы	Ш	LL	Į.	Ц	1	ы	Ш	Ш	Ц		Ц	Ц	L	Ш	1	3	L	Ŀ	LL	LI.	L	Т	Ц	Ц	Į,	Т	LI.	Ш	1	L	Ц	Ц	П	Ш	L

Place Set No.	4 po est	4 PC 24	4 20.00	100	81	K 8 5	8 2	1 200	100	361	6 pc Departs seed)	bc (caption seed)	6 pc (bench seed)	per (constants seed)	December 1	Disconti	4000	Doc 100	0 DO MIN	6 po set	4 pr ret	5 00 144	4 press	4 po set	200	Spoot Account	8	4 20 20	4 pc sel	4 20 36	A 100 PM	425	- De 186	400 94	200 200	4004	1 20 2	2 pc set	4 25,000	* 12.00	2 X X	2 DC 346	4 po 46	4 50 400	2 DC 100	4 90.00	4 2 2	2 4 4 5 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	1	4 pc pet	2 DC 648 4 DC 864	4 pc set	4 pc set	2 20 20 2 20 20 2 20 20 2 20 20 2 20 20 2 20 20 2 20 20 2 2 2 2	2.70.30%	2 4	4 pc pet	4004	6 PS 48	2 pc set	4 pc sel	# 2 X	4 20 340	2 pc 200	2 pc 34	4 pc age	4 00 94	4 po set	4 pc sea	4 00 66
Color Color	Sand Beign	Light Charcon	Links Charges	Send Dese			Seet Page	Sand Beige	Dert Brown	Dank Brown	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ALCO O		200	i de	8.5	Janes .	Team	Tentra	Stone	Stone	Stone	Stone	Store	Stone	Stone	(Sept.	Gray	Deck Charcoal	Dark Stone	Dark Chercon	Derk Stans	Line .	Deck Channel	Dark Charron	Carl Spore	Dest Charge	Light Chemon	Lath Charges	Lath Chartes	Light Cheroel	Light Cherries	Table Comment	Chercon	Met Charge	CARN Cheeced	The Comment	and of the same	Sand Beige	Sand Beige	Dark Charcosi	Des Chargos Light Charcos	Dest Charcost	Uptic Charcosi Uptic Charcosi	Control of the Control	Det Charcos	Dark Charges	Light Charcosi	1000	Light Chargosi Dark Charcosi	LIGHT Charton	Dark Chercon	Dark Charman	Graphite	Sand Beige Grandille	Black Sayd Gelge	Black Dark Chancoal	Dest Chercon	Dark Charcoal Cliek Charcoal	Day Cherone 1
86. > 86. >	× ×			, <u>,</u>	(pr.)		, A,	* ×	×		+			+			+	 		#	+	+		*	× ×		<u> </u>	††		+	+					, ,	, ,	* * *							×	× ×	*		, a,		* ×	2 .	pr:×	*										×	× ×	× ×	× ×	×	××	× x
/A 95		 	× ×								+		-	+					×	×	K X	* * * *	× ×	×					K X	* *	* *	×	× :	(x	*	x ,	(x)	*		2	×	* K	* *	× 9	* 1 * 1														×		u ×	××	× × +	× ,	* * *	* *	×	×		+
M Ca		× **	***					7			× ×	××	×	××	×	*	×	< #	× 4	* *	××	* *	* *	×			. ×		××	* *	* *							×		*	*] *]		* *		*									* *	× ×	× × ×	* * *	* * * *	< k	**	××	**	* *							
Part Number	T208-42081-40 T208-42080-40	709-0000-11 T209-0000-14	209-00060-00 1209-00080-11 006-00084-11	7828-0238-41 1004-0238-41	1324-00381-11	7000 00001 41	T026.0C067.41	T026-0C086-41	1924-0C104-01 1924-0C101-01	T12260C109-01	T201 00010 01 1208-00010-04	7206-08011-01 7206-08011-04	T208-08030-04	T208-08031-01	Tack contains	Table Ottobe On	7209-000-06	T208-08041-04	1204-00040-04	T206-08048-21	7208-06042-21 7208-08043-04	T206-08043-21 T206-08043-04	T206-06067-21	1206-08088-21 1208-08087-41	T206-06067-12 T208-06088-41	T208-09088-12	T205.06000-11	T206.08031-11	1208-080-11	T208-060-40-21	T208-08040-63	T206.08068-21	1206-04008-10	T206-09060-11	T209-09090-21	01-06060-02L	T208 06068 11	7206.35010.51	PT206-36019-11	7200-35012-11	11-050-8-021	7206.36081-11	T200-26067-14	T206-35052-14	T206-95(80-11	T206-35080-14	T206.9602.11	206.950.11	Tack 1400-43	T206-36062-45	T206-35101-13	7204 35101 16 7204 35102 13	7206-35102-15	7548-34006-13	T548 34030 14	1548 34031 12 1548 34031 14	7546.34032.11 1548.34032.12	1348-34040-11	548-34051-09	1548-34051-11	TS48-34052-11	1545-34050-12 1540-34050-09	T548-34050-12 T648-34050-12	1200 34071-11 C201-34071-12	206.24071-13	7206-34072-12	7208-67090-20 7208-62080-11	206-52061-11	7208-52081-11 7208-52100-16	206-52100-45 206-52100-40
										•		-			84.0							-							1																			100					B. C.				4		100		4					4			4	A
Bodel	Ranv & (wto 3rd raw) Bare 4 fee' 3rd raws	90000	Security		Perence	Parish 7 Personal	7 Passender	6 Personal	7 Passanger	- 8 Passanger	Sterms	Same	Serve	Stering	Stanton	Secre	*** 7 page	- 1	708 - 7 DBB0	Senna - 7 pass	True - B pages	Tra - B pass	ma - 7 page	10 - 8 page	7 pest	We - 8 page	a - Hard Top	Convention	- Convertible	a - Hard Top	a - Hand Too	- Consertate	Convertible	-Combe	Control	Entra South	Convertible	Tal - Reg Cab	Tecomp - Access Ont	Double Cell	ma-Reg Cab	na Reg Cab	- Dougle Car	- Acc Ceb TRO	P. Page 10	P-Access Cab	Double Cab	A60 CB TRD	Par Cab	Double Call	ns - Reg Cab	- Double Cab	- Ace Cab TRD	Tunden Reg Cab	Res Con	- Access Cab	Access Cab	den - O Cado	A Rea Cab	m - Reg Cab	- Access Cats	Access Cash	2000 2000 2000 2000 2000 2000 2000 200	- Reg Cab	a Reg Cas	Cab & Crew Max	Venza - Life Back	de Seden	- Condens	te Sedan
	Pay				- Sec. 1	or and	Control of the contro	entities:	Seque	Seque	,								3.4	男品	3	8.8	3.0	8	J. d.	98	103	Sollen	Sole	38	Sola	8000		8	38 8	38	U-100	and I	Tecom	Tecon	in the second	Tecos:	Tacom	Tacore	and a	Tecon	L CONTRACTOR	Taconal	Taxon T	Texas	Tacon	Tecom	Tacoma	DOL TOO	bru T	Thorn	Tunda	or The	TINO TINO	Tund	Tunde	And I	9 3 9	Tung	Tunda - D	Tundon - D	, and	,	Y6	: #

Printed	4	П				1			Т	Π				П	7	T	Π	Π	П	TI	П	Τ	T	П	П	Π	П	η,	П	П	П	Т	П	П	T	П]]	I	Т	П	П	П	T	Т	7	7	H	ī	11	Π'n	П	П	Τī	П	Π.	77	ТТ	т	14	121			_	г		71		_		_			_				
۵	Mac Se No	4 20 886	4 80.00	4 80 84	¥ 8	4 PC 4	2 2	4 PC 86	4 PC 84	3 B	¥ 2	200	3		# # # #	1 2 2	10.00	1	3	# # # #	4 pc 44	¥ #	¥ 24	¥ 8	2 B	E S	¥	3 3	Poor a	8	1	W 25	ž Ž	8	N X	DO SE	8	1	2 2	1 1 1 2 S			i i	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		# 5 ×	1 3 2 3	8		2 2	1		8 8	3 3	* *	* 1	4 20 20	1	. 2	3 2	E E	×	¥	3 3	ı,	3		¥ 2		* *							
		H	H	\parallel	\prod	Н	$\prod_{i=1}^{n}$	Ļ	4		Ц	4	ļ	$\ $	П	1	4	\parallel	\prod	\prod	Ц		1						ľ											1				1	4 20 20	7	9 8]				19		***	\$ 2	2	× 3			ă 4	2 2	\$ \$	¥ \$	8 8	\$.	1	8	8 8	9 3	3000	300		2 2 2 2 3 3	4.	9	2 E S	ĺ
	Color	Date Chargon	8		8	Gentle Gray	i i	in Gray	AND NO.	ě	Cury Dept Chemos	Dark Chercon	Baque	Bleane	Brown	Brown	toway (work)	No.	3	Dark Chercon	Dert Stone	Days Green	Cart Charme	Datk Stone Anny	Dark Charman	Amphibe	Light Gray	AGN E	Taupe	Store	-	Tampe	Light Chercosi	Clobs Chame	Black	è	100	1	je je	Dark Chercos	Derk Charcosal	Charcos	Dark Chancou	Gregue	Brown	Black	Send Sege	Send Beloe	Light Charges	Light Charcos	Light Charges		Lient Charcos	S S S S S S S S S S S S S S S S S S S	Light Charge	Marrie Charcons	Light Churcosa	0.00	Charge	Seed bear	Last Cheeces	Light Charton	Clark Charcoal	Dark Chancoal	Light Chercoal	Dark Charcoat	Braque	Dark Charcoa	Dark Charcos	Dark Stone	Acary	lway.	Derk Stone	wrk Chargosi	Dest Stone	Stree	
	61.	4	Ц	Ц	Ц	Ц	Ц	Ц	П	П	\coprod		ŀ			ď		Ι	1		Π		Ħ	,	* 4	××	××	Ħ	††	×	۲,	H	Ħ	+	ŀ	+	H		H	,		١,	<u> </u>	╫		Н	××	ŀ	H	H	H	H	H	H	#	H		H	Ц	Ц	Ц	#	Ц	Ш	4		Ц		Ĭ		Ш	Ш	Ш	ľ	Ш		ĺ
:	80.	1	Н	#	Ц	Ц	Ц	Ц	Ц	Ц	×		××		ď	Ц	Ш	\perp	1	\coprod	П			ŀ	×ĸ	××	4	Ţ	11	×	,	Ħ	H		×	1	1	H	H	×	××	,	, ,	Н	Н	H	××	××	H	H	H	H	Н	H	H.	ľ	Ĭ	ľ	ľ	11	Н	#	#	* *	×	×	××	×	٩×	\coprod	* *		Ш		Ш	Ш	
3	L.	1	Н	H	H	H	H	1	Ή	1	*	Ц	Ļ		Ц	Ц	\coprod	Ц	ŀ	ŀ	增	H	4			Ι	I		\prod	×	* *	ł			П		1	×	ΙŤ	Ħ	h	×	۱.,	H	1	#	* *	H X		H	1	╫	H	╫	Ħ.				ľ	17	H	₩	H	Н	+	×	××	1	1	\coprod	××	Ш	4	\perp	Ш	Ш	
(Sorted By Part Number)		Ĵ	Η.	Н	H	H	H		H	11	H	Н	4	1	Н	1	4	4	×	ľ	垏		И	<u>* 1</u>	1	Ц		×	ľ	•		I		×				×	м,	1	,		×,	×	H	d xi	××	××	1	Ħ	¥×	×	,,,	١,	H	H	H	1	H	H	Н	₩	H	H	\mathbb{H}	1	4	#	H	$\!$	**	Ш	Щ	4	41	Ш	
Š		+	Η.	}	H	H	1	\mathbb{H}	H		Н	Н	+	4	4	Н	H	H	ľ	H	ļľ,	×.	ľ	1	44	Ц	ŀ	×	'n	1	1	Ц	Ц	××			×	×		\prod	П			П	П	П	17	1	1	Ħ	××	×	××	١,	H	H	H	╁┼	Н	H	H	H	₩	₩	╫	7	+	₩	#	11	+	4	1	11	11	Ш	
2	10.	╁		H	Н	H	Ť.			H	Н	╢	H	H	4	Н	₩	₩	¥	4	H	H	H	Н	H	Н	ļ	××	1	1	Ц	Ц	Ц	××	Ц	Ц	×	××	Ц	Ц	П	×			I	1	11	T		Ħ	××	×х	*,	١,	#	Ħ	+		H	+	H	H	H	H	H	1	+	╟	Н.		Н	+	11	#	#	\mathbb{H}	
2	F0.		, ,,,	a.		H ,	,	X,			Н	Н	Н	+	╬	H	H	H	H	+	4	H	H	H	H	H	H	×	×	1	$\downarrow \downarrow$,	×	П	4	Ц	×	* *	ļ		П	×						Π	××	4		1	1	Ħ	11	11		+	+	Н	1	什	H	Ħ	<u>,</u>	╢		-	Н,		H	IJ	H];"	X	* * *	
8	\forall	11	†	11	Η.	H	1	H,	H	H	H	H	Н	Н	╄	Н	H	H	H	╀	H	H	H	H	H	Н	H		Н	#	41	*	1	Ц	,		×		1	Ц	Ц	Ц	Ţ	Ц		Ц	Ц	\prod	××	××			T		П		7	T		H	Í	H	Ħ	Ħ	H	Ħ	H	+	 ,	×	+	H	₩	H	11]	
	MODEL SALES	4 Purner	4 Purner	Corolla (vel Rear Header)	rolls (by Regr. Hagan) port Eddon (wo Rear Heata	ш	COS ESTER ON PROSE HOUSE	College College College College	Otto (wide Read House)	Collective Dame (descent)	Corole	0	4	Score Compa	See See See See See See See See See See	Corolle	Sciente Hand Top	oters - Convenition	Solem - Coupe	Sours - Coups	Solara - Convention	Sours - Course	Solum Coupe	Mary Commentation	Average Average	- Vertex	-	Stands - 7 page	Menna - 8 pass	Aven 7 pass	Hence - 8 perce	Sequole	Sequela	- Banks	- ANV. (ne house)	- 2WD (wf houses)	WD (w' Rear Heater)	WD hard Rest Heaser)	Eliz (ver header)	Anti- 2MD	Mark And	y / Carney Hybrid	V Compy Hybrid	A Carray Hybole	da - Pan Cab	dra - Reg Cab	D Cab & Crew Max	O Can & Comy Max	M - Access Cato	R - Double Cas	ne - Reg Cab	# - Access Cub	a - Double Cab	- Aco Cet TRO	me - Rep Cab	- Access Cap	Double Cab	ON CASTRO	na - Rep Carb	- Access Cab	B - Reg Carb	- Access Cab	Double Cab	ON CAS TRO	a-Ran Can	Section	- Section	Lift Gack F- Seden	Codes	Coules	Collect	Sours - Hard Top	Hard Top	m Convertible	enton.	and and and and and and and and and and	
				8	Corelle S	88	3	Comme S	8.8	8								ø d		 	* 2			8 8	*										*****	Marke	Merry	Matrix 2	1	1		8		9		Ten	Tundan	Tundra	Jacob I	Technic Technic	80	Tecom	Tecon	Lucou.	200	Tacser	Yezon	Tacona		ECONT.	acon acon	acces	Tecom	Tecome				Yers	Yeri	A C	Xe I	Solars	Soler	Solara	*		
	PT206: 12082-1	PT206-56031-04	PT208-09031.21	PT206-02020-11	PT206-02031-03	PT206-02031-16	PT208-02040-11	PT206-02041-03	FT208-02041-18	PT208-02061-01	7206-02090-12 P7206-02090-41	PT206-C2061-41	PT20H 020% 12	PT208 02080-12	FT206-00000-41	P1200-0214	PT206-06030-10	PT208-08031-10 PT208-08031-11	PT206-08060-10	P1208-08080.21	PT205-06098 11	PT208-09000-10	PT206-06080-21	PT206-0608-11	PT206-07080-07	PT208-07080-15	PT208-0000-16	F 200 (B067.2)	FT200-0008-21	PT205-08087-12	PT208-08068-12	PT208-0C050-11	PT206-00050-09	PT208-00-00-11	F7206-12030-09	PT-200-1203-08	PT206-12040-03	PT206-12042-00	PT205-12071-03	PT206-12091-14	PT206-12063-14	PT 208-32080-19	PT208-3208G-14	PT206.32100.17	FT20634@1-11	PT705-34071-43	PT206-34(772-11	PT206-34072-43	PT208-35011-11	PT208.39512-16	PT206-35060-14	PT206.35051-14	PT206-38062-14	PT206.35056-11	PT206.35280.14	PT208.35061-14	PT206-35002-14	PT208-35080-11	PT206.35090.43	PT206-35002 43	PT206-35100-16	PT206-35101-15	PT206-35102-15	PT206-35106-13	PT 208-22062-10	P1206-52281-11	PE209 62061-11	FT208-62100-48	FT206 60002-10	P1206-6006-01	PT208-6090-10 PT208-60100-46	PT206-05040-10 PT206-05060-11	PT208-06040-21 PT208-06046-10	PT208-06048-11 PT208-06048-21	PT208-07000-08	7728-07000-23	
																										_								_		1	_		_				-1	-1	4	1:3	ш.	L	1	JL	1.1.	LL,	1.1	11	ш	يزك	11	LĽ.	LL.	Ш	11	11	11	Ш	L	1	LĹ	П		П	Ш	Ш	Ш	Ŀ	Ш	Ц	

	_								_	_		_			_	_	-	_	-	_	П	т	П	_		r	т	т	_	п	_	п	n	٣Т	11	П	т	т	П	т	ГΤ	П	П	П	Т	т	П	1	_	П	П	П	TT	TT	П	14	1-1	П	П	F	П	11	П	Т	П	П	Ţ	T	11	П	Т	11	1 1	П	П	П	П	T	
ı	l	9	9	1	î	9		H		Ш	IJ]_		IJ.	\parallel										,	Ļ				×									L,	1 1	1 5		**		١,		6 8	E F	تواج		5 \$	* *	¥	v,	1		¥ 5	,			ļ		. 3	*]			ı		3	* *	ĺ
30	1	Poort.	4000	8	Bench Perch		9		1	i		200	2 2	3	8			4 20 4	1	2	8	ă		4 20 4	8	9	2	2	8	8	8 8	20.0	e o	4 86	b	90	8	8	ų,	8 2 4 2	90 2	ä	4	3	2 202	2 00	ž,	8 8	\$	8 8	8	8	ş	4 2	2 2	2 00 26	4	4 10	4 20	8 8	8	8	¥	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	300	,	Ť	ř	Ť	400	984	ļ.	ì	- 1	4 95	3	8	**	
e M		2	9 26 6	9	6 pp. ed.		100		П	l			ľ				$\ $	П					Ш			ŀ			l							Ш				l	1	Ц		Ц	Ţ		Ц	Ц			Ц		Ц	Ц			ľ		Ĺ		Ц	Ц	Ц	1		Ц	1		Ц	\perp	Ц	Ц	Ц	Ц	Ļ	Ц	Ц	יַן,	
Mak Descri	Ħ	H	1	Ш	Ш	1	1	Ħ	Ħ	Ħ	T	1	Ť	T	T	П	П		1	Π		П	П	Ι	T		П		T	П	T	П	I	Ţ	П	H		П		١.		П,	П		8	815				<u> </u>								78 8	l		.		П	1					11		11.]]							
	8 2	8,	J.		4	J.				1	S S	\$ 2	4 6	1	Š	8	H 61	8	4 5	9	Dark Charme		. 8		À.	s	Cark Blocks		1	į	5 6	5		A Guerr	ğ	And Greek	8	á	į			A Gree	4	Į,	Siver	3	8	a	Charce	36	å.		8		5		LONG CHARGOS	O C	400) in	91	ğ	Charcoal	1		į	ă	1		Sand Page Grav	Banca of Panio		Į.	5	¥ 90	K Brow	S	100 X	i
3	1	5	8	5 8	δē	8	58		ı.	4	14	-	48	ð,	86	M	93	1	1	ff	ž	٦	į	Own Charle	90	2	ă	1	1	1	ľ		ľ	Ŋ,	ă	1		i	וֹן י	3	5	1	П		to to the	ð	ă		55	Not	S.	9	П	Š	Š Ž	SI.	NO.	ă					ľ	٦	4	4	1	3		•	3	1	3	8	2 6	3	Ĭ		ĺ
L.	Ц	Ц	Щ	Ш	Ш	Ц	Ц	Ц	Ц	Ц	Ц	Ц	1	Ļ	Ц	Ц	Щ	1	4	4	Ц	Ц	H	Ц	Щ	Н	Н	4	1	H	+	H	H	4	H	Ł	1	H	\mathbb{H}	+	1	$^{\parallel}$	Н	ľ	-	H	\mathbb{H}	+	4	╁	₩	H	H	H	H	+	+	H	H		Н	H	l.	+	+	+	+				+	Н		+	# X	Н,	l.	#	
91.	Ц	Ц	Щ	Ш	Ш	1	Ц	Ц	Ц	Ц	Щ	4	4	1	Н	H	H	4-	4	H	H	┧	××	* *	4	H	Н	+	4	Н	+	H	4	+	H	Į.	H	1	1]	1	Ĥ		H	+	H	H	H	+	H	H	H	╫	+	Н	Н	+	۲	Н	H	H	H	1	*	×	××	×	,	\prod_{i}	××	×,	Н	(x	××	$^{+}$	H	H	H	ĺ
•	Ц		Щ	Ш	Ш	Н	H	H	Н	H	Ц	Н	+	H	H	\parallel	\parallel	╀	+	H			<u>*</u> *	*	+	H.	ľ	╁	H	Н	+	Н	H	Н	H	÷	Н	Ĥ	. ×	×	<u>,</u>			H	H	╁	H	Н	\dagger	H	H	Н	H	H		+	H	÷	╫		╫	H	Н	.	×	××	× >	,	1.	××	,		#	××	\dagger	H	Ħ	T	
**	Н	#	#	Ш	Н	H	4	Н	H	Н	H	+	+	⊬	H	H	#	+	╁	H			\mathbb{H}	+	H	Н,	ì	+	+	Н	+	H	+	H	H	t	H		ĸ×	××	,			H	1	1	H	+		H	Ħ	H	H	⇈	t		T	t	, ,		۱,,	, x	×	T		H	H	Ħ	Ħ	1	Ħ	Ħ	H	Ť	T	Ħ	††	T	
20.	Н	₩	H	Ш	H	H	H	H	H	H	+	-	* *	1	H	Н	+	╁	ł	H.	Ð	Н		$^{+}$	H	H		╁	١,		× ×		+	H	Н	Ŧ	H	×	k ×	× -	H	H	H	Н	1	11	Ħ	1	H	H	Ħ	Ħ	Ħ	, ,	××	××	× ×	××	×,	- _*	, ,	1.	*	†	1	Ť	H	Ħ	Ħ	1	Ħ	Ħ		t	1	Ħ	Ħ	止	
100	H	H	H	Ш	μ.	Н-	Н	Н	H	H	+	* *	Τ		1	Н	$^{+}$	Η.	1	H	17	H	Ή	۲	Н	Į.		+	1		× ×		×	١,	J	H H	×	×	××	* *		Н	H	Ħ	H	×.,	#	×	××	,	1	××	××		××	××	××	×	H	Н	Ħ	11	†	†	Ħ	T	Ħ	Ħ	H	H	Ħ	Ħ	Ħ		П	Ħ	Ħ	ıŤ	ĺ
1 20	ď	1	Ц	Щ	Ш	H	Н	44	11	ľ	Н	××	*		ľ	11	4	Н.	Н	Н	₩	H	+		H	Ĥ	Н	╬	7	H		Н	1	3			H	Ĺ	Н	+	Н	Н	Н	H	H	H.	H		¥,	Н,		H		Н	тН	$^{+}$	H	Н	1	H	H	††	1	1	H	t	H	H	H	+	1	Ħ	Ħ	۲	H	H	1	t	İ
20	H	1	4	Ш	Щ	Н	Ц	Н	11	#	1	* *	××	11	1	11	H	, Ľ	H	H	H	╢	╀	+		Ĭ.	Н	1	Ĥ		*	Н	7		1			ľ		+	Н	Н	Н		×,		×		*	L.			H	Ħ	Н	+	H	H	H	1	Н	H	t	+	H	t	lt	Ħ	H	H	H	H	Ħ	t	H	H	Ħ	1	
100	Ц	11	4	1	×	1	1	Ħ	Н	4	+	Н	Ц	* *	*	┩	Ť	1	1	Ä	H	\parallel	╬	+	-	H	H	~	Н	Н	+	Н	Ŧ	Н	Н	1	H	H	7	Ŧ	H	Н	H	H	T	Н	H	7	1	H	H	Н	Н	H	+	Н	╫	+	H	H	H	Н	+	H	1	۲	Н	Ħ	H	H	H	Н	Ħ	t	H	H	1	ıt	
	Ш	Ш	П	Ш	Ш	$\ $	П	11	П	П			l		Ш	Н	H	١	П					ŀ		1			H	H	1	3	ا	ľ								Н	IJ		۱			1				P			ľ		Tundra - Access Cab	ŀ		1		(1)	3		П	1		П	$\ $		11						1	Н	
	Ш	Н	Ш	Ш	Ш	\parallel	H	Н	Ш			٠	. [.	Cemy	H	1			l]	1	EIS		3 10	П	Н	1	1	(ACCUPANT)	Ê		340	į	Ì	ı		a de				H		Š					9	8	18	3		ا		9 %	9	38	9	nd row)	Į,	ê	8		3	,	3 3	Ų.	Q4	equota / Pamenoli		П	à	adua.	0	ě	Jour N		Ш	
3		JJ.		8 2	E a	ļ.			Ч	Ų.			į.	ļ,	ķ	۲×	٤.	;		Į.	Ė	2	P 8 9	200	واوا	5	\$	1	1	A GH	90	Ş	į	į.	H	9	0	Ě	S	8	8	1		9	Spyde	Š	8	8				10	4	9	D C	ě	100	100	9	p	Sec. 32) Duck		i	į	3 1	3	a	ž	Å	1	K	4		4	į.	į	3	
3	1		J.	8.5	1 5	H	4			I	Ì		E	ð.	d		į.	4	æ å	4		1	1	,	1	ľ	i k	Ì	Ĭ	Ú	a dec	£		ĕ	ĺ	000	Ó	14	*	* 4	1	1	₹	3 3	8	1	Š	9			i				ipur s	ş	É	e i	april 1	Ī	Š	Š	1			ij	derider	ş.	ş	ė		" 1	8	Saquota - 6 Pe Samota - 8 Pe	ľ	8		П	
1	П	П	Н			П	Н	H	'n	ľ			"	11	П	H		Ш		Н		24	2	Res. R	1]]			1	1	ŝ	X	ğ	ě	å	Echo (Ď	4	ľ		П	П	1		H		П	T	Ť	T			Н	i		ï	ľ	٦	1	Ì.	ň	E SP	ı	П	П	1	ĝ	2		1		4	8 3	2	1	3	1	П	
	Н	Н	П	Н	П	Н	H	П	П	ŀ	1			Ш	П		1		1	П		ľ	1			,			Н	П	ľ	Ť	1		;		1	1	1		H	Ш	1		П		H		Н	И	ŀ,	í				ŀ		li	П	П	П	П	1	Ħ	Н	ľ	!	Ш				Ш			-	H		[]	
-	H	╫	H	╫	╫	H	H	H	Н	╁	Н	H	H	╁	Н	Н	+	H	H	H	Н	Ħ	t	Ħ.	H	H	+	+	H	Ť.	ŀ	H	†		ľ	Ť	H	t	1	H	П	Ħ	Ī.	T	Ħ	11	Ħ	Ť	Ħ	Ħ	11		Ĭ	П			П	П	Ħ				1	П		T	П						I			I			
	3	25	3	3 5	2 3	8	4		12	2	2	3	3 1	3	ž	Ş	÷ 5	2	8	3	1	70	2 5 5	8 5	ğ	2	9	9 0	일.	9	22	5	į	į	Š	2 5	į	i Ş	2 2 2 2 3 3		8	į	200	2 8 8 8	2	12	1 = 1 2 2	88	5	5 5	2	5 5	96	800	800	88	900	052-12	98	23	600	074-10	80	100	ă	214	082-11	280	6 5	į,	Ž.			88	1010	0.00	100	8	1
1 Phone	Š					Į,	H	ı	8	艬	090 8	000	8	PT208-12020-01	38,320	9 9 8 9 8	ij	į	88	1			27 S	28	8	2	1	1	Į,		9	80		ğ	Ž	508.52	206-52		100 PE		Ó	9	1	3 2	1	1	548 34	3	3	3			3	1		3	546.34	648		3	548-48	1	¥ 8	910	ă	300	9	100		Ď.	ă		Š	9360	0.00	8		8	
1	Ę,	r Pi		E	E	ŧ	E	Ė	į.	ı	E	ŝ	Ē	E.	E	E	EĒ		H	E		i.	Z E	EE	\$	E.	Ē	E E	i.	Ē	Š.	ā	ŧ.	Ł	i t	E E	L	Ē	t K	E S	E	Ę	Ē	Z	F	H	Ē		Ę,	H	F	1	ᄩ	5. 5.	la la	ΣĒ	ā	ā	1	E		-	ā, lā	F	1	E	12	12	E	E		ī	ΞŒ	1	2 8	16	16	٦	1

George Morino / TMS Toyota Customer Services Quality Compliance October 1, 2009 Approved By: Bob Waltz

To:

All Toyota Dealers

From:

Toyota Customer Services

Toyota-Lexus Consumer Safety Advisory Potential Floor Mat Interference with Accelerator Pedal *******URGENT******

Toyota greatly appreciates your patience during this activity. Here is additional information about the Toyota-Lexus Consumer Safety Advisory ("Consumer Safety Advisory"), to add to our communication of September 29th.

A Safety Campaign will be launched soon with clear dealer instructions and an owner notification to visit their local Toyota dealership regarding the affected vehicles. Until the Safety Campaign is launched, Toyota recommends the following action(s) be taken by your staff:

Overall Dealership Operations

- Conduct a management meeting to familiarize all department heads with the Consumer Safety Advisory. Service, Loaner Vehicle (TRAC), Carwash, New Vehicle, New Car Preparation, Used Vehicle, Used Vehicle Reconditioning, Parts, and Body Shop operations should be familiar with the Consumer Safety Advisory and its contents.
- Each Dealership should designate two management level associates with complementary schedules to become intimately familiar with all aspects of the Consumer Safety Advisory, Q&A as well as other materials we have provided. These two associates should coordinate all operations related to this activity.
- New, Used, and Loaner Vehicle (TRAC) departments should coordinate with the Service Department to assure the driver's floor mat is semi-permanently installed. This should be conducted on the following involved vehicles until the safety campaign has been launched.

Toyota Models

- 2007 2010 Camry
- 2005 2010 Avalon
- 2004 2009 Prius
- 2005 2010 Tacoma
- 2007 2010 Tundra

Customer Handling

- Please welcome concerned owners that visit your dealership and answer any questions that they may have. Please utilize the Q&A to assure a consistent message is communicated.
- ^a Assist any customer who asks to verify correct application and secure installation.
- Please encourage owners to make sure the floor mats are compatible for their model and model year.
 Also, they need to be sure they are properly secured using the appropriate retention device (clips).
 Driver's floor mats should never be stacked. Consumers should never place any floor mat aftermarket or not -- on top of another driver's floor mat. Mats should also not be flipped over with the bottom-side up.
- Information on proper floor mat installation can be found on http://www.toyota.com.
- Owners with additional questions or concerns, are asked to please contact the Toyota Customer Experience Center (1 800 331-4331).

Service Department

- Please coordinate with other dealership departments to semi-permanently install the driver's position floor mat in involved new, used, loaner (TRAC) and demo vehicles. Read and follow the attached technical instructions. The necessary materials are available at local hardware and office supply stores. This will assure the floor mats are not removable. We recommend the Service Department designate associates to conduct this specific installation to assure that the involved vehicles are handled consistently.
- Owners' vehicles in for service should <u>all</u> be inspected for proper installation of the correct floor mats at the time of delivery (including after the car wash) and document this on the Repair Order (RO).
 - If an involved vehicle owner expresses concern over the safety of their vehicle, recommend removal of the driver's side floor mat (place in the trunk) until they are contacted by Toyota regarding the forthcoming Safety Campaign. Document this action on the RO.
 - If the owner prefers to have the floor mat semi-permanently installed, please follow the attached instructions.
- If your dealership provides "car washes on demand", proper floor mat installation should be ensured on every vehicle after this service, as well.

Sales Department

- Sales deliveries of involved Avalon, Camry, Prius, Tacoma and Tundra new, CPO or used vehicles should include semi-permanently installed driver's position floor mats that are designed specifically for that model. As many customers will be sensitive to the recent Consumer Safety Advisory, we recommend that they be informed that the driver's floor mat is semi-permanently installed and not removable. Toyota will notify customers when the Safety Campaign is initiated to return their vehicle for the remedy. The driver's floor mat will be rendered removable at that time.
- Owners may also choose to have the driver's floor mat placed in the trunk until the safety campaign remedy is available. Please advise the owner of this option.
- Document the condition of the driver's floor mat at vehicle delivery (e.g. "the correct driver's side floor mat
 is semi-permanently installed" or "removed driver's side floor mat") in a one-line RO.
- All dealership demos should be checked regularly to confirm the use of correct and properly installed floor mats.

Parts Department

Any Toyota All Weather Floor Mat (AWFM) in your inventory should be removed from inventory and returned:

- Dealers should prepare either a TMP-134 Claim (Toyota) listing the part numbers and quantities of each AWFM they are requesting to return. These claims should be submitted to the facing PDC using the normal method in Dealer Daily.
- The return code for each part should be indicated as R-2, Manufacturing Defect.
- When your dealership receives authorization from your facing PDC to make the return, please return the AWFMs immediately. The different AWFMs should be grouped by part number to assist the PDC in accurately accounting for the returned quantities.

If you are approached by the media, please direct them to Toyota Corporate Communications at 310.468.2552 or 310.468.4718. When you must speak to any media representatives, please reference the information we've provided, on how to identify and properly install the correct floor mats, as well as your efforts to instruct owners about the importance of the proper installation of floor mats designed specifically for their vehicle.

We hope this information is helpful. Please direct any additional questions you may have to your Region/PD/Area representative so that we can continue to address your issues as we work through this experience together.

Toyota Floor Mat Inspection, Application and Semi-Permanent Installation Instructions (10/02/09)



Read these important warnings BEFORE installing ANY type of Floor Mat.


A. General Floor Mat Warnings

- Only install floor mats designed specifically for that model and model year. Check for correct model name and part number on the packaging label to confirm vehicle application.
 - o Never install a floor mat if you are uncertain of the model application.
 - o Never install the floor mat upside down or turned over for any reason.
 - Only install the driver's floor mat in the driver's foot area.
- Always properly secure the driver's floor mat using the retaining hooks (clips) supplied in the bag with the floor mats. Follow the floor mat retention clip installation instruction supplied with the clips. If the mat is properly secured and you have confirmed vehicle applicability, it will not interfere with the accelerator pedal.
- After the driver's mat is secured by the retaining hooks (clips) semi-permanently install the floor mat to the
 vehicles using the self-locking nylon tie-wraps mentioned in the instructions below.
 - Never install the front driver's floor mat without all retaining hooks (clips) securing the mat firmly in place and the self-locking nylon tie-wraps semi-permanently installing the floor mat to the vehicle.
- The retaining hooks (clips) are designed to accommodate only one floor mat at a time.
 - Do not install another floor mat(s) on top of an existing driver's floor mat.
- After installation, always check the operation of the accelerator, brake and clutch (if applicable) pedals to assure the floor mat does not interfere with them.
- Carefully read the warning tag attached to the driver's floor mat regarding installation.


B. Floor Mat inspection instructions and Application Information

- . Before placing a floor mat in a vehicle, be familiar with the procedure outlined below.
 - o Identify the correct driver's floor mat for the specific vehicle application.
 - Correctly install the driver's floor mat.
- Regularly verify the correct floor mat is securely installed in the appropriate model using the retaining hooks (clips).
- Regularly verify the correct driver's floor mat is semi-permanently installed in the appropriate model using the self-locking nylon tie-wraps.

NOTE: Use the Application Information Chart provided or the Accessory Parts Catalog to verify mat-to-vehicle application.



		L								Mat Desc	ription
Model	Part Number	,03	'04	90,	9	<u> </u>	80,	60,	0	Color	Pc Set No.
Prius	PT208-47045-10		X	X						lvory	4 pc se
Prius	PT208-47045-11	П	х	х	х	x	х	x	-	Dark Grav	4 pc se
Prius	PT208-47060-14		Ye		х	х	х	х	e.	Drk Bisque	
Prius	PT926-47100-10	П					Г		х	Misty Gray	4 pc se




Make sure the driver's floor mat is properly secured by the retaining hooks (clips). Confirm that
the retaining hooks (clips) are secured into the grommet holes in the vehicle's floor (carpet).

Warning: Do not stack the floor mats in any vehicle. The retaining hooks (clips) are designed to accommodate only one floor mat at a time.

C. Driver's Position Semi-Permanent Installation

1. Necessary Materials

- Self-locking nylon tie-wraps (Must be UV-resistant, rated at 50 pounds minimum, 0.19 inches wide, and 17 inches long)
- Easy Peel Labels (Use Avery® 5260™)
- Thin Flat-Head Screwdriver
- Fine-Pointed Punch
- Ruler
- Diagonal Cutting Pliers



- 2. Locate, align & punch driver's floor mat.
 - a) Align & punch directly in front of the driver's seat mounting bracket in the three locations shown (see red circles in illustration).



b) Punch two holes into the lower left driver's floor mat as indicated in step 2a. If necessary, enlarge the holes with a thin flat-head screwdriver.





Route & fasten self-locking nylon tie-wraps.




Self-locking nylon tie-wraps must be UV-resistant, rated at 50 pounds minimum, be 0.19 inches widen and 17 inches long.

- a) Route and fasten the self-locking nylon tie-wraps through the floor mat and under the seat mounting bracket as illustrated.
- b) Repeat step 2 a) for the right side of driver's floor mat, except puncture only one hole in the
- Tighten the self-locking nylon tie-wraps to remove slack, but do not apply tension or displace the secured floor mat from the clipped position.

NOTE:

- Some models may require two tie-wraps joined in series to complete routing.
- Do not remove seat mounting bracket covers, equipped in some models, during the routing process.





STOP


- a) Confirm clearance to electrical wiring connectors and any moving components.
- b) Verify the self-locking nylon tie-wraps are not too loosely or too tightly fastened as illustrated.
- c) Verify the floor mat does not interfere with the accelerator pedal throughout its range of travel.

NOTE:

Trim excess portion of self-locking nylon tie-wraps and conceal the self-locking portion of the tie-wrap under the seat bracket and/or floor mat.



Install Labels



NOTE: Print on Avery® 5260™ using the template provided.

- b) Make sure to fold over the label so the text is visible from both sides.
- Check the following pedal operation (fully depress the pedal) to assure the floor mat does not interfere with it. Make sure the vehicle is turned off and in the "Park" position when testing:
 - Accelerator Pedal
 - Brake Pedal
 - Clutch Pedal (if equipped)

-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor
mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with
retaining straps	retaining straps	retaining straps	retaining straps	retaining straps	retaining straps
-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor
mat over another	mat over another	mat over another	mat over another	mat over another	mat over another
-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor
mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with
retaining straps	retaining straps	retaining straps	retaining straps	retaining straps	retaining straps
-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor
mat over another	mat over another	mat over another	mat over another	mat over another	mat over another
-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor
mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with
retaining straps	retaining straps	retaining straps	retaining straps	retaining straps	retaining straps
-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor
mat over another	mat over another	mat over another	mat over another	mat over another	mat over another
-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor
mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with
retaining straps	retaining straps	retaining straps	retaining straps	retaining straps	retaining straps
-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor
mat over another	mat over another	mat over another	mat over another	mat over another	mat over another
-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor
mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with
retaining straps	retaining straps	retaining straps	retaining straps	retaining straps	retaining straps
-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor
mat over another	mat over another	mat over another	mat over another	mat over another	mat over another
-Please ensure floor	-Please ensure floor	-Piease ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor
mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with
retaining straps	retaining straps	retaining straps	retaining straps	retaining straps	retaining straps
-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor
mat over another	mat over another	mat over another	mat over another	mat over another	mat over another
-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor
mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with
retaining straps	retaining straps	retaining straps	retaining straps	retaining straps	retaining straps
-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor
mat over another	mat over another	mat over another	mat over another	mat over another	mat over another
-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor
mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with
retaining straps	retaining straps	retaining straps	retaining straps	retaining straps	retaining straps
-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor
mat over another	mat over another	mat over another	mat over another	mat over another	mat over another
-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor
mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with
retaining straps	retaining straps	retaining straps	retaining straps	retaining straps	retaining straps
-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor
mat over another	mat over another	mat over another	mat over another	mat over another	mat over another
-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor
mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with
retaining straps	retaining straps	retaining straps	retaining straps	retaining straps	retaining straps
-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor
mat over another	mat over another	mat over another	mat over another	mat over another	mat over another

01-60. 50. 16. 60. 76. Toyota Carpet Floor Mat Quick Reference Chart (Sorted By Model)

⊕TOYOTA

a de la constante de la consta	100				Ш			П	1	mortpbon
	Parl Number	68	10.	50. 50.	40.	66. 69. 48.	01. 56.	Color	-	Place Set No.
Parv 4 (selo 3rd rose)	PT206-42081-40		ľ	ŀ	l	t	ľ	ľ	l	
Sequose	P1208-0000-11	ŀ	ŀ	ł	I	l	ł		ı,	
Sequole	PT208-602960-06	ı	ł	ľ	ľ	t	l		ı	1
Securia	programme at	ı	ł	ł	ı	ı	ł		ł	
			ı	ł	ı	-	*	Ś	1	4 00 344
240.04	PTV28-0084-20		1			*	K	Bleck	Н	4 pc sek
Sequola - 7 Passanger	PTSZ8-00081-20		Н	H			×	Shrtk.	Н	8
Secucia - 7 Petternger	P1926-00087-11		Н	Н		×	×	Genty	Н	26
Sequola - 7 Pessenger	PT926-0C087-20		H	H	Ц	*	×	Back	Н	1)*
Sequide - 8 Parsenger	PT926-0C088-41	Ħ	Н	Н	Н	×	1	Send Berge	H	3 41
Sequola - 7 Paraengar	PTE28-0C101-01	Ħ	Н	H	Ц		*	Dark Brown	-	8.
Sequole - 6 Passenger	PT9200C108-01		Н	Н			×	Dark Brown	ŀ.	186
Serve	PT208-08010-04	•	H	ŀ	L	t	ŀ	3	H	400
Sieme	PEDDAGONALA	ŀ	ł	l	I	ı	ł	ľ	ł	
		I	ł	ı	I	ı	ł		ı	1
Į		ı	1	ł	ı		-		1	6 pc (bench heat)
I	F1208-00031-04	×	1	4				100	П	Spc (raptains seet)
Saron	PT208-08021-04	×	-	Н	Ц		Н	Ouk	Н	Spcaee
Service	PT208-08036-04	×	Н	Н		Н	Н	WC.	Н	S pe sed
Steers 7 pass	PT206-08040-21	П	×	×			H	ģ	r	4 00 000
Slenna - ? pers	PT208-08041-21	r		ŀ			ŀ	å	ł	
Safrah , France	PL OFFICE COLUMN	i	ı	ŀ	I	ı	ł		ı	200
	2-0-00-00-1	ı			*		4	Signal Si	1	ê pe sei
Survivo - 6 pess	PT208-03042-21			_		-	-1	Store	-	4 pc set
Stems - S pass	PT208-08043-21	H	×	×	ĸ		H	Street	H	500 144
Slenna - 7 pere	P7206.08067-2H	H	*	×	ĸ	ŀ	-	Spon	H	700.00
Senne - Brass	PTORCOMORGEN	l	ł,	ľ	I	ł	I		ł	
	7,000,000	ı		1	Y Y Y	i		Stone	1	ı
Santa - / pass	PT206-06067-12				_	H	*	Store	H	g bc set
Slenna - S pags	PT208-08088-12	H	Н	Н		×	×.		H	d pc set
Solera - Mart Top	PT208-06030-11	,	ŀ		Ľ	ŀ	ŀ	ŝ	ł	100.00
Schara - Consectible	10 TOWN DOWN	t	ł	ł	I	ł	I		ł	
	100000	ł	ł	ł	ı	ı		Á	1	
Soleta - Convertible	PT208-06048-11	1	*	*	×		_	Dark Chartoosi	J	4 pc tot
Solers - Hard Top	PT208-08040-21	Н	×	4	×	Н	Ц	Dark Stone	H	4 pc sek
Sobra - Mard Top	PT208-06040-10	H	×	*	*	H	ŀ	802	H	
Solder County to	** 00000 00000	ı	ł	ı	I	ł	I		ł	ı
	- investorial	ı	1	*	×	×	_	Dark Chancoll		4 pc and
Solers - Coupe	PT206-06050-21	f	Н	*	×××	×	_	Derk Stone	-	4 pc sea
Solars - Coupe	PT208-06080-10	ŀ	ŀ		×	×		A Property	H	
Colors Or as		ł	ł		4	-	Į	MON	ı	4 00 00
School - Colon	F1205-08080-11	1			×	_		Dark Chargoal	_	# OC 20#
Solara - Correctible	PT206-05088-21	Н	Н	×	×		×	X X Dark Stone	Н	4 pc set
Sours - Convertible	PT206-06088-10	ŀ	H	×	×		×	×	ŀ	200
Taxone Dec Cat		ł	ł	1	I		1		ı	a possoci
Laconta - Mag Cato	PT208-35962-16	×	-	4				Sek.	Н	2 pc set
Tecome -Access Cab	00200-36984-16	×		H		ŀ		Cuk		4 00 00
	PT306,25012.48	ŀ	ı,	ŀ	l	ł	I	į	ł	
	0.700000					1		Ne Contract	1	4 pc 566
	PT208-35050-14		*	×	1	Н	Н	Ş	Н	2 pc terk
Tacoma - Access Cab	PT206-35057-14	H		×	*	ŀ	L	*6	ŀ	4 00 346
	PT306.9906.14	ŀ	ŀ	Ľ	Ŀ	ł	I	į	ł	ı
ı		ł		ı	ı	ł		3		н
Section 100 Cold Man	F1206-30/05-T1	1	×	×	×	1		Charcost		
Tacoma - Reg Cab	PT208-35080-14	Н	Н	Ц		×	Ц	NA.	H	
Tacome - Access Cab	PT208-35081-14	Н	Н	Н		×		ě	F	
Tecena - Double Cab	PT206-95082-14	ŀ	ŀ	L	ľ	ж н		200	ŀ	30.9
Control of Control		ł	ł	ı	İ	ı	I		ł	
Oliver Control	1208-26030-11	ł		4		*	н	Charcos		4 pc sel
Income - Access Cab	PT205-35091-43	Н	Н	Ц	Ī	Ľ	*	Sand Beige	Н	4 pc set
Tecoma - Reg Cab	PT206-35100-13	ŀ	-	L	ľ	ŀ	Ŀ	Secure Course		275
Yacoma, Access Cale	00.00.00.00	ł	ł	I	t	ł	I		ł	***
	C March Control	ł	ł			ı	*	Cupit Charcoal	-	4 po ser
Tacoma - Double Cab	PT206-35102-13	-	_	I		Н	×	Light Charces	H	4 DC 364
Acoms - Acc Cab TRD	PT206-35105-13	Н	Н		T,	Н	×	Light Charcost	H	* X
Tundes - Rag Cats	PT548-34030-71	×	-	_	ľ	ŀ		Mary Chargos	ŀ	1
Thrifts - Ran Cab	DEED JANDA 44	ŀ	ľ	I	i	ł	I	I	ł	
	1-000c-046	ı		1	1				1	2 po ser
Lings - Access Cito	PTS48-34031-12	×	<u>*</u>	_		-		Dark Charcoal	-	4 pc 90f
Tundra - Access Cab	P7548-34002-11	×	*	П	H	H		Light Charpal	-	4 20 547
Tundra - Access Cab	PT548-34032-14	* *	Ľ		r	ŀ		ð	ŀ	400 500
Turdes - D Cab	PT548-34040-12	ľ	ŀ		ł	ŀ	I	Dark Change	ŀ	
	T ANDROOM I	1	1	ı	ı	ł		Dark Chargosa	-	4 pc set
Tundra - Reg Cab	PT548-34051-09	ł	*	*	-	-		9dray		2 po sek
Tumbra - Rog Calo	PT548-34051-12	Н	×	×	H	Н		Dark Chargosi	-	2 pc 36f
undra - Access Cab	PTS48-34052-11	H	×	×	H	ŀ	ľ	Ush Charcos	ŀ	4pc ash
Towin - D Can	PT548-34050-09	ł	ľ	ľ	ł	ł	ı		ł	
Transfer D.Co.	The state of the s	ł	4	1	t	ł	1	Télepe	1	4 pc sec
Tundra - D Cab	PT548-34050-12	-	*	*		Н		Dark Charcos	Н	4 po sek
Tundra - Reg Cab	P1208-34071-11	Н	_		*	*	×	Graphin	H	2 you most
Tundra - Reg Cab	PT206-34071-43	H	-	L		*		Sund Beine	ŀ	200 000
Action Dietar Commission	TOTAL SECTION	ł	Į	ı	ł	ł	ı	District Control	1	Z 7. 100
	21.77/m-001.1	ı	ı		×	<u>.</u>	*	tien N	-	4 80 968
Venta	PT208-01000-20	H	Ц		H	×	×	Black	Н	4 po set
Yaris-Sedan	PT205-52061-11	ŀ	L	×	×	-	Ľ	Dark Charcoal	ŀ	400 804
Yark Sadan	DESCRIPTION AND AND	ŀ	ŀ	I	ł	ľ	ŀ		ł	
rant- Seden	PT208-32091-11	-		1	1	×	×	Dark Chargos	4	4 pc and
Yarla- Saden	PT205-52100-45	Н	Ц		Н	Н	×	Bleque	ŀ	4 po sek
		ı	1	1	ı	ı	1		ı	

Trianguestria	PT700-69031-04 PT200-69031-21	4 Purser	a. #		a. × v	(6 ×	<u> </u>	Α	bs.	Color Shows Light Gray	Place Set No.
Control Cont	FT208-8001-21	4 Purmer	*	-	* *	• ×				Carry Light Gray Gray	4 pc set
		10,000	ŀ	-		* *				Store Ught Gray Gray	4 pc sof
	PT208-02030-11	Corolle (w) Raar Hashar)	1	İ	١	H	П			Gray	4 pc set
1998 1998	PT205-0200 1-03	Corolle - Sport Edition (Nels Blant Heather)	ŀ	t	ł	ı	ı		1	600	
	PT 208-02033-18	Complete And Dave Land	I	t	ı	l	I	İ			4 50 88
	BI-16000 AGE	CONTRACT Plane Hopitary)	-	1					ı	ž	4 pc see
	The second	CONCESS (10) Rock (Application)		-	*	-	×	Į	П	Light Gray	4 pc 100
		CORRES - Sparz ECHECH (1985 Hours Healer)	-	×	×	×	×			Gray	4 00 344
	0.1400-0014	Corotte (reto Naur Hauter)	ĸ	×	×	×	, z (П	ě	4 pc set
	The second second	Contract (see House)	×	×	×	¥.	×	Ī		Gran	4 po sel
	Of the Court 40	and a	I	1	ł	ł		×		Discussion	400.00
	the state over	1000	1	-	1	_		*	П	Biegus	4 00 94
	70000000			7	1	_		×	×	Beeque	4 50 886
100 100	PT208-02033-41		1	Н	Н	Н	П	-	П	Betove	100 OC 1
	PT206-02102-45	Corolle	Ц	Н	Н	Н		П	×	Brown	4 pc sal
	PT208-05020-10	Solars - Hard Top	ŀ	Н	Н	ŀ		r	r	vov	100
	PT208-08031-1D	â	*	ŀ	H	L		ľ	ľ		
	P7208-08080-10	Solera - Come		ł	ł	ŀ	I	t	t		
	PT206-05080-21	Colors Course	I	ł	ł	I	1	ı	ı	Mgsy	4 20 104
	DTONG NOODE 4+		ı	۱	ł		*	1	1		
	Parties according as		1	1	Ĥ	*	ĸ	1		ъ.	4 pe set
		action - suppo		-	Î	*	×		Н	hony	4 pc set
	P1208-08080-21	Solara - Coupe		Н	Ĥ	×	4	Н	Н	Dark Stone	4 00 886
Controlled	PT208-08068-11	Solenn - Convertible	d	Н	Ĥ	*	×	×		١,	H
	PT206-07990-02	Avator		H	Н			×		ANDW	Amend
Commont of the commont of the commont of the commont of the common of	PT206-07090-17			H	Н	H	ı	×	١.	interior	
	PT208-08087-04	I,	t	ŀ	ŀ	Į	t	ı	ı		×
	PT 200 Departs of	I	ı	ı	ı	1	i		ı	act at	Spc set
March Separa Se	and deposits of the			×	×	×				Thups	4 pc sel
ACCOUNTY ACCOUNTY	2	I		1	-		×	×		Store	& posses
March Second Se	P1206-08088-12	Serna - 8 parts		Н	Н		×	×	×	Spore	8 pc sec
1 1 1 1 1 1 1 1 1 1	PT206-00090-11	Sequote	-	×	ŀ	F	r	H	ŀ	Liefe Chemnel	ı
March Marc	P7206-00350-09	sion of the	t	ł	ŀ	I	t	i	ł	ı	
A. C. A. C			ı		*	×	ı	1	1		4 pc. set
A	2000 trans	Verza		Н	Н		٦	×	×	Stack	4 DC 860
Control	PT206-12031-03	Materia: 2000 (not headen)	×	Н	H		r	ŀ	H	and a	7
1,000 1,00	PT206-)2040-03	Matrix - AWD (ter Roar Heater)	>	ľ	ŀ	I	ľ	ł	ł		
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	07306 44044 08		ı	ı	*		ı	ı	1	Griby	4 pc set
Marie AMO	200	- California	H		*	×	×	~	-	Gray	4 05 540
March Marc	P1206-12071-03	(et)	Н	Н	Н	×	H	Н	Н	Gray	4 pc set
Section Compression Comp	PT305-13091-14	Adaptic - AWD	H	Н	Н		r	×	Ŀ	Durk Charcoal	Appropri
	PT208-20030-11	Calica	×		ŀ	L	ŀ	r	ŀ	Charmed	7
March Carry Hypor Carry	PT208-32080-12	Sept.	ŀ	ł	ł	I	f	ł	ł		ı
			1	ł	-	×	7	×		Dark Charcos	4 pc set
Section Control Hydron Control Hyd	N.O. (STANCE)	Canty Hymo	1	-	4	*		1	Н	Reque	4 pc set
March March Digital Capacitae	PT208-32100-45	Carry / Carry Hybrid	Н	Н	Н		H	Ĥ	H	Brown	4 pc met
March Dick Con Marc	PT206-34071-12	Tundra - Reg Cab	┢	ŀ	ŀ	*	ŀ	ŀ	ŀ	t de	ľ
March March Control March Ma	PT208-34072-11	Tunda - D'Cab & Dow May	ł	ł	ł	ŀ	ł	ł	ł	Ì	
	PT206:34072-43	1 4 6 C 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ł	ł	ı	1	ı		ł	1	
		SWAAC SOC C. BOOK		ł	4	×	×	*			4 po set
	P. CO. SOUTH	Tacome - Access Cab	*		Ļ		H	Н	-	Light Charcool	4 pc set
	PT206.35012-16	Tecoma - Double Cab	×	Н	Н	Ц	Н	Н		Oak	4 pc set
	PT206-35050-14	Tacoma - Reg Cab	H	×	×	×	H	H	H	N.	200.20
	PT208-35051-14	Toconta - Access Cab	ŀ	ľ	ľ	ļ	ŀ	ł	ł		
	10000		ł		4	·	1	-	4	Oak	20 P
	W. SOLOS III	Š.		*	×	×	-			Ost	4 pc sea
	PT206-35056-11	Thoma - Did Cab TRD	Н	ĸ	*	×	Н	H	Н	Charboal	200 p
	PT208-35080-14	Tacome - Reg Cab	-	Н	L	İ	×	-	Н	ð	200 100
	PT206-35061-34	Teoma - Access Cab	H	L	L			ŀ	┡	ð	7
	PT205-35082-14	Taxone - Double Cab	ł	ı	Į	t	H,	ł	ł	ł	
	PT206-35088-11	Tennes Did Carlot	ł	ı	ı	I		ł	ı	ı	ı
No. 15 N			ł	ı	ı	i	×	*		Chercosal	4 pc sec
2000-0-4 Terror - English Day	Chargo Chargo	Tacome - Reg Carb	-				×	*	_	Sand Beign	2 00: 344
Note Percent Action	PT206-35082-43	Terrora - Double Cab	Н	Ц		H	*	*	Н	Sand Beige	4 pc 36
No. No.	PT208-35100-15	Tacome - Reg Cato	Н	Ц	Ц		Н	*	Н	Dark Chancool	200 540
Shire Target Code Ch.	PT206-35101-15	Teceme - Access Cab	H	L	L	t	ŀ	_	ŀ	Dark Charman	7.00
1,000-10 Tacons - Dir Car 190 X X X X X X X X X	77206-35102-15	Tegenu - Deuble Cab	l	ı	ı	ı	ł	ľ	ı		
Varie Park Vari	7206.96406.13	Towns Day of the Control	I	ı	ı	ł	ł	1	ı	Control Control	4 00 36
2000.00 2000.0		ON COLORS	ı			ı	-	×	1	Light Chargoal	4 pc set
Yes Sales Yes	7206-52090-11	Yang - Lift Back			×	×	×	×	L	Dark Charcost	\$ bc 90\$
Value Park Albert Value Albert Value Albert Value Albert Value Albert Value Albert Value Albert Value Albert Value Albert Value Value Albert Value Val	T206-52080-40	Yarb- Sedan	Н	Ц		Н	×	×	Ц	Bitque	4 pc 361
4510-10 Varie Sieden 2	T208-52100-18	Yarla - Lift Back	Н	L		r	H	×	L	Dark Chargos	48.56
5000-11 (and Danier 5000-10 Lard Cried 6000-10 Sear - Feet To- 7000-11 Sear - Feet To- 7000-11 Sear - Feet To- 7000-11 America	T208-62101-10	Yarts-Saden	ŀ	L		H	ŀ	×	L	Park Cherry	***************************************
-80080-10 -80040-10 -06040-21 -06046-11	1205-60002-11		ł	ı	I	ł	ł	1	ı	DOM: CHECK	4 10 100
06040-10 06046-11 07000-08	10 COURT OF THE	de la companya de la	٠	٠	·	1	ł	ı		Dark Stone	3 20 500
06046-21 06046-11 07000-08			ł				*	×	J	Nony	3 pc set
06046-11 07000-09	N. de concess	508/3 - Fard 109	*	×	×	ĸ	-			hory	6 pc sed
9200000		Scales - Plant Top	×	н	×	×		1		Dark Stone	4 pc rel
90-00020	0006-11	Solara - Convertible	×	×	*	×	Ц	Ц	Ц	Dark Charcoat	4 po tak
	90-00020	Avsion	×	×	П	Н	Н	Ц	Ш	Nock	4 pe set
TXB-GT00-L3 Avaion Avaion	T208-0700-23	Availon	*	×		ł	ŀ	L	1	Shore	1

	2010 1010 1010 1010 1010 1010 1010 1010					14.				Codes Codes	Place Set No. 4 pc set 6 pc (bench west) 5 pc (captains seal)
			* * * *		┠╂╂╂				┇╂╂╂╂	Con Con Con Con Con Con Con Con Con Con	4 px sed 6 pc (bench seal) 5 pc (aspales seal) 5 pc case
10.00 10.0			K K K		┞╂╂				╂╂╂┤	ess Carry	6 pc (bench east) 5 pc (captains east) 5 pc care
10.00 10.0			××		Н				┇╂╂┦	A45. 459.	5 pc (captains see)
			¥	H	H		H	Н	╂	ès es	Speak
10.00 1.00				ŀ					Н	6234 6244	
1.		Serve	¥	1	Н	3	Н	Н		ě	Bpc (bend) etail)
1.		Sienna	=	Н	Н		Н	Н	H		5 pc (captains seal)
1.			×	-	Н		П	Н	Н	Gray	2 posed
1.00 1.00		Service / pass	ı	×	4	1	1		-	4000	4 po set
1.			ı	ł	ł	1	1	۱	┨	4	\$ pc red
1.00		Cannot Descri	t	ď	ł	1	۱	ł	┨	Tarce	4.00 004
1.00		Output T Court	t	ł	ı	1	ı	ı	ł	4	5 pc set
1.00			ı	* •	×	Ĭ	1	1	4	Section 1	6 pc set
14.0			1	Ť	*	1	ı	1	4	Šej,	4 pc est
1.17		Comp.	×	×	*	1	ı	H	4	Stone	4 pc sek
1.00 Part Part		ł		×			П	Н	Н	Tape	4 pc set
1.			×		-		Н	Н	Н	Quan.	Н
1.		Ray 4	Н	×	Н		Н	Н	Н		4 00 000
1.15	H	Ray 4	Н	×	Ц		Н	Н	-	Н	
1.00		av 4 (wito 3nd row)	Н	Н	×	×		Н	H	NO.	4 DC set
1915		dry 4 (with Stat rown)	Н	Н	H	×	*	×	Н	\$	4 pc aet
1.0		thy 4 (sel 3rd naw)	H	Н	*	×	×	×	H	Ş	4 pc set
1,	PT206-42063-40	Lav & (w/ 3rd row)	Н	Н	Н		H	*	H	Sand 880m	48.8
13				Н			H	H	ŀ	AVO	11 21 7
10	PT208-47045-10	Price	-		L	Г		ŀ	-	POY	10.00
13.1	PT208-47080-14	Pfut	ŀ	ŀ	Ľ	ŀ	ı,	ł,	ı	Dark Blog or	
1,	PT205.48010-10	į	╏	ł	I	t	ł	ł	I		
1,	PT208-46041-31	ander by 3rd rows	ľ	Ľ	ľ	t	ł	ł	I		38 24 *
131 Paylamania	ŀ		ł	ı	ı	ı	ı	ł	I	Yel	5 pc set
1.	ł	(40,000,000)		*	1	ı	1	-	-	Ash	4 pc set
1,			ı	×	н.	ı		-		Ash	4 po set
Control of control with bears	ı	2 DOOR of the heries)	H	*	_	1	1		_	Bergo	4 poset
Color Colo	-	4 door w/ may hearles)	н	×		Ħ	Н	Н	Ц	Bench	40054
1.	į	door selo nase herber)		×	_	H	Н	Н	Н	Seige	400 548
1.00 1.00		doorwio mar hoden)	×	ĸ	П	H	Н	Н	Н	l	
1.00	PT208-89030-04	4 Panner	×	ĸ	×	*	×	j	L	I,	
1.	PT\$48.070SQ-10	Avalon	H	*	ĸ	×		Ľ	L	a de la	
10	PT548-07050-12	Avaion	H	×	×	н	×	Ľ		Deck Charmon	7
1.	PT548-07026-10	Action	┢	ŀ		,		ľ	ı		
17.	PT548-07070-12	Availor	ł	ŀ			H	ľ	ľ		
15 16 16 16 16 16 16 16	PT546-17035-02	MOS Courses	ł	ł	I	4		1		Dex Charloss	4 pc set
1.	200001	I	×	ı		i	1		器	ack w/ Red Logo	н
1.13 Transfer 1.2 2. 2. 2. 2. 2. 2. 2	PTS48-17030-13		×			Ħ	Н	Н	8	ck w Sher Logo	2 pc set
	PT548-17031-13		×	×	Ц	H	Н	Н	Æ	ck w Silver Logo	2 pc net
	PTS4834030-11	ndra - Rag Cab	×	H	П	H	Н	Н		Light Charmonal	2 pc sel
	PT546.34030-14 To	ndra - Rag Cub	*	×		H	Н	H	L	Oak	2 po set
1,	_	dra - Access Cab	×	×		h	H	H		Serk Charcodi	4 00 300
1.	L	Access Cab	×	ľ		ł	ł	ł	ı	200	
		Access Cal	I,	ľ	ı	ł	ł	ł	1	AN CHARGO	100 00
1.		UK-PERMENTAN	×	H		1	-	1		ð	4 pc set
1.		ra - D Cab	×	*		Н	Н	Ц	Š	Jank Chancoal	4 pc set
1. Total B. Ogo		2	Н	и	×	Н	H	Н	Ц	Taupe	4,00 tel
1	PTS48-34050-12	undra - D Cab	H	×	1	Н	Н	H	٥	Jank Chancook	4 pc set
10	PT548-34051-11	ndra - Reg Ceb	Н	×	к	H	ŀ	ŀ	ľ	AN Chemon	3.20
10	H	An - Access Cab	H	ľ	*	ŀ	ł	l			
Compared Compared	ı	ta - Access Cats	ł	Ŀ	ŀ	ł	ł	I	ľ	a de la composition della composition della comp	100 M
10 Mydracor (1900) (w.m.) (w.m.) 10 10 10 10 10 10 10 1	PT54848080-10	color factor for many	ł	1	ŀ	ł	ł	Į		No.	W 30
	THE PERSON NAMED IN COLUMN NAM		ł		٠	J	ł	1		Norg	4 pc 266
11	N-FERENCE - N-FERE	c - Hybrid (We and rbw)	4		н	ĸ	4			hon	5 pc see
1	PT548-48063-10 HG/sk	inder (w/ 3rd raw)	H		×		Н	Ц		hery	5 pc set
1 1/1 Cabor 1 1 1 1 1 1 1 1 1	*	- Hyorid (wio 3rd row)	Н		*	*	-		li	lway	4 90 346
Philadope CB	PT648-6000-11	FLORES	Н	Ц	П	K X	*	×		Charose	4 PC Set
1	2	Mander - Gas	Н		H	~	×	۲	L	Ash	3pc set
	PT919-48061-22 HGP	Azrder - Hybrid	H		Ħ	*	*	×	l	Α¥	3 pc such
	PT819-48082-11 Highlan	dov - Gars & Hybred	Н			×	×	×	Ì	Sack	8
	PT919-48082-41 Hathen	der - Gas & Hybrid	H		r	*	×	Ľ		Sand Belten	
Second	PTBZS-6C381-20 Segle	49 - 7 Pastanger	ł	I.	t	ľ	ľ	ľ		Glass.	
Section	PT925-00094-11	Section	ı	ı	t	Ĭ,	ľ	1			R
Second Processor	PTOSECOTAL	- Control	ł	I	ı	ĺ	1	ı		Á	4 po tak
	to any or any		ł	I	ı	ľ	*	~	"	Serial Serge	4 pc set
	or sound of the	and an area	ł	1	ı	1	K	×	ı	No.	×
	F1825-00,000-17 36Q00	a - 6 Passenger			1	H	×	×		Gray	t pc
Sequenci -? Personger Comm. Ships T. Marth Gen.	P. BOSECCTOTOTO	a - 7 Passenger					4	*	١	Sark Bosser	196
10 Print	\$. 	B - 7 Pattokriger	Ц		Н	H	Ц		٥	Serk Brown	100
	01	Piet	ŀ	ı	H	ŀ	L	'n	ľ		1

Lexus Consumer Safety Advisory Potential Floor Mat Interference with Accelerator Pedal ****URGENT****

Lexus Customer Services /Lexus Robin LeFevre Approved By Al Smith Published on: 09/30/2009 12:00 AM

To: All Lexus Dealers

From: Lexus Customer Service

Lexus Consumer Safety Advisory

Potential Floor Mat Interference with Accelerator Pedal

*******URGENT*****

Lexus greatly appreciates your patience during this activity. Enclosed is additional information about the Lexus Consumer Safety Advisory (Consumer Safety Advisory), to add to our communication of September 29th.

A Safety Campaign will be launched soon with clear dealer instructions and an owner notification to visit their local Lexus dealership regarding the involved vehicles. Until the Safety Campaign is launched, Lexus recommends the following actions be taken by your staff:

Overall Dealership Operations

Conduct a management meeting to familiarize all department heads with the Consumer Safety Advisory. Service, Loaner, Carwash, New Vehicle, New Car Preparation, Certified Pre-Owned (CPO)/Used Vehicle, Used Vehicle Reconditioning, Parts, and Body Shop operations should be familiar with the Consumer Safety Advisory and its contents.

Each dealership should designate two management level associates with complementary schedules to become intimately familiar with all aspects of the Consumer Safety Advisory, Q&A as well as other materials we have provided. These two associates should coordinate all operations related to this activity.

New, CPO/Used and Loaner Vehicle departments should coordinate with the Service Department to assure the drivers floor mat is semi-permanently installed. This should be conducted on all the following involved vehicles until the safety campaign has been launched.

2007 2010 ES

2006 2010 IS

Customer Handling

Please welcome concerned owners that visit your dealership and answer any questions they may have and utilize the previously provided Q&A to assure a consistent message is communicated.

Assist any customer who asks to verify correct application and secure installation.

Encourage owners to make sure the floor mats are compatible for their model and model year. Also, they need to be sure the floor mats are properly secured using the appropriate retention device (clips). Drivers floor mats should never be stacked. Consumers should never place any floor mat aftermarket or not — on top of another drivers floor mat. Mats should also not be flipped over with the bottom-side up.

Information on proper floor mat installation can be found on http://www.lexus.com.

Owners with additional questions or concerns may also contact the Lexus Customer Assistance Center at 1 800 255-3987.

Service Department

Please coordinate with other dealership departments to semi-permanently install the drivers position floor mat in involved new, CPO, used, loaner and demo vehicles. Read and follow the attached technical instructions using specified materials which can be found at local hardware and office supply stores. This will assure the floor mats are not removable. We recommend the Service Department designate associates to conduct this installation to assure that the involved vehicles are handled consistently.

Owners' vehicles in for service should all be inspected for proper installation of the correct floor mats at the time of delivery (including after the car wash); document this on the Repair Order (RO).

If an affected ES/IS owner expresses concern over the safety of their vehicle, recommend removal of the driver's side floor mat (place in the trunk) until they are contacted by Lexus regarding the forthcoming Safety Campaign. Document this action on the RO.

If the owner prefers to have the floor mat semi-permanently installed, please follow the attached instructions and document this action on the RO.

If your dealership provides "car washes on demand", proper floor mat installation should be ensured on every vehicle after this service, as well.

Sales Department

Sales deliveries of involved ES and IS new, CPO or used vehicles should include semi-permanently installed drivers position floor mats that are designed specifically for the model. As many customers will be sensitive to the recent Consumer Safety Advisory, we recommend that they be informed that the drivers floor mat is semi-permanently installed and <u>not</u> removable. Lexus will notify customers when the Safety Campaign is initiated to return their vehicle for the remedy. The drivers floor mat will be rendered removable at that time.

Owners may also choose to have the drivers floor mat placed in the trunk until the safety campaign remedy is available. Please advise the owner of this option.

Document the condition of the driver's floor mat at vehicle delivery (e.g. "the correct driver's side floor mat is semi-permanently installed" or "removed driver's side floor mat") in a one-line RO.

All dealership demos should also be checked regularly to confirm the use of correct and properly installed floor mats.

Parts Department

Any Lexus All Weather Floor Mat (AWFM) in your inventory should be returned.

Dealers should prepare a PRR Claim listing the part numbers and quantities of each AWFM they are requesting to return. These claims should be submitted to the facing PDC using the normal method in Dealer Daily.

The return code for each part should be indicated as R-2, Manufacturing Defect.

When your dealership receives authorization from your facing PDC, please return the AWFMs immediately. The different AWFMs should be grouped by part number to assist the PDC in accurately accounting for the returned quantities.

If you are approached by the media, please direct them to Lexus Corporate Communications at 310-468-2552 or 310-468-4718. When you must speak to any media representatives, please reference the information weve provided previously on how to identify and properly install the correct floor mats, as well as your efforts to instruct owners about the importance of the proper installation of floor mats designed specifically for their vehicle.

Please direct any additional questions you may have to your Area representative so that we can continue to address your issues as we work through this experience together.

- 1. Click here to see Semi-Perm Installation-Application Instructions Lexus.pdf
- 2. Click here to see Semi-Permanent Floor Mat Installation Label 10-01-09.pdf
- 3. Click here to see FINAL Lexus Carpet Floor Mat Application Information Chart.pdf

Lexus Floor Mat Inspection, Application and Semi-Permanent Installation Instructions (10/02/09)



Read these important warnings BEFORE installing ANY type of Floor Mat.


A. General Floor Mat Warnings


- Only install floor mats designed specifically for that model and model year. Check for correct model name and part number on the packaging label to confirm vehicle application.
 - o Never install a floor mat if you are uncertain of the model application.
 - Never install the floor mat upside down or turned over for any reason.
 - Only install the driver's floor mat in the driver's foot area.
- Always properly secure the driver's floor mat using the retaining hooks (clips) supplied in the bag with the floor
 mats (in the case of Lexus with the carpet floor mats). Follow the floor mat retention clip installation instruction
 supplied with the clips. If the mat is properly secured and you have confirmed vehicle applicability, it will not
 interfere with the accelerator pedal.
- After the driver's mat is secured by the retaining hooks (clips) semi-permanently install the floor mat to the
 vehicles using the self-locking nylon tie-wraps mentioned in the instructions below.
 - Never install the front driver's floor mat without all retaining hooks (clips) securing the mat firmly in place and the self-locking nylon tie-wraps semi-permanently installing the floor mat to the vehicle.
- The retaining hooks (clips) are designed to accommodate only one floor mat at a time.
 - o Do not install another floor mat(s) on top of an existing driver's floor mat.
- After installation, always check the operation of the accelerator, brake and clutch (if applicable) pedals to assure the floor mat does not interfere with them.
- Carefully read the warning tag attached to the driver's floor mat regarding installation.

B. Floor Mat Inspection Instructions and Application Information

- Before placing a floor mat in a vehicle, be familiar with the procedure outlined below.
 - o Identify the correct driver's floor mat for the specific vehicle application.
 - Correctly install the driver's floor mat.
- Regularly verify the correct floor mat is securely installed in the appropriate model using the retaining hooks (clips).
- Regularly verify the correct driver's floor mat is semi-permanently installed in the appropriate model using the self-locking nylon tie-wraps.

NOTE: Use the Application Information Chart provided or the Accessory Parts Catalog to verify mat-to-vehicle application.





Make sure the driver's floor mat is properly secured by the retaining hooks (clips). Confirm that
the retaining hooks (clips) are secured into the grommet holes in the vehicle's floor (carpet).

Warning: Do not stack the floor mats in any vehicle. The retaining hooks (clips) are designed to accommodate only one floor mat at a time.


C. Driver's Position Semi-Permanent Installation

1. Necessary Materials

- Self-locking nylon tie-wraps (Must be UV-resistant, rated at 50 pounds minimum, 0.19 inches wide and 17 inches long)
- Easy Peel Labels (Use Avery® 5260™)
- Thin Flat-Head Screwdriver
- Fine-Pointed Punch
- Ruler
- Diagonal Cutting Pliers

Applicable to 2007 – 2010 MY ES and 2006 – 2010 MY IS vehicles only.

Lexus Floor Mat Inspection Application and Semi-Permanent Installation Instructions



- Locate, align & punch driver's floor mat.
 - a) Align & punch directly in front of the driver's seat mounting bracket in the three locations shown (see red circles in illustration).



Punch two holes into the lower left driver's floor mat as indicated in step 2a. If necessary, enlarge the holes with a thin flat-head screwdriver.



Route & fasten self-locking nylon tie-wraps.




Self-locking nylon tie-wraps must be UV-resistant, rated at 50 pounds minimum, be 0.19 inches wide and 17 inches long.



- a) Route and fasten the self-locking nylon tie-wraps through the floor mat and under the seat mounting bracket as illustrated.
- b) Repeat step 2 a) for the right side of driver's floor mat, except puncture only one hole in the
- c) Tighten the self-locking nylon tie-wraps to remove slack, but do not apply tension or displace the secured floor mat from the clipped position.



- Some models may require two tie-wraps joined in series to complete routing.
- Do not remove seat mounting bracket covers, equipped in some models, during the routing process.



Picture updated on 10/02/09


Verify correct installation.



- a) Confirm clearance to electrical wiring connectors and any moving components. b) Verify the self-locking nylon tie-wraps are not too loosely or too tightly fastened as
- c) Verify the floor mat does not interfere with the accelerator pedal throughout its range of

NOTE:

Trim excess portion of self-locking nylon tie-wraps and conceal the self-locking portion of the tie-wrap under the seat bracket and/or floor mat.



5. Install Labels



a) Install a label on both of the self-locking nylon tie-wraps, secured to the two seat

NOTE: Print on Avery® 5260™ using the template provided.

- b) Make sure to fold over the label so the text is visible from both sides.
- Check the following pedal operation (fully depress the pedal) to assure the floor mat does not interfere with it. Make sure the vehicle is turned off and in the "Park" position when testing: Accelerator Pedai

 - Brake Pedal
 - Clutch Pedal (if equipped)

Applicable to 2007 - 2010 MY ES and 2006 - 2010 MY IS vehicles only. Lexus Floor Mat Inspection Application and Sami-Dormanant Installation Installation

-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	Diagram	
mat is secured with retaining straps -Do NOT stack floor	mat is secured with retaining straps -Do NOT stack floor	mat is secured with retaining straps -Do NOT stack floor	mat is secured with retaining straps -Do NOT stack floor	-Please ensure floor mat is secured with retaining straps -Do NOT stack floor	-Please ensure floor mat is secured with retaining straps -Do NOT stack floor
mat over another	mat over another	mat over another	mat over another	mat over another	mat over another
-Please ensure floor mat is secured with	-Please ensure floor mat is secured with	-Please ensure floor mat is secured with	-Please ensure floor mat is secured with	-Please ensure floor mat is secured with	-Please ensure floor mat is secured with
retaining straps -Do NOT stack floor mat over another	retaining straps -Do NOT stack floor mat over another	retaining straps -Do NOT stack floor mat over another	retaining straps -Do NOT stack floor mat over another	retaining straps -Do NOT stack floor mat over another	retaining straps -Do NOT stack floor mat over another
					mat over another
-Please ensure floor mat is secured with retaining straps	-Please ensure floor mat is secured with retaining straps	-Please ensure floor mat is secured with retaining straps	-Please ensure floor mat is secured with retaining straps	-Please ensure floor mat is secured with retaining straps	-Please ensure floor mat is secured with
-Do NOT stack floor mat over another	-Do NOT stack floor mat over another	-Do NOT stack floor mat over another	-Do NOT stack floor mat over another	-Do NOT stack floor mat over another	retaining straps -Do NOT stack floor mat over another
-Please ensure floor mat is secured with	-Please ensure floor mat is secured with	-Please ensure floor mat is secured with	-Please ensure floor mat is secured with	-Please ensure floor mat is secured with	-Please ensure floor mat is secured with
retaining straps -Do NOT stack floor mat over another	retaining straps -Do NOT stack floor mat over another	retaining straps -Do NOT stack floor mat over another	retaining straps -Do NOT stack floor mat over another	retaining straps -Do NOT stack floor mat over another	retaining straps -Do NOT stack floor mat over another
		·			mac ovoi anome;
-Please ensure floor mat is secured with retaining straps	-Please ensure floor mat is secured with retaining straps	-Please ensure floor mat is secured with retaining straps	-Please ensure floor mat is secured with retaining straps	-Please ensure floor mat is secured with retaining straps	-Please ensure floor mat is secured with retaining straps
-Do NOT stack floor mat over another	-Do NOT stack floor mat over another	-Do NOT stack floor mat over another	-Do NOT stack floor mat over another	-Do NOT stack floor mat over another	-Do NOT stack floor mat over another
-Please ensure floor mat is secured with	-Please ensure floor mat is secured with	-Please ensure floor mat is secured with	-Please ensure floor mat is secured with	-Please ensure floor mat is secured with	-Please ensure floor mat is secured with
retaining straps -Do NOT stack floor mat over another	retaining straps -Do NOT stack floor mat over another	retaining straps -Do NOT stack floor mat over another	retaining straps -Do NOT stack floor mat over another	retaining straps -Do NOT stack floor mat over another	retaining straps -Do NOT stack floor mat over another
-Please ensure floor	-Please ensure floor	-Please ensure floor mat is secured with	-Please ensure floor	-Please ensure floor	-Please ensure floor
mat is secured with retaining straps -Do NOT stack floor mat over another	mat is secured with retaining straps -Do NOT stack floor mat over another	retaining straps -Do NOT stack floor mat over another	mat is secured with retaining straps -Do NOT stack floor mat over another	mat is secured with retaining straps -Do NOT stack floor mat over another	mat is secured with retaining straps -Do NOT stack floor mat over another
-Please ensure floor mat is secured with retaining straps	-Please ensure floor mat is secured with retaining straps	-Please ensure floor mat is secured with retaining straps	-Please ensure floor mat is secured with retaining straps	-Please ensure floor mat is secured with retaining straps	-Please ensure floor mat is secured with retaining straps
-Do NOT stack floor mat over another	-Do NOT stack floor mat over another	-Do NOT stack floor mat over another	-Do NOT stack floor mat over another	-Do NOT stack floor mat over another	-Do NOT stack floor mat over another
-Please ensure floor mat is secured with	-Please ensure floor mat is secured with	-Please ensure floor mat is secured with	-Please ensure floor mat is secured with	-Please ensure floor mat is secured with	-Please ensure floor mat is secured with
retaining straps -Do NOT stack floor mat over another	retaining straps -Do NOT stack floor mat over another	retaining straps -Do NOT stack floor mat over another	retaining straps -Do NOT stack floor mat over another	retaining straps -Do NOT stack floor mat over another	retaining straps -Do NOT stack floor mat over another
-Please ensure floor mat is secured with	-Please ensure floor mat is secured with	-Please ensure floor mat is secured with	-Please ensure floor mat is secured with	-Please ensure floor mat is secured with	-Please ensure floor mat is secured with
retaining straps -Do NOT stack floor mat over another	retaining straps -Do NOT stack floor mat over another	retaining straps -Do NOT stack floor mat over another	retaining straps -Do NOT stack floor mat over another	retaining straps -Do NOT stack floor mat over another	retaining straps -Do NOT stack floor mat over another

15.400-000-00-00-00-00-00-00-00-00-00-00-00	Matt Description Color Pleas	Black Black	Cashmere Earu Elec	Black Black Black Black Black Black Black Cashning Black Cashning Black	Gray Gray Back North Character Taupe Back Bordeaux Taupe Cashmere Cashmere	Gray Black Black Brown Gray Black Gray Black Gray Black Brown Gray Gray Gray Gray Gray Gray Gray Gray
15 469000000000000000000000000000000000000	01 × ××	××	×××××	××××××××××	+++++++++++++++++++++++++++++++++++++++	
15 45090001 15 450900001 15 450900001 15 450900001 15 450900001 15 450900001 15 4509000001 15 4509	60 × × × × ×		××× ××× ××	×× ××××××	[╏╏╏
15. 448.0 15. 300.0		×××,	* × × × × × ×	× × × × × × ×	╽┾╏ ╒ ╏╏╏	
15. 448.0 15. 300.0	90	▝	* × × × × × ×	×××	┞╏┋╏ ┼┼┼┼┼┼	
15. 44.81 18. 18. 18. 18. 18. 18. 18. 18. 18. 18.	0		·		× ×× ××	
15. 44.81 18. 18. 18. 18. 18. 18. 18. 18. 18. 18.			×××××		* × × × × × ×	┞ ┤┼┤┼┤┼
15. 406 81 15. 406 81			××××××	NA NA	×××××××××	╒╒┋┋┋┋┋┋┋┋┋┋┋┋┋┋┋┋┋┋┋┋┋┋┋┋┋┋┋┋┋┋┋┋┋┋┋



Lexus Carpeted Floor Mats (Sorted By Model)

4100	Place Sat No		4 pc set	4 20 84	4 pc set	4 pc set	4 pc set	A 20	N N	4 20 60	400 804	4 pc set	4 00 00	4 25 36	1	193	4 Prz cat	A Dee oot	A Parent	Pre se	4 20 404	4 20 50	4 20 44	4 DC Sol	4 DC 346	4 pc set	4 DC set	4 pc set	A DC 886	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 20 304	4 pc set	4 pc set	4 pc set	A 20 800	20 30	4 20 50	A Pro not	A no see	A Property	4 00 36	4 pc set	4 pc set	4 pc set	4 pc set	4 DC Set	4 00 801	400.5	4 DC See	4 pc set	4 po set	4 70 80	4 PC Set	A po set	4 pc set	4 pc set	4 pc ser	4 pc set	100	400 54	4 DC EM	4 00 56	4 DC set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 00 884	4 DC 56	4 DC SE	
Mark Changesing	Color	1	Nov	Black	Black	Light Charooel	Ivory	de S	Super S	Cashmana	Bleck	Light Grav	Caebmen	Risch	Cashmens	Light Grav	Brown	Charenal	Caehmaca	Light Grav	Brown	Chancoal	Beck	Black	Black	Charcoal	Non	Cashmere	ş	Ebony	Cashmene	Ash	Ebony	Cashmere	Ash	Ebony	Black	EDony w/ Red Logo	DOUT MY KEED TOOD	Clack	Protect	Brown	Dark Grav	hore	Dark Gray	tvary	Dark Gray	hony	Dark Gray	Mony	Back	Dark Brown	Black	Dark Brown	¥ 1	hor	Black	Nony	Black	A S	Black	A CO	Cashmara	Black	Cashmera	Black	<u>1</u> 2	Cashmere	Black	Ecru	Cashmere	Chack	Black	Riade	Black	
l	01	,†	T		Н		+	+	+	t	×	×	×	×	×	×	×	, ×	. ×	×	×	×	×	H	İ	H	-	H	H	×	+	-	×	×	×	×	×	1111		× ,	丁	+	+	ŀ	H			+	+	+	-	×	×	×	×	ŀ	-		+	+	+	+	-	╀	H		×	Н	×	×	4	× ,	,		_	
	60	·				7	I	I	I	I	×	×	×	ľ	×	×	Ľ	×	*	×	×	×	×				_	×	×	×	×	×	×	×	×	×	×	×	1	κ,	ė ,	<u>را ب</u>	×	×	×	×	T	+	- -	١,	××	+	H	\dashv	+	t	H	1	+	1	+	+	t	+	t	×	×			×	1	× /	,	+-	Н	1
	80	1					1	1	Ţ		×	×	×	×	×	×			Ŀ	Ι								×	×	×	×	×	×	×	×	×	×	1	1,	٠,			×		×	×	1	1	Ť.	,	××	,		+	1	t	╁		+	†	t	+	-	1	t	×	-	×	×	+	×	×	4-	× ×	Н	
	40		1	Ц	Ц		1	↓	퇶	L	×	×	×	L	Ŀ	L	L	L			L			L	L		· ·	×	×	×	×	×	×	×	×	×	×	ľ	,	۷,	4		×	*	×	×		,	T	1		T	П		1	t			7	†	†	†	t	t		×	Н	×	×	+	×	+	t	+	Н	
	90	· *	×	×	×	×	×	× ,	(×	*	L	L	Ļ	L	Ŀ		ļ.,	L	L	L	L	L	L	L	_			×	×	×	×	×	×	×	×	×	┙	Ţ	,	< >	4	L	×	×	×	×			T	1	1	T	П	1	1	ľ		П	1	7	T	,	×	×	×	×		×	×	†	×	†	1	Ť	×	1
	90	-	╀	*	×	×	×	*	ļ.	L	L	_	Ļ	L	Ļ,	L	L	L	Ŀ	L	L	L	L	L	×	×	×	Ц			_		4	_		1	1	L	1			L	×	×	×	×	1	1				Ι			1	×	×	×	7		T	T	T.	T	Γ	T			7	†	Ť	T	†	t	×	1
F	10	1	×	×	<u>*</u>	*	4	1	\downarrow	L		L		L	-	_	L	L	L	L	Ļ	L	L	×	×	×	×	Ц	4	\downarrow	4			_	_	1	1	1	1	1	1	L	×	×	×	×	×	×	×	<u>.</u>			1.		,	×	×	×	×	×,	× ×	4			Γ	T	П			†	Ť	Ť	†	T	×	
	Part Number	PT208-33034-12	P7206-33034-20	PTZ06-33034-02	PT206-33044-02	FT208-33044-12	P1208-3309-30	PTOR 32060.02	PT206-33060-11	PT206-33080-30	PT548-33070-02	PT548-33070-11	FT548-33070-10	PT548-33080-02	PT548-33080-10	PT548-33080-11	PT548-33090-01	PT548-33090-12	PT206-33070-10	PT206-33070-11	PT206-33080-05	PT206-33090-15	PT206-33090-25	10-14006-90ZIA	FT208-3080-01	PT208-30980-03	PT208-30860-08	PT208-30050-30	PT208-30050-31	PT208-30050-32	PTZ08-30058-30	PT208-30058-31	PT208-30058-32	PT208-30050-30	- 1	- 1	1	P1209-30081-32	1	PT208-3009-30	PT208-30090-01	PT208-30088-01	PT208-60030-11	PT208-80030-10	PT208-60037-11	PT208-60037-10	PT208-30040-11	PT208-30040-10	P1208-3004/-11	PT208-60080-02	PT208-60081-02	PT926-75004-04	PT926-75004-20	PT208-75005-04	PT208-53020-02	PT208-53020-10	PT208-53033-02	PT208-63033-10	PT208-53036-02	PT208-53038-01	PT208-53048-01	PT208-53060-02	PT208-53060-30	PT208-53062-02	PT208-53062-30	PT208-53067-02	PT208-53087-01	PT208-53067-30	PT208-63068-02	PT208-53088-01	P1.208-53058-30	PT208_53003_02	PT208-53097-02	PT208-53088-02	PT548-50030-02	
	Model	ES 300/330	ES 300/330	ES 300/330	ES 300/330 (sport design)	ES AUX30 (sport design)	55 300330	ES 300/330	ES 300/330	ES 300/330	ES 350	E\$ 350	65 350	ES 350	ES 360	ES 350	ES 350	ES 360	ES 350	ES 350	E3 350	ES 350	ES 350	GS 300/400/430	GS 300400	GS 300/400	GS 300/400	GS 350/460 2WD	GS 350/460 2WD	GS 350/480 ZWD	US SOMEONED	GS 350/460 AWD	GS 350460 AWD	GS 450H	GS 450H	GS 450H	CONTRACTOR CONTRACTOR	GSS50 GS450h GS460 AMD	GS350 2WD	GS350 AWD	GS350, GS450h, GS460 2WD	GS350 AMD	GX 470 w/o RSE	GX 470 w/o RSE	GX 470 w/ RSE	GX 470 w/ RSE	GX 470 w/o RSE	GX 470 WO RSE	GX 470 W/ ROE	GX 470 - Soort (w/p RSF)	GX 470 - Sport (w/ RSE)	HS 250h	HS 250h	HS 250h	IS 300 - Sport Cross	IS 300 - Sport Cross	IS 300 - Sport Cross	tS 300 - Sport Crose	IS 300 - Sport Cross	IS 300 - Soort Cross	IS 300 - Sport Cross	IS 250/350 2WD	IS 250/350 2WD	IS 250/350 4WD	IS 250/350 4WD	IS 250/350 2WD	IS 250/350 2WD	1S 250/350 2/MD	IS 250/350 4WD	IS 250/350 4WD	18-6 0.081	IS 250/350 Committee	IS 250/350 F-Sport 2WD	4S 250/350 F-Sport 4MD	LS 430	

(Sorted By Model – Continued . . .)

PT548-50030-10
3
i i
DTGAR
PISAB
PT548
PT548-50031-14
Ë
P1208
2
2
P.12
Ĭ
ž
P7208-50083-01
1
1
PT208-50075-02
2
22
ě.
PE P
Ě
6
1
2
Ē
197
P
5
3
PT9
Ď
181
P191
PT208-60031-11
127
01.0
-
p 12
DT2
5
ì
<u> </u>
٦
1
<u>.</u>
ā
ľ
a.
4
ľ
-
_
d
Ŀ
ij
2
ī
<u>ة</u> .
5
Ξ
-
ā
-
Ξ
6
ě
OF OPORT
-
<u>ت</u>
15
<u>.</u>
ĺ
ī!
a.
1
1
PT208-24060-03
_
Ľ
1
4



Lexus Carpeted Floor Mats (Sorted By Part Number)

g	Piece Set No.		4 DC 366	4 DC See		M 24	4 pc 361	4 00 866	4 Dc set	4 DC set	4 OC Set	4 DC 844	4 70 504	A Protection		4 PCS 861	4 pc. set	4 pc. set	4 DC Kit	4 00 36		4 00 200	4 20 000		100	100	1	1 1 100	X NO.	1000	4 DC 360	1	9 S	200	3 pc set	J DC Set	3 pc set	3 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	f pc set	pc set	4 DC see	4 DC Set	DC 86t	4 pc set	8	Do set	DC stet	io set	4 pc set	pc set	4 pc set	pc set	DC Set	4 pc set	DO SEC	4 pc set	DC 366	36	200	A	1	1		4 DC 804	4 70 501	4 po set	set 20	4 DC 8-Bt	Ses oc	3	oc set	SC Seef	4 DC Set	4 DC 560	4 pc set	198	4 pc set	A pc set	100
Mat Description	Color	1	ž	hancoai	hood		×	Charcoal	Gray	-	H	-	ŀ	Cashmen	+	+	E E	Chancoal		-	-			1,	Berger	+	Light Roman	ł	Loubs Gross	+	$\frac{1}{1}$	+	†		Non	-		Dank Brown	4	-	Ļ	L		8	L		Camel		-	-	H					Dark Gray	-	-				1	+	+		1	Ĺ	1	L	L		-	-	ŀ	-	-	H		-	F	-	-		
	01.	1		<u></u>				Lot					3	ð	1 4		-	×	×		3			.5			- Fig.	1	3	,	L	Ļ				4	×	× Dark	×		Black	a	ш	Black w	۵	~	3	3 ×		8		ž	Dark		ž	Ă	Cash	8 8	Ash	¥	EBony	dia.	Taring Constitution	2	×	+	Ebony w/ Red Loco	Eboov w/	and X	ļ-	L	Bax	Chercoe	Į.	ğ	Bac	L	Cashmere		Blac	Brow	Cashr	Gray	Blac
	60.	4	1	_	L	1	1	_						×	•	4	×	×	×	×	×	×		Ι	L		×	ļ×	1	×	Ť	T	,	†	٠,		×	×	×	×	7	1		1		-	H	×	×		×	7	+	+	+	+	<u>,</u>	×	×	×	×	,	۱,	,	2	Ĺ		Ļ	×	╄	×	Ļ	H	L		×	×	L		×	×	L	Ц	*
l	80.	1	1	_	Ŀ	ļ	1						L	L	Ĺ	1		\rfloor		×	×	×	Ľ	×	×		Γ	L		Γ	Ţ	I	>	,	٠,	4	×	1	×	×	٦	7	1	7				×	×	×	_	7	7	7	+	1	×	×	×	×	+	١,	,	,	×	-	-	-	×	r	-	┞	-	-	Ĵ	· ·	×	Ľ	*		×	×	Ă	×
	ZO.	4	1	_	L	L	1	_	_			┙		L	L	⊥	1		┛	×	×	×	×	×	×			Γ	Γ	Γ	Γ	Γ	Ŀ	Ţ	T	T	1	7	×	×	×	×	×	×			_	×	×		1		7	1	+	1	×	×	×	×	× ,	, ,	١,	. ×	×	\vdash	H	┢	×	H	-	H	Н	_	L	(H	ļ.	×	Н	×	×	×	_
	90,	+-	1	×	×	ľ	4	7	×	×	×	×	×	L	L	L				×	×	×	×	×	×	Ĺ				Γ	Γ	Γ	1	T	T	T	1	1	×	×	×	×	×	×	٦		×	×	Т	٦	1	1	7	†	†	1	×	×	×	,	× ,	١,	+	ŀ		┝	+	1	×	┡	-		Н	Н	Ĥ	Ĺ	×	Ĥ	ŕ	Â	~	<u> </u>	Ä	_
	90,	Ľ	1	×	×	ľ	1	×	×	×		_			L	L	1			×	×	×				×						Γ	Γ	Ţ		1	1	1	×	×	×	×	×	×	1	×	П		Т		1	1	┪	1	1	1	†	+	+	t	+	+	t	t	-	H	H	┝		-		×	-	*	Н	\dashv		H	Н	4	4	Ц	-	_
	1 0,	Ľ	1	×	x	^	4	×		_		╛			L	L	1		ان	×	×	×						ĺ			Γ	Ţ		Γ	1	T	Ī	1	∢.	×	×	×	×	×	×	٦	٦		_		7	7	×	×	×	×	+	Ť	+	†	+	1	+	╁		+	-	H		-	H	×	-	-	-	Н	Н	Н	-	4	4		4	_
;	Poor	٠	╁	4	_	_	╄	4	4	_	4	4	_	_1	_	ш		100 and	_1			_1		: 		RX 330																	-				SC 430			-1	ı	1	1	ı	1.	CS SECURO SAE	ı	1	Canada con	GS 350480 200	GS 450H	GS 350/460 AWD	GS 350/460 AWD	GS 350/450 AWD	GS 350460 2MD	GS350, GS450h, GS480 2WD	GS350, GS450h, GS460 2WD	GS350, GS450h, GS460 AWD	GS350 2WD	GS350 AWD	GS350 AMD		GS 300/400	GS 300/400	LS 460	LS 460	15 460	LS 460	P8-81	LS 460	LS 460	LS 460	LS 460600n	LO 400 GUA
1	Paris Musipus	PT208-33034-02	PT206-33034-12	10000	P1208 33034-20	PT206-33044-02	PT208.33044.42	07700 22054 44	1 200-33034	DE-100-00-00-00-00-00-00-00-00-00-00-00-00	70-0000-007	114000000000000000000000000000000000000	F 200-33080-30	P1206-33070-10	PT206-33070-11	PT206-33090-05	PT206.33090.45	DI POSSO SOLLO	27-000 -00-L	1700-0071A	71.208-48040-11	P1206-48040-12	PT208-48050-10	PT206-48050-11	PT208-48050-12	PT205-48060-11	PT208-48090-05	PT206-48090-A0	PT206-48060-B0	PT206-48092-05	PT206-48100-09	PT206-48100-22	PT206-LX086-01	PT206-LX086-10	PT206-LX088-01	PT206-LX088-10	PT206 YOR 07	PT208-24010-02	PT208.24010.20	PT208 24040 34	DITOR 2400 00	DE SACRO SACRO	DEPOS SACON A	TI AUG-CHUSU-CA	07-040-7-00-L	F1206-24050-03	P1208-24060-03	F1206-24060-14	F1208-24070-02	F1208-24080-14	T1200-24030-02	PTONE SOUTH	DT208 30044 04	PT208 30047 40	PT208-30047-11	P1208-30050-30	PT208-30050-30	PT208-30050-31	PT208-30050-31	PT208-30050-32	PT208-30050-32	PT208-30058-30	PT208-30058-31	PTZ08-30068-32	PT208-30080-02	PT208-30090-01	PT208-30091-32	PT208-30094-32	P1208-30097-32	PT208-30098-01	PT208-30089-32	PT208-30980-01	P1208-30800-03	F1208-30800-08	PT208-50071-01	FT208-50071-02	P1208-50071-04	P7208-50071-10	P1208-50073-01	F1200-500/3-02	F 200-304/3-04	P1208-50073-10	Pichochusous	-

Lexus Consumer Safety Advisory Potential Floor Mat Interference with Accelerator Pedal - Updated 10-02-2009 **** URGENT****

Lexus Customer Services /Lexus Robin LeFevre Approved By Al Smith Published on 10/02/2009 12:00 AM

To: All Lexus Dealers

From: Lexus Customer Service

Lexus Consumer Safety Advisory

Potential Floor Mat Interference with Accelerator Pedal

******URGENT*****

Lexus greatly appreciates your patience during this activity. Enclosed is additional information about the Lexus Consumer Safety Advisory (Consumer Safety Advisory), to add to our communication of September 29th.

A Safety Campaign will be launched soon with clear dealer instructions and an owner notification to visit their local Lexus dealership regarding the involved vehicles. Until the Safety Campaign is launched, Lexus recommends the following actions be taken by your staff:

Overall Dealership Operations

- Conduct a management meeting to familiarize all department heads with the Consumer Safety Advisory.
 Service, Loaner, Carwash, New Vehicle, New Car Preparation, Certified Pre-Owned (CPO)/Used Vehicle, Used Vehicle Reconditioning, Parts, and Body Shop operations should be familiar with the Consumer Safety Advisory and its contents.
- Each dealership should designate two management level associates with complementary schedules to become intimately familiar with all aspects of the Consumer Safety Advisory, Q&A as well as other materials we have provided. These two associates should coordinate all operations related to this activity.
- New, CPO/Used and Loaner Vehicle departments should coordinate with the Service Department to
 assure the drivers floor mat is semi-permanently installed. This should be conducted on all the
 following involved vehicles until the safety campaign has been launched.
 - 2007-2010 ES
 - 2006 2010 IS

Customer Handling

 Please welcome concerned owners that visit your dealership and answer any questions they may have and utilize the previously provided Q&A to assure a consistent message is communicated.

- Assist any customer who asks to verify correct application and secure installation.
- Encourage owners to make sure the floor mats are compatible for their model and model year. Also, they need to be sure the floor mats are properly secured using the appropriate retention device (clips). Drivers floor mats should never be stacked. Consumers should never place any floor mat aftermarket or not -- on top of another drivers floor mat. Mats should also not be flipped over with the bottom-side up.
- Information on proper floor mat installation can be found on http://www.lexus.com.
- Owners with additional questions or concerns may also contact the Lexus Customer Assistance Center at 1 800 255-3987.

Service Department

- Please coordinate with other dealership departments to semi-permanently install the drivers
 position floor mat in involved new, CPO, used, loaner and demo vehicles. Read and follow
 the attached technical instructions using specified materials which can be found at local
 hardware and office supply stores. This will assure the floor mats are not removable. We
 recommend the Service Department designate associates to conduct this installation to assure that
 the involved vehicles are handled consistently.
- Owners' vehicles in for service should all be inspected for proper installation of the correct floor mats at the time of delivery (including after the car wash); document this on the Repair Order (RO).
- If an affected ES/IS owner expresses concern over the safety of their vehicle, recommend removal of the driver's side floor mat (place in the trunk) until they are contacted by Lexus regarding the forthcoming Safety Campaign. Document this action on the RO.
- If the owner prefers to have the floor mat semi-permanently installed, please follow the attached instructions and document this action on the RO.
- If your dealership provides "car washes on demand", proper floor mat installation should be ensured on every vehicle after this service, as well.

Sales Department

- Sales deliveries of involved ES and IS new, CPO or used vehicles should include semi-permanently
 installed drivers position floor mats that are designed specifically for the model. As many customers
 will be sensitive to the recent Consumer Safety Advisory, we recommend that they be informed that
 the drivers floor mat is semi-permanently installed and not removable. Lexus will notify customers
 when the Safety Campaign is initiated to return their vehicle for the remedy. The drivers floor mat
 will be rendered removable at that time.
- Owners may also choose to have the drivers floor mat placed in the trunk until the safety campaign remedy is available. Please advise the owner of this option.
- Document the condition of the driver's floor mat at vehicle delivery (e.g. "the correct driver's side floor mat is semi-permanently installed" or "removed driver's side floor mat") in a one-line RO.

 All dealership demos should also be checked regularly to confirm the use of correct and properly installed floor mats.

Parts Department

- Any Lexus All Weather Floor Mat (AWFM) in your inventory should be returned.
 - Dealers should prepare a PRR Claim listing the part numbers and quantities of each AWFM they are requesting to return. These claims should be submitted to the facing PDC using the normal method in Dealer Daily.
 - The return code for each part should be indicated as R-2, Manufacturing Defect.
 - When your dealership receives authorization from your facing PDC, please return the AWFMs immediately. The different AWFMs should be grouped by part number to assist the PDC in accurately accounting for the returned quantities.

If you are approached by the media, please direct them to Lexus Corporate Communications at 310-468-2552 or 310-468-4718. When you must speak to any media representatives, please reference the information weve provided previously on how to identify and properly install the correct floor mats, as well as your efforts to instruct owners about the importance of the proper installation of floor mats designed specifically for their vehicle.

Please direct any additional questions you may have to your Area representative so that we can continue to address your issues as we work through this experience together.

- 1. Click here to see Semi-Perm Installation-Application Instructions Lexus.pdf
- 2. Click here to see Semi-Permanent Floor Mat Installation Label 10-01-09.pdf
- Click here to see FINAL Lexus Carpet Floor Mat Application Information Chart.pdf

Toyota and Lexus Carpeted / All-Weather Floor Mat Inspection, Application and Installation Instructions



Read these important Warnings BEFORE installing ANY type of Floor Mat.


A. General Floor Mat Warnings

- Only install floor mats designed specifically for that model and model year. Check for correct model name and part number on the packaging label to confirm vehicle application.
 - Never install a floor mat if you are uncertain of the model application.
 - Never install the floor mat upside down or turned over for any reason.
 - Only install the driver's floor mat in the driver's foot area.
- Always properly secure the driver's floor mat using the retaining hooks (clips) supplied in the bag with the floor mats (in the case of Lexus with the carpet floor mats). Follow the floor mat retention clip installation instruction supplied with the clips. If the mat is properly secured and you have confirmed vehicle applicability, it will not interfere with the accelerator pedal.
 - Never install the front driver's floor mat without all retaining hooks (clips) securing the mat firmly in place.
- The retaining hooks (clips) are designed to accommodate only one floor mat at a time.
 - Do not install another floor mat(s) on top of an existing driver's floor mat.
- After installation, always check the operation of the accelerator, brake and clutch (if applicable) pedals to assure the floor mat does not interfere with them.
- Carefully read the warning tag attached to the driver's floor mat regarding installation.

B. Floor Mat Inspection Instructions and Application Information


- Before placing a floor mat in a vehicle be familiar with the procedure outlined below.
 - Identify the correct driver's floor mat for the specific vehicle application.
 - Correctly install the driver's floor mat.
- Regularly verify the correct floor mat is securely installed in the appropriate model using the retaining hooks (clips).

NOTE: Use the Application Information Chart provided or the Accessory Parts Catalog to verify mat-tovehicle application.




AWFM part number is located on the bottom of

Ιρί	e	of	Α	pr	olie	ca	tic	n inforn	nation Cl	nart)
L								Mat De	scription	
2003	2004	2005	2006	2007	2008	2009	2010	Color	Piece Set No.	Part Number
х	х	X	х		Γ		П	Oak	4 pc set	PT206-03036-16
				x	×			Black	1 pc	PT908-0307F-02
				х	×	П		Brown	1 pc	PT908-0307F-14
				X				Black	4 pc set	PT908-32070-02
		L		x		П	П	Brown	4 pc set	PT908-32070-14
	× 2003	x x 2003 2004	x x x 2003 2004 2005	x x x x 2003 2005 2006	x x x x x 2003 x x x x x 2005 x 2006 x x x x x 2005	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	X X X Z 2003 X X X Z 2004 X X Z 2005 X 2007 Z 2009 Z 2009	Mat De Color	No. No. No. No. No. No. No. No. No. No. No. No



Make sure the AWFM is properly secured by the retaining hooks (clips). Confirm that the retaining hooks (clips) are secured into the grommet holes in the vehicle's floor (carpet).

Warning: Do not stack the floor mats in any vehicle. The retaining hooks (clips) are designed to accommodate only one floor mat at a time.



- 2. Check the following pedal operation (fully depress the pedal) to assure the floor mat does not interfere with it. Make sure the vehicle is turned off and in the "Park" position when testing:
 - Accelerator Pedal
 - Brake Pedal
 - Clutch Pedal (if equipped)
- Verify the driver's floor mat involved in SSC 70F & 7LB has been removed from your vehicle

DO NOT USE THESE MATS

SSC 70F Part Number: PT908-32070-02 (Blk) PT908-32070-14 (Brn)

SSC 7LB Part Number: PT908-33070-02 OR PT908-33071-02 (Blk) PT908-33070-11 **OR** PT908-33071-11 (Gr)

PT908-33070-14 **OR** PT908-33071-14 (Brn)

Toyota and Lexus Carpeted / All Weather Floor Mat Inspection, Application and Installation Instructions

-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor
mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with
retaining straps	retaining straps	retaining straps	retaining straps	retaining straps	retaining straps
-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor
mat over another	mat over another	mat over another	mat over another	mat over another	mat over another
-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor
mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with
retaining straps	retaining straps	retaining straps	retaining straps	retaining straps	retaining straps
-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor
mat over another	mat over another	mat over another	mat over another	mat over another	mat over another
-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor
mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with
retaining straps	retaining straps	retaining straps	retaining straps	retaining straps	retaining straps
-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor
mat over another	mat over another	mat over another	mat over another	mat over another	mat over another
-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor
mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with
retaining straps	retaining straps	retaining straps	retaining straps	retaining straps	retaining straps
-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor
mat over another	mat over another	mat over another	mat over another	mat over another	mat over another
-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor
mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with
retaining straps	retaining straps	retaining straps	retaining straps	retaining straps	retaining straps
-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor
mat over another	mat over another	mat over another	mat over another	mat over another	mat over another
-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor
mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with
retaining straps	retaining straps	retaining straps	retaining straps	retaining straps	retaining straps
-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor
mat over another	mat over another	mat over another	mat over another	mat over another	mat over another
-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor
mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with
retaining straps	retaining straps	retaining straps	retaining straps	retaining straps	retaining straps
-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor
mat over another	mat over another	mat over another	mat over another	mat over another	mat over another
-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor
mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with
retaining straps	retaining straps	retaining straps	retaining straps	retaining straps	retaining straps
-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor
mat over another	mat over another	mat over another	mat over another	mat over another	mat over another
-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor
mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with
retaining straps	retaining straps	retaining straps	retaining straps	retaining straps	retaining straps
-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor
mat over another	mat over another	mat over another	mat over another	mat over another	mat over another
-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor	-Please ensure floor
mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with	mat is secured with
retaining straps	retaining straps	retaining straps	retaining straps	retaining straps	retaining straps
-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor	-Do NOT stack floor
mat over another	mat over another	mat over another	mat over another	mat over another	mat over another

Sixa (2)

Lexus Carpeted Floor Mats (Sorted By Model)

1	2	Ι.	Τ.	J	_	-	Ţ.,	Ι,	Ι,			5		5		ğ	¥	ž	ğ	3	1	Į.	8	*	5	2	38	3	1	1	9			,	Ţ	ğ	*	c set	4 DC BBL	1	4 DC Set	19 24		i i	1		é		8		8	1	4 00 860	8	20.28	00 000	pc set	4 pc 864	4 pc set	1 DC 864	4 pc set	4 pc set	4 00 501	4 pc set	4 pc set	4 10.80	4 pc set	4 DC 964	4 pc set	4 00 561	4 pc set	4 PC 88	4 pc set	4 pc 501	4 pc set	4 pc set	4 pc set	4 00 86	4 20 88	4 DC 86	8	4 00 86	4 pc se	4 pc	4 PC 88	Ì	
	Place Set No		3	۱	8	8	4	۱		1	4	¥ 2	8	88	8	4 pc 36	7	4 pc set	24	Į,			-	4 20	4	4.04	4	4	7	100	Ĭ		1	A .	1	4	•	4	1	ŀ	1	١	ľ	1	L	1	1	1	1	•	7	1	4				H			1				-	F	4.0	-	100	-		-		-		-	-	H	H	-		\vdash		+	-	H		
	1	Charcos	Nov	Black) A	Mary Champon		2	5	Black	A S	Cashmere	Plack	Light Gray	Cashmen	Black	Caretariece	- At Cos			Challona	Castronera	Light Gray	Brown	Charcoal	Black	ž sia		- Control	Cligations	TOU.	Cascillera	ş	Eborry	Cashmera	Ash	Ebary	Cachmere	400		A PORT	Č PRO	EDON' W Ken LOS	Bon w kee room	Black	Date:	Brown	Brown	Dark Gray	ACC.	Dark Gray	Mony	Dark Gray	Mory	Dark Gray	NOW	Black	XX B	Dark Brown	Back	Dark Brown	Black	Black	Soy.	E SE	NOA	že E	Alle	Black	200	Black	Castambre) Mage 	Caetymere	1	ļ	1	Name of the last o	× ×	Coshment	Securion 5	× 1	Sinck Sinck	X X	Black		
1	_	Ц		L	1		1	-	4	_	Ļ	-	×	×	×	,	,			×	×	×	×	*	,	,	1	+	1	+	1	-	-	×			ŀ	1	×	×	×	−τ			×	×	×	×	L					L	-	1	1		×	,	1	()	1	-	1	1	1	+	+	+	+	+	+	+	1,	() ()	1	-	× ,	×	-+	×	1	×	*	1	
H	01. 80.		H	-	+	+	+	-		r	-	1	,	×	,	,	۱,	×	×	×	×	×	×	,	•	×	×		Ţ		_	×	×	×	×	ŀ	4	1	<u>*</u>	×	<u>* </u>	×	×	×	-	×	ř	ř	Ľ	ľ	ļ,		+	+	1	+	1,	× ,	1	+	1	†	t	t	†	†	1	1	1		1			Ţ]	×	Ţ	×	×	_	×	×	4	×	4	4	
	80,	H	t	+	1	†	1	Н	F		T	t	ŀ	,	ŀ	ŀ	1	×	×	-	_		L	ļ	1	1	1		-		2	×	×	×	*	ľ	<u>'</u>	1	<u> </u>	×	×	×	H		×	·	-	1	,	1_	+	,	1	†	†	†	†	†	1	1	1	1	I		1		7	I		_	1	1	1	-	1	×	4	×	×	Н	×	H	H	4	+	-	
	70,	t	1	t	1	7		Γ			I	I	ļ	1	1	1	1	1	_		Ļ	:	-	ļ	+	-		_	_1	_		Ľ		ľ	ľ	ľ	<u>~</u>	×	×	×	×		-	F	۱,	×	t	t	١,	,	1	× ;	1	1	1	1	1	I	1]	1		1	1	1	-	4	1	1	4	×	×	×	×	×	4	×	Ň	H	Ä	Н	Н	+	+	٦	
	90	×	,	٠	×	×	×	×	*	ļ	4	1	4	1	4	1	4	4	_		-	ŀ	+	+	-	-		_	×	×	×	F	+	1	1	1	+	-			r	-	t		t				,	٠,	4	×	×	I	1		1	_	1	1	4	4	1	×	×	겍	×	-	-	-	-	+	4	1	-	+	-	\vdash	H	Η	-	H	Н	П	1	×	
	90		1	1	×	×	*	ľ	,	4	1	1	+	1	ľ	1	-		-	-	┞	+	+	+				×	٠.	×	H	₽	t	†	†	1	1	1	Г		Ī	1	I				1	1	Ţ	1	×	×	×	_	×	×	×		4	4	4	1		×	×	×	×	×		^	7	-	-	H	Н	-		H	H	H		-	H			7	
	Part Number	1,	P1208-33034-14	PT206-33034-20	PT206-33034-02 X	PT206-33044-02 ×	X 65-550-00-00-00-00-00-00-00-00-00-00-00-0	000000000000000000000000000000000000000	1200-2007	PIZIS-SECTION	PT206-33060-02	PT206-33060-11	PT206-33080-30	FT548-33070-02	PT548-33070-11	PT548-33070-10	PT548-33080-02	PT548-33080-10	DYC48-23080-11	TO SOUTH THE STATE OF THE STATE	20000	- Dec-2000	PIZOP 330/0-19	PT206-33070-11	PT206-33000-05	PT206-33090-15	pr206-33090-25	DTDDG SD041-01	Т:	Ţ	13	Т	P1206-3000-30	PTZ06-30ISO-31	PT208-30050-32	PT208-30058-30	PT208-30058-31	PT208-30058-32	PT708-30050-30	T.	3	- 1	- 1	٠,	-4	_1	- 2	_		_	-	⊢	-	-	-	Ļ	1	PT208-60080-02	+-	┡	╁╌	╁	⊦	╁	۰	+-	PT208-53033-10	PT208-53036-02	PT208-53038-01	PT208-53049-02	PT208-53048-01	PT208-53060-02	PT208-53060-30	PT208-53062-02	PT208-53062-30	PT208-53067-02	PT208-53087-01	PT208-53067-30	PT208-53068-02	PT208-53088-01	PT-709-53058-30	01708-53087-02	t	+	PT208-53088-0	PT548-50030-0	
	Model		ES 300/330	_	۲	1	+	+	┪	-	-	-	H	E8360	Г	Ė	t	t	Ť	1	1	٦	7	Г	Γ	Ţ	E3 330	ES 200	GS 300/400/430	GS 300400	GS 300/400	CS 300400	GS 350/460 2WD	GS 350460 2MD	CS 350/460 2WD	OWA GRAND AND	ON SECURE AND	General Control Control	GB 350460 Ave.	GS 450H	GS 450H	GS 450H	GS 350/480 2WD	GS350, GS450h, GS460 2WD	GS350, GS450h, GS460 AWD	GS350 2WD	GWA OSESSO	25350 GS450h, GS460 2WD	CASSO AWD	GX 470 w/o RSE	SX 470 W/O RSE	CX A70 W/ RSE	CV 470 W/ RSE	CY A70 W/O RSE	24 470 mg PSF	TO AND OF SEE	10 M 10 M 10 M	CALAND MAND RSE	GX 4/O - Stort (WICE)	TO DECEMBER	100000	105 SEON	102 COL	Send bond on	S 300 - Sport Cross	Sand Ford - Due Si	2000 1000 - 006 SI	200 Care Contract	S SUC - Special Control	Sour Speed Cook	2 300 5000	Owe nacrose of	Chira Decides SI	DATE DESIGNATION OF THE PROPERTY OF THE PROPER	Charles of Carlotte of	Chic Carrier	Case Common -	IS 250/350 2WD	IS 250/350 ZWIL	IS 250/350 4WL	IS 250/350 4VN	18.250/350 4YEU	IS-F (V8)	IS 250/350 Convertible	IS 250/350 F-5port 400	IS ZBO DO LOGO	W. D.



(Sorted By Model - Continued . . .)

ecription	Piece Set No.	4 pc set	4 pc set	4 pc set	4 20 861	4 DC 886	4 DC 56t	4 00 800	4 pc set	4 po set	4 pc set	4 pc ant	4 pc set	4 DC 864	4 pc set	A To the	4 25 501	10000		4 20 30		4 00 861		4 100 200	4 000 00	1 2 2	400.004	4 70 900	A po cot	1000	10000	3 2	4 00 000	4 DC 36	20	8	8	1		4 nc seet	4 DC Set	3 De sent	300.00	4 Do set	300 801	3000	300.00	3 ne ser	3 oc set	3 pc set	3 pc set	3 pc set	4 pc set	4 20 56	4 pc set	4 00 000	4 DC Sel	4 70 501	4.00.00	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc sex	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	A no set	
Mat Dee	Color	ton.	Light Charcoal	Teupe	Cashmere	Ash	Black	Bordenix	Taupe	Grany	Black	Brown	Cashmene) (Car	Black	Brown	Cashmens	2000	i de la	S S S S S S S S S S S S S S S S S S S	and and	Carmon	7.50	- Coor	Cachmere	Grav	Riace	Brown	Cashmere	Grav	Total R	Brown	- Depart	Carried	a de la constante de la consta	Duna	Cochmon	Great	Riork	Brown	Cashmen	Charcoal	Nov	Black w/ Grav	Grav	Accept	Dark Brown	Grav	wow	Black	Mony	Çanî.	hon	Haght Gray	piece	Way.	Black	Grav	Nov	Light Gray	Light Brown	Light Brown	Dark Brown	Biack	twork	Gray	Black	Black	Black w/ Secole	ECT	Black	Black w/ Saddle	Eas	Ecru	Red	Camel	Came	Black	į
П	OĻ,	L			L		Ĺ			7.5	×	×			×	*		ľ	ŀ	٠,	4	I	ŀ	Ð	4	7	,	ŀ		×	٠	Ŀ	1	Ţ	ŀ	< >	4	ŀ	٠,		Γ		T	T	×	T	×	×	×		T	-	†	1	T	†		1	T	T		-	×	×	×	×	×	×		7		Н		П		×	Н	t	•
	60,	Ц		_	Ц		L	L	L	×	×	×	×	×	×	×	Ľ	Ŀ	1	ŀ	ŀ	Ŀ	ŀ	4	₫	1	×	×	×	×	ŀ	×	٠,	Ŀ	ŀ	•	1		, ,		×		I		×		×	~	×				×	×,	×	T	T		×	×	×	×		П				×	7	×	1				1	×	H	,	•
ļ	80.				Ц		L	L		×	×	×	×	×	×	Ľ	Ľ	٠,	1	Ţ	٠,	d,	Ŀ	•	<u> </u>	ď	×	Ľ	Ľ	×	١×	1	٠,	٠,	٠,	4	• >	×	٠,	×	×				×	-	4	×	×			44	×	×,	< ×	٠,	×	•			П	٦	4	П			٦	×	1	×	1	T				×	**	:	*
	ZO.		_				Ĺ.	Ŀ		×	×	×	×	×	*	×	ľ×	1		L		Ŀ	×	,	4	×	×	×	×	×	۲	×	٠,	٠ŀ	٠,	٠,	4		1	Ľ		×	×	×						. 1.			×	×	×	٠,	×	4		Г							┨	×	×	×	×	×	×		1	×		t	*
ļ	90,	L	_	×	×	×	×	L	×			_			L	L	L	Ľ	1				L	L	1		L	L	L	L	1	Ŀ	1		1			1	1	Γ		×	×				1						× 7	×××	< ×	١,	×		Г	Γ.	П						┫	×	×	×	×	×	×		7	×	×	r	
ļ	90,			×	×	×	×	L	×							L			L	1	L	L	L	l.	L	L	L	Ŀ	Ł	Ŀ	1	L	ĺ			L	8		Τ	Γ.		×	×		Γ	Γ	Τ		Γ			7	×,	7	\	T	Т	×	Τ						-		_	×	×	×	×	×	_	1	×	\sqcap	÷	r	
	Þ0,	×	×	×	×	×	x	×	×	╛		╛	_			L	L	L	1	L	L		L	L	L	Ĺ			L	Ľ		Ŀ]		Τ	L	I					*	×	Ş	Γ		T		Γ	×	×	×	×,	,		Ť	T	T		Г	٦						1	×	×	×	×	×	×	×	1		7.	ŀ	
1	Jegunda 1484	PT548-50030-10	PT548-50030-11	PT548-50030-14	PT548-50040-10	PT648-50040-11	PT548-50031-02	PT548-50031-13	PT548-50031-14	PT208-50071-01	PT208-50071-02	PT208-50071-04	PT208-50071-10	PT208-50073-01	PT208-50073-02	PT208-50073-04	PT208-50073-10	PT208-60083-01	PT208-50081-02	PT208-5008-04	PT208-50083-10	PT208-S0075-04	PT208-50075-02	PT208-50075-04	PT208-50075-10	PT919-50071-01	PT919-50071-02	PT919-50071-04	PT919-50071-10	FT819-50073-01	PT919-50073-02	PT919-50073-04	PT919-50073-10	PT919-50075-01 **	PT919-S0075-02	PT919-50075-04	PT919-50075-10	PT919-50083-01	PT919-50083-02	PT919-50083-04	PT919-50083-10	PT208-80031-11	PT208-60031-10	PT208-60071-12	PT206-LX086-01	PT206-LX086-10	PT206-LX096-07	PT208-LX088-01	P1206-LX088-10	PT548-48030-02	PT548-48030-10	P1548-48030-11	DI-DO-48040-10	PT206-48040-12	PT206-48050-10	PT208-48050-11	PT206-48060-12	PT206-48060-11	PT206-48090-A0	PT206-48090-B0	PT206-48090-05	PT208-48092-05	PT206-46100-09	PT206-48100-22	PT919-48100-01	PT919-48100-12	PT919-48100-20	PT208-24010-02	P1208-24010-34	P1208-24010-20	PT208-24030-02	P7208-24030-34	PT208-24030-20	PT208-24044-20	PT208-24065-03	PT208-24060-14	PT208-24060-03	A 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	PT208-24U /0-02
J. Parket		18430	LS 430	18 430	LS 430	LS 430	LS 430	1.5 430	15 430	LS 480	LS 460	15.480	1.5 460	LS 460	LS 460	1.8 460	LS 460	LS 460/800h	LS 450500h	.S.460,600h	LS 460/600h	LS 460/600h	LS 460/600h	LS 460/800h	LS 460/800h	LS-460	LS 460	15.460	LS 460	LS 460	LS 460	15.460	13 460	LS 480/600h	LS 460/600h	LS 4804500h	LS 460/600h	LS 480/800h	LS 460/500h	LS 460/800h	L.S 450/500h	LX 470	LX 470	LX 470	029 X.I	1X 670	LX570	LX 570	LX 570	RX 300	RX 300	DV 220250	PX 350ms0	RX 330/350	RX 400h	RX 400h	RX 400h	RX 330	RX 350	RX 350	RX350	RX400h	RX3504450h	RX350/450h	RX350/450h	RX350/450h		1		T	1						1 1 2		



Hon Place Set No.	4 pc set	4 pc set	4 pc set	4 DC Set	400.884	4 07. 501	400	A or oat	400.00	A no eat	100		4 PCB 301	- No.	4 20. 387	4 pc kg	4 pc set	4 pc set	4 pc set	4 20 86	4 pc set	4 pc set	4 pc set	4 20 86	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	3 DC set	3 pc set	200.00	2	3 pc set	3 DC 361	4 PC Set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 00 881	4 pc set	4 DC 961	4 pc set	4 DC Set	4 DC Set	400.00	4 Do set	4 DC 88	4 pc set	4.00 set	4 pc set	4 DC Set	4 pc set	4 pc set	4 pc set	4 DC 56t	4 pc set	4	1	_	4 DC Set	4 00 886	200	20 SE	4 PC Se	4 00 988	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 DC 98t	4 pc set	4 pc set	4 pc set	4 pc set	4 pc 38t
Mat Description Color Pie	Slack	Charcoal	Vov	Black	Link Champal	Crear	Thanks.	- Post	and C	The state of the s	1000	Campage	LIGHT GIRN	ECONO.	Charcoal	Black	hor	Lost Gray	Black	hay	Light Gray	Black	Gray	Light Brown	Nory	Light Gray	Light Brown	Dark Brown	Black	Š	hrvr		New York	Nory	Dark Brown	Black	Eon.	Black w/ Saddle	Stack	Ecr	Black w/ Saddle	Ecn	Red	Сапе	Camel	Black	Camel	Back	work	Dark Grav	Black	wowl	Deak Grav	Cashmere	Cashmen	Ash	₹	Ebony	Eborny	Cashmene	Agh	Ebony	Black	Brown	Eborry w/ Red Logo	Ebony w/ Red Logo	Xella X	Brown	Stack	Sack	Chartoel	tvovi	Š	Black	Brown	Cashmere	Ç.	Black	Brown	Cashmere	Gray	Black
01.	H	-	ŀ	╀	╁	╁	╁	+	╀	+	+	×	×	↲	×	×	-	Н	-	-	_	┪	1	٦		Η.	H	×	×	×	+	1	╡	×	×	×						H		1	,	-	-	t	+	1		t	1	1	×		×	×	×	-		×	×	×	1	1	×	×	×	1	┪			×	×	T	٢	×	×	П	П	×
60.	H	Н	H	╁	t	t	t	+	t	†	+	,	×	1	-1	×	×	×	×	-		-	+	×	×	×	×	-	1	,	١,	,	×	×	×	×	×	Г		İ	7	t	11		,	×		×		1	ŀ	Ţ	T	١,	(×	×	×	×	×	×	×	×	×	×	×	×	×	×	×		1		×	×	×	×	×	×	×	×	×	×
80.	╁	-	۲	t	+	+	t	†	╁	1	t	+	1	1	+	╛	×	×	×	×	×	×		7			H	r	t	1	,	,	×	×	1	×	×		٦	T				t	1	-	×		T		T	T	ĺ.	١,	, ×	×	4	×	×	×	×	×	×				×		×		- 1		×	×	×	×	×	×	×	×	×	×
20.	ť	┝	┞	1	t	t	Ť	†	t	t	+	1	t	1	1		×	×	×	×	×	×			r	٦	H	-	t	t	†	Ť	1	1	-	×	×	×	×	×	×	T		T	Ť	×		T	Ţ	T	T	1	T].	4	· ×	· ×	×	×	×	×	×	×				×	Ī	×				×	×	×	×	1	×	×	×	×	×
904	١,	<u> </u>	١,	١,	,	1	,	4	,		<u>.</u>	+	+	1	┪		×	×	×	×	×	*		Н	Г	r	T	t	t	†	1	t	1	_	1	×	×	×	×	×	×	T	T	١,	1		T	T	T	T	T	1	Γ	٦,	٠,	٠,		×	×	×	×	×	ì				×		×					Γ	E		Ĺ				3	Ŀ
20,	,	×	١,	,	,	+	+		+	1	1	1	7	1	┪		×	×	×	300	r		×	Г	Г	T	t	T	1	T	Ţ	1	1	1		×	×	×	×	×	×		×	1		T	1	1	Τ	T	T	T	T	Ţ		7	T	T		Γ	1							\rfloor	,	×	×	×			-					L		
10.	5	ı ×	╄	,	+	4	+	1	+	1	+	+	7	┪	٦		×	×	×		-	7		H	r		t	1	t	1	1	T	1			×	×	×	×	×	×	×		,	T	T	T		,	٠,	٠,	٠,	٠,	4							·		. "							x	×	×			L		1.			L		L
Model	68 300330		CC 200290	Secure Consequent	ES SOUSSO (apput design)	Sulvesor (sport design)	Es sociasio	ES SUNSSU	ES 300330	ES JUNGON	ES 300/330	ES 350	ES 350	ES 350	ES 350	ES 360	RX 330/350	RX 330/350	RX 330/350	RX 400h	RX 400h	RX 400h	RX 330	RX350	RX 350	OSE XX	RXAOON	BYSKOMEON	DYSEGMENT	OCA V.	OLE A	LY avo	1X 570	LX 570							ľ				ŀ	1	i		ļ	1		CV 470 DOE	CA 470 W/ RSE	CO SECURO SAR	CS SSUMBO SWO	TWO SERVICES	CAS SOUND CAN	CS 350460 2MD	GS 450H	GS 350/460 AWD	GS 350/460 AWD	GS 350/460 AWD	GS:350460 2WD	G8350, GS450h, GS460 2WD	GS350, GS450h, GS460 ZWD	GS350, GS450h, GS460 AWD	CASSO 2MD	GS350 AWD			S. Tanada		7		ľ					15 480		LS 460/600h
Part Number	DITTOR 22004 00	PT206-33034-12	200000000000000000000000000000000000000	P1205-0214	P1206-33044-02	F1206-3094-12	P1206-33054-11	PT208-33054-30	P1206-33060-02	PT206-33080-11	PT206-33080-30	PT208-33070-10	PT206-33070-11	PT208-33090-05	PT206-33090-15	PT206-33090-25	PT206-48040-10	PT206-48040-11	PT206-48040-12	PTX08-48050-10	PT206-48050-11	PT206-48060-12	PTZ06-48060-11	PT208-48090-05	DTOR ARRON AC	PT208-48090-B0	DT206 AB/02-05	DENANG ABADO JO	000000000000000000000000000000000000000	77-00 000 000 000 000 000 000 000 000 00	L CONTROL	P1206-CX086-10	PT206-LX088-01	PT206-LX088-10	PT206-LX086-07	PT208-24010-02	PT208-24010-20	PT208-24010-34	pT208-24030-02	DT208-24030-20	DE-DOUG SAUGUE	DT308-24044-20	THOUS SACRE AND	SO-CO-60-00-1-1	F 208-2400H03	DITTO SANTO OF	F 200-24070-02	F 1200-00-00	F1200-24090-02	FI CUCCUCATO	F1200-30040-	F1206-3001-01	PT208-3004/-10	P1208-30047-11	P1208-30050-30	PIZUE-SUIDO-ST	F1206-30050-3	DT706 3050 97	DT208-30050-32	PT208-30058-30	PT208-30058-31	PT208-30058-32	PT208-30060-02	PT208-30090-01	PT208-30091-32	PT208-30094-32	PT208-30087-32	PT208-30098-01	PT208-30099-32	PT208-30980-01	PT208-30880-03	PT208-30960-08	PT208-50071-01	D1200 50071.02	D-100 500 100	DT100-0007 10	DT-1200-00071-10	DT308 50072-03	PT208-50072-04	PT208-50073-10	PT208-50075-01	PT208-50075-02



(Sorted By Part Number - Continued . . .)

meri	Piece Set No.	4 pc set	4 pc set	A Det most		4 00 900	4884	4 pc set	4 pc set	4 pc set	4 pc set	4 pc set	4 00 500	4 pc set	A ne task	40000	100	2	4 100 360	4 20	100		96 Sel	* 100 80	1	420.00	10000	100.000			7 .		4 00 301	3 DC SEC	+		L		4 00 591	ŀ	4 20 98	4 pc seri	A PC seet		4 20 861	4 pc set	4 00 961	4 pc set	4 poset	4 Pcs set	4 Pcs set	3 pc set	3 pc set	3 pc set	1	1	1	1	1	4 200 500	He 24.	400.00	4 25 50	A 20 88	4 DC SM	A De see	400 500	40.00	100	200		4 pc ser	4 20 88	4 pc set	8	8	26	100	4 pc set	4 pc set	4 20 201	4 DC Set	
i,	Cotor	Brown	Cashmere	Grav	- Parella	Sect		Cashmere	Black	lvory	Black	Ivory	Š	Back	200	Rlaye	S P		- TENNING		CABURIER		Cashmere			Black	100	3 6	Black	1	Olecc.	4	Leark Gray	ζ.	Charcoal	Š	Dark Gray	Black W. Grav	Black	Black	Dark Brown	Black	t told		Charmen	Light Gray	Slack	Cashmere	Light Gray	Вгожп	Charcoal	Black	hory	Gray	X	Mony	Light Charcoa	anbe	XX I	conceaux	Carbman	Ath	No.	200	Black	- Carren	Risk	Prome		Casamere	Corre	X RIBCK	Stown	Cashmere	Gray	Black	Brown	Cashmere	je g	Black	Brown	Cashmere	
}	91	×			,	×	1				L	L	L	L	L	┖	1		1	1	1	1	1	< ⊥	ļ	4	ŀ	4	4	1	4	_	1	_	_		L	L	L	L.	ŀ	< >	Ŀ	4	×	×	×	×	×	~	×	_	1	\downarrow		1	1			Ŀ	1	l	ŀ	ŀ	>	Ľ	Ŀ	ŀ	4	1	٠	×	×		×	×	×	L	×	×	×	L	
	60	×	×	×	,	×	<u>*</u>	×			L	L	L	L	L	L	1	1	1	1	1	×.	1	۲.	1	٠,	4	1	,	4	* ?	4	*	4		×	Ľ	L	×	×		ļ,	ļ	4	×	×	×	×	×	×	×	_	1	4	1	_	1		1	1	1	ļ	1	1	1	ŀ	ļ	,	4	×	×	×	×	×	×	×	×	×	×	×	×	×	
3	80	×	×	Ľ		×	×	×		L	Ŀ		L	L	Ļ	ļ	1	1	1	4	1	×	×	× :	4	,	4	1	,	1	*	4 :	×	1		×	×	Ŀ	×	×	1	Ļ	ļ	4	×	×	×	×	×	4	4	_	4	4	1	1	1	1	1	4	1	Ŀ	1	L	1	Ľ	ľ	,	1	<u>*</u>	×	×	×	×	×	×	×	×	×	×	×	ľ	٠
	70	×	×	Ĺ	1	1	1	_		L	L	L	ļ.	L	Ļ	1	+	1	4	4	+	×	×	× ;	4	4	1	1	ļ.	4	1	4	×	×	×	×	×	×	L	Ļ	L	-	ļ	4	×	×	ì	4	2	4	4	4	4	4	4	4	4	4	4	1		ļ	1	1	ļ	ľ	,	,	4	×	×	×	×	×	×	×	×	×	Ļ	L	L	ļ	_
	90	Ľ	L	L	1	4	4	4	_	_	L	L	Ļ	L	Ļ	1	,	4 3	*	×	۲.	*	×	× :	4	4	1	1	ļ	1	1	4	×	4	×	×	Ľ	ं	Ļ	ļ	1	╀	╀	4	`	4	4	4		4	_	4	1	4	<u> </u>	4	4	<u>* </u>	*	1	4	1	4	╀	1	Ľ	1	1	4	4	+	4	4	_		Ц	ليا	L	Ļ	Ļ	Ľ	1	-
	90		L	Ļ	1	4	1	4	×		×	×	Ŀ	L	Ļ	1	+	+	4	1	4	1	4	1	1	1	1	1	ł	1	4	+	×	-	×	×	Ľ	L	1	ļ.,	1	+	1	1	-	4	-	-	5	4	4	4	4	4	*	<u> </u>	4	-	*	4	* '	+	4	ļ	1	ļ.,	1	ŀ	1	1	4	4	4	4	_	Н	L	Ļ	L	Ļ	L	ļ	_
L	10		L	L	Ļ	1	4	4	×	×	×	×	ř	×	!	4	4	+	4	4	4	4	4	1	4	Ļ	1	4	1	1	+	1	×	~	×	×	ŗ×	2	L	Ļ	1	Ŧ	╀	+	:	4	4	4	.7	4	4	ĭ	×	×	<u>*</u>	×	*	*	4	× 2	1	٠,	4	1	1	Ļ	1	Ļ	4	4	4	4	4	_		Ш	L	Ļ	Ļ	Ļ	Ė	ļ	_
	18008	LS 460/800h	LS 460/500h	Suspensi						L	3	L	L	L	Ļ	1	Ţ	1	1	1		1	╧	(5.250,050,440)	1	ł	П.	1	1.	٠.	Diver Tipos Piccous of	- 1	- 1	- 1		1	L		GX 470 - Soort (w/o RSE)	ĕ					3 4				Section 5		A. 55.00				-	LS 430			100	18 430					3											L	1 10	LS 460/600h		:		1	
	Fart Number	PT208-50075-04	PT208-50075-10	PTSYS SAMPLE AL	the second second	F1208-90083-02	F1208-50063-04	PT208-50083-10	PT208-63020-02	PT208-53020-10	PT208-63033-02	PT208-53033-10	PT208-69036-01	PT208-53036-02	DTOR STORE OF	01300 63049 03	DITAGE COLOR	70-000000000000000000000000000000000000	F1208-93000-30	P1200-5-02-02	1700-03005-30	71.700-0300/-UZ	F1208-53067-30	F1208-0308-02	P1200-3000-30	DT200 62007 00	OTTO 60000 04	90 00000 00000	DT200 69707 00	20-40000 COCCO	P1200-0000-02	1 - 1200-00-01 -	P1208-60030-11	1208-6061-6	PT208-60031-11	PT208-60037-10	PT208-60037-11	PT208-80071-12	PT208-50080-02	PT708-A0081.07	D7208-75005-04	DT208_75005_20	OTEA9 92070 75	01-010-010-015-015-015-015-015-015-015-0	P1548-33070-10	PT548-33070-11	PT548-33080-02	PT548-33080-10	PT548-33080-11	PT548-33090-01	PT548-33090-12	P1548-48030-02	PT548-48030-10	PT548-48030-11	PT548-50030-02	PT548-50030-10	PT548-50030-11	PT548-50030-14	PT548-50031-02	F1548-50031-13	PT (2000) 14	DTSAB SOME 44	DTG40 48400.04	OT010 48100 12	DT919 48100.20	PT010-50071.01	OT010 50074 DO	DT040 E2074 04	1818-000/1-04	P1919-500-10	F1818-900/3-01	P1919-50073-02	PT919-50073-04	PT919-50073-10	PTB18-50075-01	PT919-50075-02	PT919-50075-04	PT919-50075-10	PT919-50083-01	PT919-50083-02	PT919-50083-04		PT919-50083-10